

**Responses of the Additional queries of Tender no. SW 22102018171: Request for Proposal (RFP) for Selection of Agency for Supply, Installation, Commissioning of Network Attached Storage (NAS) at GSDC, Gandhinagar on behalf of Department of Science & Technology, Government of Gujarat -07122018**

S.No	RFP Clause No & page no.	Original Clause	Query raised	Query Responses/Clarifications
1	3. SECTION-III Point No. : 2 ELIGIBILITY CRITERIA	The bidder should have average annual turnover of at least Rs.200 Crores for the last three financial years as on 31st March, 2018 (FY 15-16, 16-17 & 17-18)	"The bidder should have average annual Turnover of at least Rs. 100 Crores for the last three financial years as on 31st March, 2018 (FY 15-16, 16-17 & 17-18)".	No Change.
2	3. SECTION-III Point No. : 2 ELIGIBILITY CRITERIA	The bidder should have average annual turnover of at least Rs.200 Crores for the last three financial years as on 31st March, 2018 (FY 15-16, 16-17 & 17-18)	We request you to kindly consider the Clause as" The bidder should have average annual turnover of at least Rs.80 Crores for the last 3 financial years as on 31st March, 2018 (FY 15-16, 16-17 & 17-18)	No Change.
3	5.3 PAYMENT SCHEDULE	Delivery of all components (Hardware, Software, Licenses, etc.) at GSDC, Gandhinagar. 70% of the sum total of Item no. 1 of Price bid <input checked="" type="checkbox"/> Successful Installation, Testing, Integration and commissioning. 20% of the sum total of Item no. 1 of Price bid. <input checked="" type="checkbox"/> Successful completion of Threemonth post completion of Final Acceptance test as per the scope. 10% of the sum total of Item no. 1 of Price bid.	We request you to kindly consider the Clause as" 90% after Delivery & 10% against Installation	No Change.
4	5.1 IMPLEMENTATION TIMELINES & PENALTIES	A penalty of 0.5% of contract value of delayed part per week or part thereof.	We request you to kindly consider the Clause as" A penalty of 0.2% of contract value of delayed part per week or part thereof.	No Change.