

GUJARAT INFORMATICS LIMITED

Block No: 1, 8th Floor, Udhyog Bhavan, Sector-11, Gandhinagar: 382 010 Phone No: 23256022, Fax No: 23238925

Bid for Purchase of Server, NAS Storage and Networking items on behalf of U N Mehta Institute of Cardiology & Research Center, Ahmedabad

Tender No. HWT150217411

Last Date of Receipt of Bid : 10.03.2017 till 1500 hours

Date of Opening of Bid : 10.03.2017 at 1700 hours

Bid Processing Fee: Rs. 1500



Gujarat Informatics Limited (hereinafter referred to as "GIL"), intend to invite offers through e-Tendering route for supply, installation, commissioning and maintenance of Server, NAS Storage and Networking items on behalf of U N Mehta Institute of Cardiology & Research Center, Ahmedabad. (Tender no. HWT150217411).

Eligibility Criteria for the bidder:

- 1. The bidder should have a total sum of turnover of Rs. 15 Crore (Minimum) in the last three financial years and the turnover of the last year should be at least Rs. 5 crores. The copies of Audited Annual Accounts for last three years shall be uploaded along with the bid. (Form no. E-1)
- The bidder must have one office in Gujarat. Please upload the copy of any two of the following: Property tax bill/Electricity Bill/Telephone Bill/VAT/CST Registration/Lease agreement. (Form no. E-2). In case, bidder do not have office in Gujarat, bidder should give undertaking to open office in Gujarat within 45 days from the date of empanelment.
- 3. The bidder must have at least 25 customer reference sites of local area network installation (Each Purchase order should include Router/ Switch/ I/Os along with Cat 6 cable & Cable laying) or 25 reference sites each of minimum 50 machine (compute) installations in India. Customer references & Purchase orders must be uploaded along with the bid. (Form No. E-3).
- 4. The bidder should be authorized by its OEM for Server to quote the bid (Form no. E-4).
- The Manufacturer of the product (OEM) should be ISO 9001:2008 Process Certified for manufacturing. ISO certificates are required for Server (Form No. E-5)

Note: Bidders who wish to participate in this bid will have to register on https://gil.nprocure.com. Further bidders who wish to participate in online bids will have to procure Digital Certificate as per Information Technology Act 2000 using which they can sign their electronic bids. Bidders can procure the same from (n) code solutions – a division of GNFC Ltd., or any other agency licensed by Controller of Certifying Authority, Govt. of India. Bidders who already have a valid Digital Certificate need not procure a new Digital Certificate.



The terms and conditions are as follows:

- The last date of submission of bid on the website https://gil.nprocure.com is 1500 Hrs 10.03.2017. **No physical bids will be accepted under normal circumstances**. However, GIL reserves the right to ask the bidders to submit the bid and/or any other documents in physical form.
- The bid is non-transferable.
- The Bidder may quote only one option (i.e. only one product can be quoted) against each item. Bidders are required to mention make & Model of the product (Do not write "OEM" against items as bidders are expected to give make & model of the product).
- The bidder will have to supply, install, commissioning & maintain and provide operational training for supplied hardware, operating software and peripherals and carry out necessary integration at end user office.
- In case the quoted Item is not available in the market, the bidder will have to supply Higher Version/replacement of that Item in the quoted cost in the same time duration with prior approval of GIL. No "End of Life" product should be quoted to minimize such instances. (Make & Model quoted by the bidder should be available till the bid validity, duly supported for spares/OEM support for warranty period).
- The Bidder shall bear all the costs associated with the preparation and submission of its bid, and GIL will in no case will be responsible or liable for these costs, regardless of conduct or outcome of bidding process.
- The bidder has to upload the compliance letter on its letter head duly signed by the authorized signature & other supporting documents as asked for in the bid in scanned format. Failing to submit the same or non-compliance/deviation from any bid terms and conditions, eligibility criteria or technical specifications may result in rejection of the bid.
- The Bidder has to examine all instructions, forms, terms, conditions and specifications in the bidding documents. Failure to furnish all information required by the bidding documents or submission of a bid not substantially responsive to the biding documents in every respect will be at the Bidder's risk and may result in rejection of its bid.
- 9 Amendment of Bidding Documents (Corrigendum)
 - 9.1 At any time prior to the deadline for submission of bids, GIL may, for any reason, whether its own initiative or in response to the clarification request by a prospective bidder, modify the bidding documents.
 - 9.2 The corrigendum will be published on website https://gil.nprocure.com.
 - 9.3 In order to allow prospective bidders reasonable time to take into consideration the amendments while preparing their bids GIL, at its discretion, may extend the deadline for the submission of bids.
- 10 Bid Currency Prices shall be quoted in Indian Rupees only.
- The Bidder will have to remit Non refundable Bid Processing Fees of Rs. 1500/- & Earnest Money Deposit (E.M.D.) of Rs. 28,000/- on or before 10.03.2017 up to 1500 hours in a sealed cover at GIL office with the heading "Bid Processing fees & EMD for the e-Tender No. HWT150217411 for supply, installation, commissioning and maintenance of Server, NAS Storage and Networking items on behalf of U N Mehta Institute of Cardiology & Research Center, Ahmedabad"

GILL SUJAKAT INFORMATICS LIMITED

GUJARAT INFORMATICS LIMITED BLOCK NO.-1, 8TH FLOOR, UDYOG BHAVAN, SECTOR-11, GANDHINAGAR

- ✓ Bid processing fees must be in the form of Demand Draft in the name of "Gujarat Informatics Ltd." payable at Gandhinagar along with the covering letter. Please affix the stamp of your company on the overleaf of demand draft.
- ✓ EMD shall be submitted in the form of Demand Draft <u>OR</u> in the form of an unconditional Bank Guarantee (which should be valid for 6 months from the last date of bid submission) of of All Nationalized Bank including the public sector bank or Private Sector Banks or banks (operating in India having branch at Ahmedabad/ Gandhinagar) as per the G.R. no. EMD/10/2015/508/DMO dated 27.04.2016 issued by Finance Department or further instruction issued by Finance department time to time in the name of "Gujarat Informatics Ltd." payable at Gandhinagar (as per prescribed format given at as per prescribed format given at <u>Annexure A</u>) and must be submitted along with the covering letter.

Note: Failing to submit physical covers of EMD and bid processing fees at GIL on or before 10.03.2017 up to 1500 hours may lead to the rejection of the bid.

- In case of non-receipt of Bid Processing fees & EMD as mentioned above within prescribed time the bid will be rejected by GIL as non-responsive.
- Unsuccessful/disqualified bidder's E.M.D. will be returned as promptly as possible but not later than 15 days after the expiration of the period of bid validity OR upon the successful Bidder signing the Contract, and furnishing the Performance Bank Guarantee @ 10% of the total order value as prescribed by GIL, whichever is earlier.
- In exceptional circumstances, GIL may solicit the Bidder's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. A Bidder may refuse the request without forfeiting its E.M.D. A Bidder granting the request will not be permitted to modify its bid.
- The Successful bidder has to submit Performance Bank Guarantee @ 10% of total order value within 15 days from the date of issue of Purchase order (for warranty period + extra 3 months) All Nationalized Bank including the public sector bank or Private Sector Banks or banks (operating in India having branch at Ahmedabad/ Gandhinagar) as per the G.R. no. EMD/10/2015/508/DMO dated 27.04.2016 issued by Finance Department or further instruction issued by Finance department time to time. (The draft of Performance Bank Guarantee is attached herewith).
- Successful bidders will have to sign the contract upon receiving the Purchase order with the purchaser(s) within 15 working days from the date of Purchase order. (The draft of the Contract form is attached herewith)
- The successful Bidder's E.M.D. will be returned upon the Bidder signing the Contract, furnishing the Performance Bank Guarantee @ 10% of the total order value, offer of inspection of the ordered material, completion of GIL inspection, submit warranty certificate as asked in bid and after completion of bid validity whichever is later.
- If the successful bidder fails to submit the Performance Bank Guarantee & sign the Contract Form within prescribed time limit, the EMD of the successful bidder will be forfeited. GIL also reserves the right to blacklist such bidder from participating in future tenders if sufficient cause exists."
- 19 The E.M.D. may be forfeited:
 - (a) if a Bidder withdraws its bid during the period of bid validity
 - (b) In case of a successful Bidder, if the Bidder fails:
 - (i) If the bidder is found to be involved in fraudulent practices.
 - (ii) If the bidder fails to submit the copy of purchase order & acceptance thereof.



(iii)"If the successful bidder fails to submit the Performance Bank Guarantee & sign the Contract Form within prescribed time limit, the EMD of the successful bidder will be forfeited. GIL also reserves the right to blacklist such bidder from participating in future tenders if sufficient cause exists.

20 Termination for Default

- The Purchaser may, without prejudice to any other remedy for breach of contract, by written notice of default sent to the Bidder (after providing notice/cure period of 30 days), terminate the Contract in whole or part:
 - a) if the bidder fails to deliver any or all of the Goods within 45 working days from the date of purchase order, or within any extension thereof granted by the Purchaser or
 - b) if the Bidder fails to perform any obligation(s) under the Contract/Purchase order.
 - c) If the Bidder, in the judgment of the Purchaser has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.

For the purpose of this clause:

"Corrupt practice" means the offering, giving, receiving or soliciting of any thing of value of influence the action of a public official in the procurement process or in contract execution.

"fraudulent practice: a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the purchaser, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the purchaser of the benefits of free and open competition;"

- 20.2 In the event the Purchaser terminates the Contract in whole or in part, pursuant to Clause 20.1 above, the Purchaser may procure, upon such terms and in such manner, as it deems appropriate, Goods or Services similar to those undelivered, and the Bidder shall be liable to the Purchaser for any excess costs for such similar Goods or Services. However, the Bidder shall continue the performance of the Contract to the extent not terminated.
- 21 Price shall be inclusive of all freight, forwarding, transit insurance and installation charges.
- Prices shall be inclusive of Excise Duties. The prices shall strictly be submitted in the given format. Quoted prices shall be shall be inclusive of all taxes except CST/VAT. The tax components-C.S.T. & VAT as applicable shall be mentioned separately in the respective columns.
- Late Bids The bidder will not be able to submit the bid after final submission date and time.
- 24 Modification and Withdrawal of Bids
 - No bids will be allowed to be modified subsequent to the final submission of bids.
 - No bid will allowed to be withdrawn in the interval between the deadline for submission of bids and the expiry of the bid validity. Withdrawal of a bid during this interval will result in the forfeiture of bidder's E.M.D.
- Bids will be opened in the presence of Bidder's representatives, who choose to attend. The Bidder's representatives who are present shall sign a register/attendance sheet evidencing their attendance. The representative will be held responsible for all commitments made on behalf of the bidder and that will be considered valid for all further dealings related to this tender process. In the absence of the bidder(s), the tender committee may choose to open the bids as per the prescribed schedule.



- The Bidder's names, Bid modifications or withdrawals, discounts and the presence or absence of relevant E.M.D. and such other details as GIL/GOG officer(s) at their discretion, may consider appropriate, will be announced at the opening.
- Evaluation of the bids: After the closing time of submission, GIL/GOG committee will verify the submission of Bid Processing Fees & EMD as per bid terms and conditions. The eligibility criteria evaluation will be carried out of the responsive bids. The technical bids of the bidders who are complying with all the eligibility criteria will be opened and evaluated next. The financial bid of the technically qualified bidders will be opened and financially L1 bidder will be decided from the sum total of prices for all line items without tax with warranty and then called for further negotiations if required.
- As per the provision in Electronics & IT/ITeS Start-up Policy Resolution No. ITS/10/2015/5284/IT dated 6th June, 2016 issued by Department of Science & Technology; in e-Governance project undertaken by Government Departments or its Boards, Corporations or parastatal bodies getting grants from the Government, the chosen solution provider or system integrator will pass on job work or will outsource part of the work of a value ranging between 5% to 10% of the contract value to the eligible start-ups and to students of shortlisted Technical Colleges in Gujarat. In such arrangements, the responsibility of meeting SLAs (Service Level Agreements) will continue to belong to the solution provider or the system integrator.
- The bidder will have to offer the inspection in the manner as decided by GIL before delivering to the respective sites or at customer sites. The cost of the same has to be borne by the supplier. Any deviation found in the specification of the produced goods or delivered goods after inspection from the tender specifications will lead to the cancellation of the order, forfeiture of EMD/PBG and prohibition in the participation in the future purchase of Government of Gujarat. GIL/GoG will not be responsible for any time delay which may arise due to any deviation from the bid technical specification found at the time of inspection and the bidder has to deliver and install the ordered goods within prescribed time limit.

At the time of inspection, bidder is required to produce OEM's confirmation on OEM's Letter head with Sr. nos. of Equipment, Software supplied for back to back warranty support as per tender terms & conditions.

Successful bidder has to paste non-removable sticker on all line items with details of Tender no., bidder's name, address, contact detail, service centre/ help line number and warranty expiry date.

- The indenter's right to inspect, test and, where necessary, reject the Goods after the Goods arrival at Customer Site shall in no way be limited or waived by reason of the Goods having previously been inspected, tested and passed by the Purchaser or its representative prior to the Goods shipment.
- Delivery & installation: Within 45 working days from the date of confirmed purchase order at respective site.
- In case of successful bidder is found in breach of any condition(s) of bid or supply order/work order, at any stage during the course of supply / installation or warranty period, the legal action as per rules/laws, shall be initiated against the empanelled bidder and EMD/PBG shall be forfeited, besides debarring and blacklisting the bidder concerned for the time period as decided by Govt., for further dealings with GoG.
- Bids shall be valid for **90 days** after the date of financial bid opening. A bid valid for a shorter period shall be rejected as non-responsive. If required, GIL may extend the bid validity for further period from the date of expiry of bid validity in consultation with the successful bidder.



- Bidder must ensure that the warranty support & service should be available up to delivery locations to provide repairing cum replacement services of faulty equipments within 48 hrs. Bidder is required to provide the name & address & contact details of the firm for providing warranty support & repairing cum replacement service up to delivery locations.
- Bidders are required to quote all items including optional add-ons as well. Incomplete bids will be treated as non-responsive and will be rejected.
- The Bidder/System Integrator will be required to co-ordinate with software vendor and/or do liasioning with other service provider to achieve the end-to-end connectivity. This also includes OS configuration with respect to LAN/WAN technologies implementation.

37 Penalty Clause for delay in delivery & installation

- 37.1 If the bidder fails to deliver and install the requisite hardware and software within 45 working days of the issue of the confirmed purchase order, then a sum equivalent to one percent (1 %) of the total contract value shall be deducted from the payment for each calendar week of delay or part thereof.
- 37.2 The amount of penalty for delay in delivery & installation shall be subject to a maximum limit of 10% of the total contract value.
- Delay in excess of 10 weeks will be sufficient to cause for termination of the contract. In that case the Performance Bank Guarantee of the bidder will be forfeited.
- In case, the selected bidder does not supply the ordered items for any reason, the bidder will be liable to pay the difference amount to the purchaser, over and above the performance guarantee, which indenter department has to pay to the next or other selected bidder for purpose of the said items.

38 Warranty

- 38.1 Warranty: Comprehensive onsite warranty for 5 years from the date of installation of items.
- 38.2 If any equipment gives continuous trouble, say more than 3 times in one month during the warranty period, the bidder shall replace the same with new equipment without any additional cost to the purchaser.
- Maintenance service: Free maintenance services shall be provided by the Bidder during **the period of warranty.**
- 38.4 In case, bidder is not providing satisfactory support & doing unwarranted delay in providing warranty support, Government offices reserves right to repair the equipment at risk & cost of the bidder.

39 **Operational/Warranty period Penalty:**

- 39.1 During warranty period, if the complaint is not resolved with in 48 hrs the penalty of Rs. 500 per day for server & Rs. 200 per day for other peripherals will be levied. However, if the complaints not resolved within 7 days then from 8th day to 14th day, penalty would be levied @ 150% and from 15th day onwards penalty @ 200% of the above rates would be levied. The amount of penalty will be recovered from the Performance bank guarantee during warranty period.
- The amount of Operational/Warranty period Penalty shall be subject to a maximum limit of 10% of the total contract value.

Note:



o Successful bidder should submit the Performance Bank Guarantee @ 10% of total order value for the duration of (for warranty period + extra 3 months) as per bid requirements. In any case, bidder is required to maintain 10% PBG at all time during the period of contract. In case of any penalty claimed from the submitted PBG during the contract period, the successful bidder is required to submit the additional PBG of the amount equal to the penalty claimed for the duration up to the validity of original Bank Guarantee.

For example, For 5 years warranty "X" amount of penalty will be claimed during the 5th month of contract period (for , then bidder is required to submit the additional PBG of "X" amount for the period of 58 months i.e. 63 months - 5 months.

- 40 **Payment:** Payment for Goods and Services shall be made by the indenting department in Indian Rupees as follows:
 - 40.1 No advance payment will be made.
 - 40.2 90% payment after successful inspection and delivery of the ordered goods. The inspection will be done as decided by GIL.
 - 40.3 Remaining 10% payment will be made after installation of the ordered goods.
- GIL reserves the right to change any bid condition of any item even after inviting the bids, with/without prior notification.
- GIL's Right to accept any Bid and to reject any or all Bids GIL reserve the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to awarding the Contracts, without thereby incurring any liability to the affected Bidder or bidders or any obligation to inform the affected Bidder or bidders of the grounds for such decision.
- The tendered quantities are estimated based on the receipt of the requirement from various Government offices. The quantities may decrease up to 50% of the bid quantity or increase up to 30% of the bid quantity at the time of finalization, depending upon the change in the requirements/grants available with the purchaser(s), which shall be binding to the bidder.
- 44 All correction/addition/deletion shall require authorized countersign.
- Limitation of Vendor's Liability: Notwithstanding anything contained in the Contract, Vendor's liability will be only for actual direct damages and shall be capped and limited to double the charges or the amounts paid or due and payable to Vendor for the Services that are the subject of the claim.
- 46 Force Majeure Shall mean and be limited to the following:
 - a) War/hostilities
 - b) Riot or Civil commotion
 - c) Earthquake, flood, tempest, lightening or other natural physical disaster.
 - d) Restrictions imposed by the Government or other statutory bodies which prevents or delays the execution of the order by the BIDDER.

The BIDDER shall advise GIL by a registered letter duly certified by the local statutory authorities, the beginning and end of the above causes of delay within seven (7) days of the occurrence and cessation of such Force Majeure Conditions. In the event of delay lasting over two months, if arising out of causes of Force Majeure, GIL reserves the right to cancel the order.

Completion period may be extended to circumstances relating to Force Majeure by the GIL. Bidder shall not claim any further extension for completion of work. GIL/GoG shall not be liable to pay extra costs under any conditions.



The BIDDER shall categorically specify the extent of Force Majeure conditions prevalent in their works at the time of submitting their bid and whether the same have been taken in to consideration or not in their quotations. In the event of any Force Majeure cause, the BIDDER shall not be liable for delays in performing their obligations under this order and the delivery dates can be extended to the BIDDER without being subject to price reduction for delayed delivered, as stated elsewhere.

It will be prerogative of GIL/GoG to take the decision on force major conditions and GIL/GoG decision will be binding to the bidder.

The Clarifications must be submitted in writing at GIL within 5 days after publishing bid on website only. Thereafter the clarifications received from the bidders will not be entertained.

The bid should be submitted on the website https://gil.nprocure.com on or before 1500 Hrs, 10.03.2017. Please address all queries and correspondence to

Shri Vivek Upadhyay, DGM (Tech.),

Gujarat Informatics Limited Block-1, 8th Floor, Udhyog Bhavan, Gandhinagar – 382010

Phone No. 079-23259239, Fax No. 079-23238925 E-mail: viveku@qujarat.qov.in

Fax/email should be followed by the post confirmation copy



${\it GUJARAT\ INFORMATICS\ LIMITED} \\ {\it BLOCK\ NO.-1,8}^{\rm TH}\ {\it FLOOR,\ UDYOG\ BHAVAN,\ SECTOR-11,\ GANDHINAGAR}$

SECTION I

Bid Processing Fees & Earnest Money Deposit Details

Sr. No.	ltem	Amount	(In Rs.)	Name of the Bank & Branch	Demand Draft No.
1	Bid Processing Fees				
_	Earnest Money Deposit				
2	(E.M.D.)				

ELIGIBILITY CRITERIA

Form no. E1 Financial strength of the bidder

Financial Year	Turnover (Rs. In Crores)	Audited Accounts submitted? (Yes/No)

Note: Please fill this form and upload the audited Annual Accounts for the last three financial years.

Form no. E2 Office in GUJARAT

Sr. No.	Address	Contact Person	Contact nos.	Type of supporting document uploaded
1				
2				

Note: You may mention more than one office (if applicable) by adding multiple rows

Form No. E3 Experience Details (Customer References)

Sr. No.	Name of the Organization	Contact Person	Contact telephone no. & Address	Date/Period of implementation	No. of LAN sites/No. of Installations	Type of Supporting Document uploaded

Note: Please fill this form and submit the supporting documents for each customer reference in scanned format. Failing the same may lead to the rejection of the bid.

Form no. E4 Authorization Letters

ltem	Make & Model	Name of OEM	Authorization letter uploaded? (Yes/No)
Rack based server			



Form no. E5: ISO 9001:2008 certification for Manufacturing

Sr. No.	ltem	Make & Model	Name of OEM	ISO certification valid up to	ISO certification submitted? (Yes/No)
Rack based server				·	

Note: You may quote only one option against any item.



SECTION II

Make & Model List

Item	Make & Model	Supporting Document uploaded? (Yes/No)
Rack based server		
NAS Storage		
Layer 2 Manageable - 48 Ports		

Note: You may quote only one option against any item.



Form no. T2 (TECHNICAL MINIMUM SPECIFICATIONS)

Sr. No. No.				Ī	Deviati
1 Chassis 2U Rack Mountable Processor 2 * Intel® Xeon® Processor E5-2609 v4 (20M Cache, 1.70 GHz) or higher RAM At least 24 pIMM slots, 8 DIMM X 4GB OR 4 DIMM X 8GB each at least 333MHz@ 1600/1866 MHz DDR4 HDD 6 X 300GB 20K RPM Hot swappable HDD Bays At least Support for 8 hard drive 2.5" or 3.5" hot swappable drive chassis RAID 512 MB Flash Memory controller Cache RAID At least support for RAID 0,1,5,6 controller Cache RAID At least support for RAID 0,1,5,6 controller Keyboard 104 keys Keyboard Mouse 2 Keys Optical scroll mouse Optical Drive Slim Line DVD Writer (Internal / External through USB connectivity) Networking At least 2 Ports Gigabit Ethernet controller Ports 1 Front and 2 Rear USB 2.0 ports, 1 serial port, 2 RJ-45 port, Slots Minimum 4, or more PCI-e slots Power Supply Redundant 450W or higher Hot swap power supply Management Remote Management Software should be provided Support remote connection to LAN console port via SSH and web browser with SSL encryption LAN console port via SSH and web browser with SSL encryption LAN console Port Rack Rails Rack rails needs to supply along with Server OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications ROHS, UL, CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM.			ltem		Remar ks (If
Processor 2 * Intel® Xeon® Processor E5-2609 v4 (20M Cache, 1.70 GHz) or higher RAM At least 24 DIMM slots, 8 DIMM X 4GB OR 4 DIMM X 8GB each at least 1333MHz@ 1600/1866 MHz DDR4 HDD 6 X 300GB 10K RPM Hot swappable HDD Bays At least Support for 8 hard drive 2.5" or 3.5" hot swappable drive chassis RAID 512 MB Flash Memory controller Cache RAID At least support for RAID 0,1,5,6 controller Keyboard 104 keys Keyboard Mouse 2 Keys Optical scroll mouse Optical Drive Slim Line DVD Writer (Internal / External through USB connectivity) Networking At least 2 Ports Gigabit Ethernet controller Ports 1 Front and 2 Rear USB 2.0 ports, 1 serial port, 2 RJ-45 port, Slots Minimum 4 or more PCI-e slots Power Supply Management Redundant 4,50W or higher Hot swap power supply Management Support remote connection to LAN console port via SSH and web browser with SSL encryption LAN console port supports remote power up and power down control Support Event notification to system console, Management 100 Base T Management LAN with web console access console, Management Rack Rails Rack rails needs to supply along with Server OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications RoHS, JUL, CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM.			Rack based Server		
1,70 GHz) or higher RAM At least 2, DIMM slots, 8 DIMM X 4,GB OR 4, DIMM X 8GB each at least 1333MHz@ 1600/866 MHz DDR4 HDD 6 X 300GB 10K RPM Hot swappable HDD Bays At least Support for 8 hard drive 2.5" or 3.5" hot swappable drive chassis RAID 512 MB Flash Memory Controller Cache RAID At least support for RAID 0,1,5,6 Controller Keyboard 104 keys Keyboard Mouse 2 Keys Optical scroll mouse Optical Drive Slim Line DVD Writer (Internal / External through USB connectivity) Networking At least 2 Ports Gigabit Ethernet controller Ports 1 Front and 2 Rear USB 2.0 ports, 1 serial port, 2 RJ-45 port, Slots Minimum 4 or more PCI-e slots Power Supply Redundant 4,50W or higher Hot swap power supply Management Remote Management Software should be provided Support remote connection to LAN console port via SSH and web browser with SSL encryption LAN console port supports remote power up and power down control Support Event notification to system console, Management 100 Base T Management LAN with web console access OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications Roks Alls Needs to supply along with Server OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage	1	Chassis	2U Rack Mountable		
RAM At least 24 DIMM slots, 8 DIMM X 4GB OR 4 DIMM X 8GB each at least 1333MHz@ 1600/18666 MHz DDR4		Processor	2 * Intel® Xeon® Processor E5-2609 v4 (20M Cache,		
BGB each at least 1333MHz@ 1600/1866 MHz DDR4			1.70 GHz) or higher		
HDD 6 X 300GB 10K RPM Hot swappable HDD Bays At least Support for 8 hard drive 2.5" or 3.5" hot swappable drive chassis RAID 512 MB Flash Memory controller Cache RAID At least support for RAID 0,1,5,6 controller Keyboard 104 keys Keyboard Mouse 2 Keys Optical scroll mouse Optical Drive Slim Line DVD Writer (Internal / External through USB connectivity) Networking At least 2 Ports Gigabit Ethernet controller Ports 1 Front and 2 Rear USB 2.0 ports, 1 serial port, 2 RJ-45 port, Slots Minimum 4 or more PCI-e slots Power Supply Redundant 4,50W or higher Hot swap power supply Management Remote Management Software should be provided Support remote connection to LAN console port via SSH and web browser with SSL encryption LAN console port supports remote power up and power down control Support Event notification to system console, Management Console Port Rack Rails Rack rails needs to supply along with Server OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications ROHS, UL, CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage		RAM	At least 24 DIMM slots, 8 DIMM X 4GB OR 4 DIMM X		
Bays At least Support for 8 hard drive 2.5" or 3.5" hot swappable drive chassis RAID 512 MB Flash Memory controller Cache RAID At least support for RAID 0,1,5,6 Controller Keyboard 104 keys Keyboard Mouse 2 Keys Optical scroll mouse Optical Drive Slim Line DVD Writer (Internal / External through USB connectivity) Networking At least 2 Ports Gigabit Ethernet controller Ports 1 Front and 2 Rear USB 2.0 ports, 1 serial port, 2 RJ-45 port, Slots Minimum 4 or more PCI-e slots Power Supply Redundant 4,50W or higher Hot swap power supply Management Remote Management Software should be provided Support remote connection to LAN console port via SSH and web browser with SSL encryption LAN console port supports remote power up and power down control Support Event notification to system console, Management Console Port Rack Rails Rack rails needs to supply along with Server OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications ROHS, UL, CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage			8GB each at least 1333MHz@ 1600/1866 MHz DDR4		
RAID controller Cache RAID At least support for RAID 0,1,5,6 controller Keyboard Mouse Optical Drive Slim Line DVD Writer (Internal / External through USB connectivity) Networking At least 2 Ports Gigabit Ethernet controller Ports 1 Front and 2 Rear USB 2.0 ports, 1 serial port, 2 RJ-45 port, Minimum 4 or more PCI-e slots Power Supply Redundant 450W or higher Hot swap power supply Management SSH and web browser with SSL encryption LAN console port via SSH and web browser with SSL encryption LAN console port Console, Management Console Port Rack Rails Rack rails needs to supply along with Server OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications ROHS, UL, CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage		HDD	•		
RAID controller Cache RAID At least support for RAID 0,1,5,6 controller Keyboard 104 keys Keyboard Mouse 2 Keys Optical scroll mouse Optical Drive Slim Line DVD Writer (Internal / External through USB connectivity) Networking At least 2 Ports Gigabit Ethernet controller Ports 1 Front and 2 Rear USB 2.0 ports, 1 serial port, 2 RJ-45 port, Slots Minimum 4 or more PCI-e slots Power Supply Redundant 450W or higher Hot swap power supply Management Remote Management Software should be provided Support remote connection to LAN console port via SSH and web browser with SSL encryption LAN console port supports remote power up and power down control Support Event notification to system console, Management Console Port Rack Rails Rack rails needs to supply along with Server OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications RoHS, UL, CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage		Bays			
controller Cache RAID Controller Keyboard At least support for RAID 0,1,5,6 Reyboard Mouse 2 Keys Optical scroll mouse Optical Drive Slim Line DVD Writer (Internal / External through USB connectivity) Networking At least 2 Ports Gigabit Ethernet controller Ports 1 Front and 2 Rear USB 2.0 ports, 1 serial port, 2 RJ-45 port, Slots Minimum 4 or more PCI-e slots Power Supply Redundant 450W or higher Hot swap power supply Management Support remote connection to LAN console port via SSH and web browser with SSL encryption LAN console port supports remote power up and power down control Support Event notification to system console, Management Console Port Rack Rails Rack rails needs to supply along with Server OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications ROHS, UL, CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage					
Cache RAID RAID At least support for RAID 0,1,5,6 controller Keyboard 104 keys Keyboard Mouse 2 Keys Optical scroll mouse Optical Drive Slim Line DVD Writer (Internal / External through USB connectivity) Networking At least 2 Ports Gigabit Ethernet controller Ports 1 Front and 2 Rear USB 2.0 ports, 1 serial port, 2 RJ-45 port, Slots Minimum 4 or more PCI-e slots Power Supply Redundant 4,50W or higher Hot swap power supply Management Remote Management Software should be provided Support remote connection to LAN console port via SSH and web browser with SSL encryption LAN console port supports remote power up and power down control Support Event notification to system console, Management Console Port Rack Rails Rack rails needs to supply along with Server OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications ROHS, UL, CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage			512 MB Flash Memory		
RAID controller Keyboard 104 keys Keyboard Mouse 2 Keys Optical scroll mouse Optical Drive Slim Line DVD Writer (Internal / External through USB connectivity) Networking At least 2 Ports Gigabit Ethernet controller Ports 1 Front and 2 Rear USB 2.0 ports, 1 serial port, 2 RJ-45 port, Slots Minimum 4 or more PCI-e slots Power Supply Redundant 450W or higher Hot swap power supply Management Software should be provided Support remote connection to LAN console port via SSH and web browser with SSL encryption LAN console port supports remote power up and power down control Support Event notification to system console, Management Console Port Rack Rails Rack rails needs to supply along with Server OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications ROHS, UL, CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM.					
controller Keyboard Mouse 2 Keys Optical scroll mouse Optical Drive Slim Line DVD Writer (Internal / External through USB connectivity) Networking At least 2 Ports Gigabit Ethernet controller Ports 1 Front and 2 Rear USB 2.0 ports, 1 serial port, 2 RJ-45 port, Slots Minimum 4 or more PCI-e slots Power Supply Redundant 450W or higher Hot swap power supply Management Sysh and web browser with SSL encryption LAN console port via SSH and web browser with SSL encryption LAN console port supports remote power up and power down control Support Event notification to system console, Management Console Port Rack Rails Rack rails needs to supply along with Server OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications RoHS, UL, CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage					
Keyboard 104 keys Keyboard Mouse 2 Keys Optical scroll mouse Optical Drive Slim Line DVD Writer (Internal / External through USB connectivity)			At least support for RAID 0,1,5,6		
Mouse 2 Keys Optical scroll mouse Optical Drive Slim Line DVD Writer (Internal / External through USB connectivity) Networking At least 2 Ports Gigabit Ethernet controller Ports 1 Front and 2 Rear USB 2.0 ports, 1 serial port, 2 RJ-45 port, Slots Minimum 4 or more PCI-e slots Power Supply Redundant 450W or higher Hot swap power supply Management Software should be provided Support remote connection to LAN console port via SSH and web browser with SSL encryption LAN console port supports remote power up and power down control Support Event notification to system console, Management Console Port Rack Rails Rack rails needs to supply along with Server OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications RoHS ,UL ,CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage					
Optical Drive Slim Line DVD Writer (Internal / External through USB connectivity) Networking At least 2 Ports Gigabit Ethernet controller Ports 1 Front and 2 Rear USB 2.0 ports, 1 serial port, 2 RJ-45 port, Slots Minimum 4 or more PCI-e slots Power Supply Redundant 450W or higher Hot swap power supply Management Remote Management Software should be provided Support remote connection to LAN console port via SSH and web browser with SSL encryption LAN console port supports remote power up and power down control Support Event notification to system console, Management Console Port Rack Rails Rack rails needs to supply along with Server OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications RoHS ,UL ,CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage					
Networking		Mouse	2 Keys Optical scroll mouse		
Networking At least 2 Ports Gigabit Ethernet controller Ports 1 Front and 2 Rear USB 2.0 ports, 1 serial port, 2 RJ-45 port, Slots Minimum 4 or more PCI-e slots Power Supply Redundant 450W or higher Hot swap power supply Management Remote Management Software should be provided Support remote connection to LAN console port via SSH and web browser with SSL encryption LAN console port supports remote power up and power down control Support Event notification to system console, Management Console Port Rack Rails Rack rails needs to supply along with Server OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications RoHS ,UL ,CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage		Optical Drive			
Ports 1 Front and 2 Rear USB 2.0 ports, 1 serial port, 2 RJ-45 port, Slots Minimum 4 or more PCI-e slots Power Supply Redundant 450W or higher Hot swap power supply Management Remote Management Software should be provided Support remote connection to LAN console port via SSH and web browser with SSL encryption LAN console port supports remote power up and power down control Support Event notification to system console, Management Console Port Rack Rails Rack rails needs to supply along with Server OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications RoHS ,UL ,CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage		Notworking	7 .		
port, Slots Minimum 4 or more PCI-e slots Power Supply Redundant 450W or higher Hot swap power supply Management Remote Management Software should be provided Support remote connection to LAN console port via SSH and web browser with SSL encryption LAN console port supports remote power up and power down control Support Event notification to system console, Management Console Port Rack Rails Rack rails needs to supply along with Server OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications ROHS, JL, CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage					
Power Supply Redundant 450W or higher Hot swap power supply Management Remote Management Software should be provided Support remote connection to LAN console port via SSH and web browser with SSL encryption LAN console port supports remote power up and power down control Support Event notification to system console, Management Console Port Rack Rails Rack rails needs to supply along with Server OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications RoHS ,UL ,CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage		Ports			
Management Remote Management Software should be provided Support remote connection to LAN console port via SSH and web browser with SSL encryption LAN console port supports remote power up and power down control Support Event notification to system console, Management Console Port Rack Rails Rack rails needs to supply along with Server OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications ROHS ,UL ,CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage		Slots			
Support remote connection to LAN console port via SSH and web browser with SSL encryption LAN console port supports remote power up and power down control Support Event notification to system console, Management console, Management console Port Rack Rails Rack rails needs to supply along with Server OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications RoHS ,UL ,CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage		Power Supply			
SSH and web browser with SSL encryption LAN console port supports remote power up and power down control Support Event notification to system console, Management Console Port Rack Rails Rack rails needs to supply along with Server OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications ROHS ,UL ,CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM.		Management	,		
console port supports remote power up and power down control Support Event notification to system console, Management Console Port Rack Rails Rack rails needs to supply along with Server OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications RoHS ,UL ,CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM.					
down control Support Event notification to system console, Management Console Port Rack Rails Rack rails needs to supply along with Server OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications RoHS , UL , CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage			, ,		
Console, Management Console Port Rack Rails OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications ROHS ,UL ,CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage					
Management Console Port Rack Rails Rack rails needs to supply along with Server OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications RoHS ,UL ,CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage			, ,		
Console Port Rack Rails Rack rails needs to supply along with Server OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications RoHS ,UL ,CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage			·		
OS Support Microsoft Windows Server 2008/2012, Red Hat Enterprise Linux Certifications RoHS ,UL ,CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage			3		
Enterprise Linux Certifications RoHS ,UL ,CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage		Rack Rails			
Certifications RoHS ,UL ,CE/FCC or equivalent third party certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage		OS Support			
certification from reputed Agency, Windows Logo Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage					
Certification Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage		Certifications			
Warranty Comprehensive onsite warranty for 5 years from the date of installation. Warranty shall be offered directly from the OEM. NAS Storage 2 RAID					
date of installation. Warranty shall be offered directly from the OEM. NAS Storage) A/			
NAS Storage 2 RAID		Warranty	, , ,		
NAS Storage					
2 RAID	NAS	Storage	nom the OLM.		
Dual Astina					
Controller	_		Dual Active		
RAID Levels RAID 0, 1, 5, 10			RAID 0, 1, 5, 10		
Processor/Cac					



	he		
	Standard		
	Memory	2 GB	
	·	Usable 5 TB with hot swappable disks, upgradable to at	
	Storage Size	least 10 TB	
	Form Factor	1U/2U	
		Full Duplex 10/100/1000 Base-T Ethernet Ports (at Least	
	Ethernet	2 Ports)	
	File Access Protocols	CIFS,NFS,FTP,SMB3,SMB	
	Type of Data	File and Block (Microsoft iSCSI target)	
	Block Access	Microsoft iCCSI Target	
	Protocols	Microsoft iSCSI Target	
	OS Support	Windows Standard/Datacenter 2012 Must be supported	
		Storage should come with its operating system and	
		storage management software with unlimited users	
	Software	forever. It should allow easily manageable access of the	
		file systems to servers and workstations in the Giga-bit	
		Ethernet network	
	Drive Interface	SATA, NL-SAS	
	Disk Speed	At least 7200 RPM	
	Redundant Power Supply	Required	
	Redundant FAN	Required	
	Warranty and support	Comprehensive Onsite Warranty for 5 Years from the date of installation. Warranty shall be offered directly	
		from the OEM	
48 P	ort L2 Manageabl	le Switch	
3	Architecture	Shall be 1RU, 19" Rack Mountable	
3	Architecture		
		48 RJ-45 autosensing 10/100/1000 ports	
		4 Gigabit SFP slots in addition to the above ports	1
		1 RJ-45 serial console port	1
		128 MB SDRAM and 16 MB flash	
		Shall have switching capacity of 56 Gbps	
		Shall have up to 77 million pps switching throughput	1
		Shall provide Gigabit (1000 Mb) Latency of < 4.1 μs	
		IEEE 802.1D Spanning Tree Protocol, IEEE 802.1w Rapid	
	Resiliency	Spanning Tree Protocol and IEEE 802.1s Multiple	
	,	Spanning Tree Protocol	
		IEEE 802.3ad Link Aggregation Control Protocol (LACP)	
	Layer 2	8K MAC address table	
	Features	Shall support up to 4,000 IEEE 903,40 hasad VI ANI-	
		Shall support up to 4,000 IEEE 802.1Q-based VLANs	1
		Shall support Jumbo frames on GbE ports	
		Internet Group Management Protocol (IGMP)	<u> </u>
		Multicast Listener Discovery (MLD) snooping	
		IEEE 802.1AB Link Layer Discovery Protocol (LLDP)	



225			F
	Shall support Voice VLAN feature to automatically		
	assigns VLAN and priority to devices like IP phones		
QoS and	Hardware-based wire-speed access control lists (ACLs)		
Security	for Layer 2 to Layer 4 traffic filtering.		
Features	Tor Edyer 2 to Edyer 4 trume meering.		
	IPv6 ACL support for filtering IPv6 network traffic		
	Traffic classification using multiple match criteria based		
	on Layer 2, 3, and 4 information		
	Powerful QoS feature supporting (SP) queuing, SDWRR,		
	and SP+SDWRR /modular QoS		
	Shall support applying QoS policies on a port to set		
	priority level or rate limit selected traffic		
	IEEE 802.1x to provide port-based user authentication		
	with multiple 802.1x authentication sessions per port		
	Media access control (MAC) authentication to provide		
	simple authentication based on a user's MAC address		
	Dynamic Host Configuration Protocol (DHCP)		
	protection/snooping to prevent unauthorized DHCP		
	servers		
	Port security and port isolation		
	STP BPDU port protection to prevent forged BPDU		
	attacks		
	STP Root Guard to protect the root bridge from	†	
	malicious attacks or configuration mistakes		
	IP Source guard to prevent IP spoofing attacks		
	Dynamic ARP protection blocking ARP broadcasts from		
	unauthorized hosts		
Management	Configuration through the CLI, console, Telnet, SSH and		
Features	Web Management		
reatures	SNMPv1, v2, and v3 and Remote monitoring (RMON)		
	support		
	Management security through Manager and operator		
	privilege levels		
		+	
	FTP/ Secure FTP, TFTP support		
	Port mirroring to mirror ingress/egress ACL-selected		
	traffic from a switch port or VLAN to a local or remote		
	switch port		
	RADIUS/TACACS+ for switch security access		
	administration		-
	Network Time Protocol (NTP) or equivalent support		-
	Shall have Ethernet OAM (IEEE 802.3ah) management		
F	capability		-
Environmental Features	Shall provide support for RoHS / WEEE regulations		
	Shall have features to improve energy efficiency like		
	variable-speed fans, shutoff unused ports etc		
	Operating temperature of 0°C to 45°C		
Marranty and	Comprehensive onsite warranty for 5 years from the		_
Warranty and Support	date of installation. Warranty shall be offered directly		
3 αμμοι τ	from the OEM.		
			·



SECTION III

Form no. F1 - FINANCIAL BID FORMAT

Sr. No	ITEM	Qty. (In Nos.)	Unit Prices with Warranty (In Rs. Without tax)	Total Price (In Rs. Without tax)	Rate of VAT/Service tax (%)
Α	В	С	D	E=C*D	F
1	Rack based server	1			
2	NAS Storage	2			
3	Layer 2 Manageable - 48 Ports	6			
	Grand Total				

Note:

- 1. L1 will be the lowest sum total of rates of all line items without tax with warranty.
- 2. Successful Vendor will have to supply/provide goods with an Invoice from a place located within State of Gujarat



Performa of Compliance letter/Authenticity of Information Provided

(On Non judicial Stamp paper of Rs.100 duly attested by the First class Magistrate/Notary Public)

, , , , , , , , , , , , , , , , , , , ,	,
	Date:
To, DGM (Tech.) Gujarat Informatics Ltd. Block-1, 8 th Floor, Udhyog Bhavan, Gandhinagar.	
Sub: Compliance with the tender terms and conditi	ons, specifications and Eligibility Criteria
Ref: Tender No. HWT150217411	
Dear Sir,	
<< Designation of Signatory>>, is authorized to give the	tood the technical specification and total requirement of
We hereby confirm that all our quoted items meet of with specifications mentioned in the bid document.	or exceed the requirement and are absolutely compliant
. ,	ns meet technical specification of the bid & that such dard literature if the same contradicts or is absent in
·	is or deviation from bid specification other than already ender Committee for disqualification will be accepted by
·	rect. In case any information provided by us are found to at any stage including forfeiture of our EMD/ PBG/cance right to take legal action on us.
Thanking you,	
Dated	d this day of2017
(in the	e Capacity of) : authorized to sign bid for and on behalf of

Note: This form should be signed by authorized signatory of bidder



Annexure A

Format of Earnest Money Deposit in the form of Bank Guarantee

Ref:	Bank Guarantee No. Date:
To,	
DGM(Techi	nical)
Gujarat Info	ormatics Limited
8th Floor, B	lock -1, Udyog Bhavan,
Sector - 11,	Gandhinagar - 382017
Gujarat, Inc	lia
bid dated	(here in after called "the Bidder") has submitted its in response to the Tender no: HWT150217411 KNOW ALL MEN by these presents that having our
bound unto	office at (hereinafter called "the Bank") are the Gujarat Informatics Limited in the sum of for which payment well and truly to Gujarat Informatics Limited , the Bank binds itself, its successors and assigns by these presents. In the Common Seal of the said Bank thisday of
THE COND	ITIONS of this obligation are:
a. b.	In case of a successful Bidder, if the Bidder fails: (i) To sign the Contract as mentioned above within the time limit stipulated by purchaser or (ii) To furnish performance bank guarantee as mentioned above or (iii) If the bidder fails to submit the copy of purchase order & acceptance thereof. (v) If the successful bidder fails to submit the Performance Bank Guarantee & sign the Contract Form within prescribed time limit, the EMD of the successful bidder will be forfeited. GIL also reserves the right to blacklist such bidder from participating in future tenders if sufficient cause exists.

We undertake to pay to the GIL/Purchaser up to the above amount upon receipt of its first written demand, without GIL/ Purchaser having to substantiate its demand, provided that in its demand GIL/ Purchaser will specify that the amount claimed by it is due to it owing to the occurrence of any of the abovementioned conditions, specifying the occurred condition or conditions.

This guarantee will remain valid up to 6 months from the last date of bid submission i.e. DD.MM.20XX. The Bank undertakes not to revoke this guarantee during its currency without previous consent of the OWNER/PURCHASER further agrees that if this guarantee is extended for a period as mutually agreed between bidder & owner/purchaser, the guarantee shall be valid for a period so extended provided that a written request for such extension is received before the expiry of validity of guarantee.

The Bank shall not be released of its obligations under these presents by any exercise by the OWNER/PURCHAER of its liability with reference to the matters aforesaid or any of them or by reason or any



other acts of omission or commission on the part of the OWNER/PURCHASER or any other indulgence shown by the OWNER/PURCHASER or by any other matter or things.

The Bank also agree that the OWNER/PUCHASER at its option shall be entitled to enforce this Guarantee against the Bank as a Principal Debtor, in the first instance without proceeding against the SELLER and not withstanding any security or other guarantee that the OWNER/PURCHASER may have in relation to the SELLER's liabilities.

Dated at	on this	day of	2017.
Signed and delivered by			
For & on Behalf of			
Name of the Bank & Bran Its official Address	ch &		

Approved Bank: All Nationalized Bank including the public sector bank or Private Sector Banks or banks (operating in India having branch at Ahmedabad/ Gandhinagar) as per the G.R. no. EMD/10/2015/508/DMO dated 27.04.2016 issued by Finance Department or further instruction issued by Finance department time to time



Proforma of Contract-cum-Equipment Performance Bank Guarantee

(To be stamped in accordance with Stamp Act)

Ref:	Bank Guarantee No. Date:
To Name & Address of the Purchaser/Indenter	
Dear Sir,	
In consideration of Name & Address of the Purchaser/In- (hereinafter referred to as the OWNER/PURCHASER which ex- meaning thereof include successors, administrators (hereinafte	pression shall unless repugnant to the context or and assigns) having awarded to M/shaving Principal Office at
shall unless repugnant to the context or meaning thereof incl	
executors and assigns) the supply ofb	
issued by Gujarat Informatics Ltd. ,Gandhinagar for the same having been accepted by the SELLER re	
materials/equipments as mentioned in the said purchase ord Contract Performance and Warranty Guarantee for faithful pe warranty quality to the OWNER/PURCHASER,	der and the SELLER having agreed to provide a erformance of the aforementioned contract and
(hereinafter referred to as the 'Bank' which expressly shall,	_
thereof include successors, administrators, executors and ass	
the sum of Rs(Rupees demand at any time up to without a refere) to the OWNER/PURCHASER on
the OWNER/PURCHASER on the Bank shall be conclusive	
between Tribunals, Arbitrator or any other authority.	3 ,

The Bank undertakes not to revoke this guarantee during its currency without previous consent of the OWNER/PURCHASER and further agrees that the guarantee herein contained shall continue to be enforceable till the OWNER/PURCHASER discharges this guarantee. OWNER/PURCHASER shall have the fullest liberty without affecting in any way the liability of the Bank under this guarantee from time to time to extend the time for performance by the SELLER of the aforementioned CONTRACT. The OWNER/PURCHASER shall have the fullest liberty, without affecting this guarantee, to postpone from time to time the exercise of any powers vested in them or of any right which they might have against the SELLER, and to exercise the same at any time in any manner, and either to enforce to forebear to enforce any covenants contained or implied, in the aforementioned CONTRACT between the OWNER/PURCHASER and the SELLER or any other course of or remedy or security available to the OWNER/PURCHASER.

The Bank shall not be released of its obligations under these presents by any exercise by the OWNER/PURCHAER of its liability with reference to the matters aforesaid or any of them or by reason or any other acts of omission or commission on the part of the OWNER/PURCHASER or any other indulgence shown by the OWNER/PURCHASER or by any other matter or things.

The Bank also agree that the OWNER/PUCHASER at its option shall be entitled to enforce this Guarantee against the Bank as a Principal Debtor, in the first instance without proceeding against the SELLER and not



List of approved Banks

Approved Bank: All Nationalized Bank including the public sector bank or Private Sector Banks or banks (operating in India having branch at Ahmedabad/ Gandhinagar) as per the G.R. no. EMD/10/2015/508/DMO dated 27.04.2016 issued by Finance Department or further instruction issued by Finance department time to time



CONTRACT FORM

THIS	AGRE	EMENT	Г made	on th	e	da	y of			, 2017	Bet	ween
Purcha	ser) he	ereinaf	ter "the	Purchas	er" of the o	one part	and				(coont	Name
of Supp	(Name of purchaser) of (Country of Purchaser) hereinafter "the Purchaser" of the one part and (Name of Supplier) of (City and Country of Supplier) hereinafter called "the Supplier"											
of the o	otner p	oart :										
WHERI										ancillary		(Brief
	Description of Goods and Services) and has accepted a bid by the Supplier for the supply of those goods and services in the sum of (Contract Price in Words and Figures) hereinafter called "the Contract Price in Words and Figures" hereinafter called "the Contract Price."											
NOWT	THIS A	.GREEN	MENT W	ITHNES	SETH AS FO	OLLOWS	5:					
1		_			d expression			same mea	anings	as are respe	ectively ass	igned
2	The following documents shall be deemed to form and be read and construed as part of this Agreement, viz. :											
	2.1	the	Bid Forn	n and th	e Price Sch	edule sul	omitted by	the Bidd	er;			
	2.2	tern	ns and c	ondition	s of the bid							
	2.3	the	Purchas	er's Not	fication of	Award						
3	ment	In consideration of the payments to be made by the Purchaser to the Supplier as hereinafter mentioned, the Supplier hereby convenants with the Purchaser to provide the goods and services and to remedy defects therein in conformity in all respects with the provisions of the Contract.										
4	The Purchaser hereby covenants to pay the Supplier in consideration of the provision of the goods and services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.											
5	Particulars of the goods and services which shall be supplied / provided by the Supplier are as enlisted in the enclosed annexure :											
TOTAL	. VAL	JE:										
	NESS	where	of the pa		reto have o t above wri		nis Agreen	nent to be	e execu	ted in accor	dance with	n their
Signed	, Seale	ed and	Delivere	d by the								
Said					(F	_ (For the Purchaser)						
in the presence of												
Signed, Sealed and Delivered by the												
Said					(F	_ (For the Supplier)						
in the presence of												