Bid Document

Name of Work: Selection of Agency for Supply, Installation, Commissioning and

warranty support of various Equipments for the Implementation of Video Surveillance System at various RTO's & Check Post working under Commissionerate of transport (COT),

DATE: 07.02.2019

Gandhinagar

RFP.NO. GIL\COT\Video Surveillance\2018-19

Client: Commissionerate of transport (COT), Gandhinagar

Pre Bid Meeting:

Date & Time: 19.02.2019, 1500 hrs.

Venue: Gujarat Informatics Limited

Block No. 2, 2nd Floor, Karmayogi Bhavan, Sector 10 A, Gandhinagar – 382 010

Bid Due Date: 02.03.2019 up to 1500 hrs.

Last Date of Submission of Bid Processing Fees & EMD: 02.03.2019 till 1500 hours

Un-priced Bid Opening:

Date & Time: 02.03.2019 at 1700 hrs.

Venue: Gujarat Informatics Limited

Block No. 2, 2nd Floor, Karmayogi Bhavan, Sector 10 A, Gandhinagar - 382 010

Bidding Agency Address:

Gujarat Informatics Limited

Block No. 2, 2nd Floor, Karmayogi Bhavan,

Sector 10 A, Gandhinagar - 382 010

Phone No.: 079 - 232 56022, Fax No.: 079 - 232 38925

Website: www.gil.gujarat.gov.com

Note: Please address all queries and correspondence to

DGM (Tech)

Gujarat Informatics Limited,

Block No. 2, 2nd Floor, Karmayogi Bhavan, Sector 10 A, Gandhinagar - 382 010

Phone: 079 - 232 56022

E-mail: viveku@gujarat.gov.in



RFP.NO. GIL\COT\Video Surveillance\2018-19

<u>Introduction</u>

Gujarat Informatics Limited (GIL), on behalf of Commissionerate of Transport (COT), Gandhinagar and various RTO's working under COT (herein after referred "THE OFFICE") invites the bid for Selection of Agency for Supply, Installation and Commissioning of various Equipments for the Implementation of Video Surveillance System at various RTO's and check post working under COT. The Location detail of the offices is as per **Annexure I**

The selected Agency shall be fully capable and experienced in the work of carrying out Video Surveillance / CCTV System including Application Software.

The Selected Agency must have trained and certified manpower including technicians capable of carrying out this job. The agency is required to deploy the trained & experienced manpower for this project.

Successful bidder will have to supply, install & perform the acceptance test of the supplied equipment(s) at each location as per terms and conditions of the bid document.

Bidder is requested to offer the cost for all the items and all the accessories as mentioned in bid document. GIL does not guarantee any fixed quantity at the time of signing the tender.

Bids are hereby invited from the Bidders having capability and resources in supplying & carrying out Video Surveillance System at various RTO's and check post's working under COT as per the details in bid.

Proposal in the form of BID are requested for the item(s) in complete accordance with the documents to be uploaded as per following guidelines:

- 1.0 Bidder shall submit their bids on https://www.gil.nprocure.com.
- The Bidder will have to remit Non refundable Bid Processing Fees of Rs. 17,700/- & Earnest Money Deposit (E.M.D.) of Rs. 5,00,000/- (Rupees five lakh only) (Refundable) on or before date & hours of submission of bid (i.e. 02.03.2019 up to 1500 Hrs) in a sealed cover at GIL office with the heading "Bid processing fees & EMD for RFP no. GIL\COT\Video Surveillance\2018-19 for Selection of Agency for Supply, Installation, Commissioning and warranty support of various Equipments for the Implementation of Video Surveillance System at various RTO's & Check Post working under Commissionerate of transport (COT), Gandhinagar
 - Bid processing fees must be in the form of Demand Draft in the name of "Gujarat Informatics Ltd." payable at Gandhinagar along with the covering letter.
 - EMD as mentioned above, shall be submitted in the form of Demand Draft OR in the form of an unconditional Bank Guarantee (which should be valid up to validity of 9 months from the date of bid submission) of any Nationalized Bank including the public sector bank or Private Sector Banks or Commercial Banks or Co-Operative Banks and Rural Banks (operating in India having branch at Ahmedabad/ Gandhinagar) as per the G.R. no.EMD/10/2018/DMO dated 16.04.2018 http://www.gil.gujarat.gov.in/grs/DMO_2173_16_Apr_2018_714.pdf) issued by Finance Department or further instruction issued by Finance department time to time; in the name of "Gujarat Informatics Ltd." payable at Gandhinagar (as per prescribed format given at Annexure A) and must be submitted along with the covering letter for RFP No: GIL\COT\Video Surveillance\2018-19.
 - Please affix the stamp of your company on the overleaf of demand draft.
 - Note: Failing to submit physical covers of EMD and bid processing fees at GIL on or before 02.03.2019 up to 1500 Hrs may lead to the rejection of the bid.

GIL

- 2.0 The bid shall specify time schedule of various activities.
- 3.0 Bid complete in all respects should be uploaded on or before the Bid due date.
- 4.0 Interested and eligible Bidders are required to upload the eligibility related document in Eligibility Bid Section, technical related document in Technical Bid Section & commercial bid in Commercial Bid Section. The Bids should be accompanied by a bid security & bid processing fees (non-refundable) as specified in this Bid Document. The Eligibility, Technical & Commercial Bid must be uploaded to https://gil.nprocure.com & the Bid Security and Bid Processing Fees must be delivered to the office of Gujarat Informatics Ltd.
- 5.0 The Bidder may quote only one option (i.e. one products can be quoted) against each item. Bidders are required to mention Make and Model of the product (Do not write "OEM" against items. Bidders are expected to give make and model of the product).
- 6.0 The Bid Processing Fees & Bid Security Section and Eligibility Section will be opened on the specified date & time in presence of the committee members and representatives of the bidders who choose to attend. The representative will be held responsible for all commitments made on behalf of the bidder and that will be considered valid for all further dealings related to this tender process.
- 7.0 Services offered should be strictly as per requirements mentioned in this Bid document. Please spell out any unavoidable deviations, Clause / Article-wise in your bid under the heading Deviations.
- 8.0 Once quoted, the bidder shall not make any subsequent price changes, whether resulting or arising out of any technical/commercial clarifications sought regarding the bid, even if any deviation or exclusion may be specifically stated in the bid. Such price changes shall render the bid liable for rejection.
- 9.0 Bidder shall quote the prices of services as mentioned valid for 180 days.

GIL

GUJARAT INFORMATICS LIMITED BLOCK NO. 2, 2nd FLOOR, KARMAYOGI BHAVAN, SECTOR-10A, GANDHINAGAR

Section - 1

Eligibility Criteria

- 1. The bidder should have a total sum of turnover of Rs. 15 Crore (Minimum) in the last three financial years. The copies of Audited Annual Accounts/Balance Sheet along with Profit & Loss Account for last three years shall be attached along with the bid. (Form no. E-1)
- 2. The bidder should have local presence and should have office in Gujarat. The bidder should have service support infrastructure to provide warranty and post warranty services. The details of such service support infrastructure must be enclosed. Please attach the copies of any two of the following: Property Tax Bill of last year/Electricity Bills of last one year/Telephone Bills of last one year/VAT Registration/CST Registration/Valid Lease Agreement. (Form no. E-2). In case bidder do not have office in Gujarat, bidder should give undertaking to open office in Gujarat within 45 Working days from the date of award of work order.

3. Bidder's past experience:

- (a) The Bidder should have at least 3 years experience in setting up LAN / WAN, and should have installed minimum **05 LAN / WAN Systems with minimum 50 nodes** (here node means IP Camera or Computer or any other networking device) installed and operational in the same campus or different campus. Copies of Purchase Orders / Contract Agreement and Certificates of Successful Completion from Customer should be submitted. **(Form no. E-3)**.
- (b) Bidder should have experience of executing CCTV / Surveillance System Project for at least 10 customer reference sites of IP CCTV Camera & related accessories installation, out of which 5 sites must consisting of minimum 16 IP CCTV Cameras per site. Copies of Purchase Order(s) / Contract Agreement and Certificates of Successful Completion from Customer should be submitted. (Form no. E-4)
- 4. Bidder should attach Authorization certificate from the OEM of the equipment specified in Form, for the authenticity, authorized representation and after sales support. (Form no. E-5)
- 5. Bidder/OEM should not be blacklisted by any Ministry of Government of India or by Government of any other State in India or by Government of Gujarat or any of the Government PSUs at the time of bidding

6. Eligibility Criteria of OEM / CCTV Camera Product Company:

- a) The OEM / CCTV Camera Product Company should have registered office and service center in India since last 3 years (i.e. If bidder wants to quote the "X" brand of CCTV Camera, then OEM of "X" brand of CCTV Camera should have registered office and service center in India since last 3 years). Please attach the copies of any two of the following: Property Tax Bill of last year/Electricity Bills of last one year/Telephone Bills of last one year/VAT Registration/CST Registration/Valid Lease Agreement. (Form no. E-6)
- b) The OEM /IP CCTV Camera Product Company/System Integrator should have installed at least a single project in India containing minimum 500 IP CCTV Cameras (of quoted camera brand) OR 2 projects containing minimum 250 IP CCTV Cameras (of quoted camera brand). OR 3 projects containing minimum 170 IP CCTV Cameras (of quoted camera brand) OR 5 projects containing minimum 100 IP CCTV Cameras (of quoted camera brand) Copies of Purchase Order(s) / Contract Agreement and Certificates of Successful Completion from Customer should be submitted. (Form no. E-7)

Note: All the details and the supportive documents for the above mentioned items should be uploaded in eligibility section in the bid.

Bidders who wish to participate in this bid will have to register on https://gil.nprocure.com. Further bidders who wish to participate in online bids will have to procure Digital Certificate as per Information Technology Act 2000 using which they can sign their electronic bids. Bidders can procure the same from (n) code solutions — a division of GNFC Ltd., or any other agency licensed by Controller of Certifying Authority, Govt. of India. Bidders who already have a valid Digital Certificate need not procure a new Digital Certificate.



Section - 2

Scope of Work

Bidder is required to Supply, Installation and Commissioning of various Equipments for the Implementation of Video Surveillance System at various RTO's & Check post working under COT (herein after referred to as "THE OFFICE") as per the specifications mentioned in the Bid document. The vendor/operator shall be responsible for implementation of the work as defined in the bid document. Location detail of various RTO's & Check post working under COT is as per **Annexure I**

The scope of complete work would broadly be: design, engineering, supply, testing, installation, integration, commissioning & maintenance of all project deliverables.

Unit cost is required to be offered for all the items as requested with 5 year warranty. All equipment including material to be installed by the Bidder shall be new and the product should not be de-supported or declared end of life during the next 7 years. A certificate to that effect should be furnished from OEM. All equipment shall conform to the codes, standards and regulations applicable and benefit from the usual manufacturer's guarantees.

The bidder should submit OEM's confirmation that the Products quoted are not end-of-life for the further period of 7 years from the date of authorization.

GIL / COT do not guarantee any fixed quantity at the time of signing the contract / agreement (excluding item no.20,21,25,26,27 & 29). The rates should be valid for a period of **180 days** from the date of financial bid opening.

Bidder is required to carry out following tasks:

Scope of work for LAN Cabling Work:

- 1. The requirement of IP CCTV cameras with other accessories mentioned in the bid is indicative (excluding item no.20, 21,25,26,27 & 29). At the time of implementation, depending upon the grant availability, cameras, & required accessories per location will be procured.
- 2. Bidder will be responsible to undertake and complete the works related to supply, installation and commissioning of services as indicated in the bid and within the duration prescribed in the bid. The bidder has to lay the LAN Cable for fulfill the requirements as per RFP.
- 3. The bidder will have to submit layout diagram indicating the location of equipment to be installed to the office for approval before implementation. The bidder has to use the existing infrastructure of LAN, if available at each location. The bidder has to take approval of THE OFFICE for Schematics Diagram (Layout) within 15 days from the date of Work Order for Cabling & laying work. THE OFFICE will decide the location of installation within maximum 15 days from the date of Work Order.
- 4. The Bidder is requested to visit the site(s) before submission of their bid for any other clarification / measurements for finalization of scope of work / supply before submission of their bid.
- 5. It is envisaged that the bidder has understood the requirement fully and shall comply with the technical & functional requirements of the offered system including the scope of work/ services.
 - ➤ Complete installation shall be done in accordance with installation practices for a well structured cabling system, using components from a single vendor to ensure consistent and assured performance. The structured cabling distribution network shall serve as a vehicle for transport of data, video and voice signals throughout the network.
 - Installation, termination and identification of wiring between station outlets and Equipment Room shall be considered part of the Successful Bidder work.
 - ➤ The system shall utilize a network of unshielded twisted pair, riser, tie and station cables. Cables and terminations shall be provided and located as per the requirements and in the quantities mentioned in RFP.
 - All cables and terminations shall be identified at all locations.
 - All cables shall terminate in an alphanumeric sequence at all termination locations.



- All balanced twisted pair cable terminations shall comply with, and be tested to TIA/EIA568-B standards for Category 6 installations.
- > The Successful Bidder carrying out the Supply, Installation, Testing and Commissioning (SITC) shall make the system entirely operational for its intended use, by addition of components specific to its make / model even if not specifically mentioned in the BoQ. Also most current versions of software and applications shall be provided by the Successful Bidder, as applicable at the time of execution and commissioning.
- > The Successful Bidder has to furnish working drawings and as-built drawings, which shall be an essential component of commissioning.

Minimum References & Standards:

- ✓ TIA / EIA
- ✓ International Electro technical Commission (IEC)
- ✓ European Committee for Electro technical Standardization (CENELEC)
- ✓ National Fire Protection Association (NFPA)

Scope of work for installing Active Components:

- Supply, Installations, Testing & Commissioning of Switches as per Technical specification.
- The switches will be installed at locations identified for the IP surveillance installations.
- The cameras have to be connected to the switches.
- UPS installation along with necessary electrification is required to connect UPS to Mains and, Switches & NVR to UPS.

Scope of work for IP Video Surveillance / CCTV System:

- 1. Supply, Installations, Testing & Commissioning of High performance IP based video surveillance system with cameras having built-in web browser, remote access and remote management, complete with storage solution.
- 2. The scope is to Supply, Installation, Testing and Commissioning of the entire system end-toend. The Successful Bidder carrying out the SITC shall make the system entirely operational for its intended use, by addition of components specific to its make/model even if not specifically mentioned in the BoQ. Also most current versions of software and applications shall be provided by the Successful Bidder, as applicable at the time of execution and commissioning.
- 3. The Successful Bidder has to furnish working drawings and as-built drawings, which shall be an essential component of commissioning.
- IP Video Surveillance System: This shall include the supply, installation, commissioning & testing of Fixed surveillance cameras, Fixed cameras poles/masts and suitable brackets for mounting the cameras, weather-proof enclosures, fixtures, cables, connectors & any other devices/ peripherals required for the proper functioning of various cameras.

Camera installation in The Office:

- During the installation, the camera lens position has to be adjusted to get the desired view in the specific location.
- The cameras should be configured with a suitable IP address as per the IP addressing scheme in the Offices.
- The camera should be configured with OSD (on screen display) name as a water mark so that images can be identified easily.
- The cameras should be configured for automatic day / night display, so that without manual intervention, camera switches to night mode when the light condition is less.

Command & Control Center at the Office:

This shall include the supply, installation, commissioning & testing of NVR, Monitors, network switches, along with cabinets, enclosures, fixtures, cables, connectors and any other devices, peripherals required for the proper functioning of various components. The C&C centre will be located on separate room at the same campus or as decided by The Office/CTD.

GUJARAT INFORMATICS ALMUTE

GUJARAT INFORMATICS LIMITED BLOCK NO. 2, 2nd FLOOR, KARMAYOGI BHAVAN, SECTOR-10A, GANDHINAGAR

- The NVR shall be configured to view all the cameras in the site in a single screen.
- The images displayed in the NVR should have a water mark for easy identification.
- The Control Room shall have Network Video Recorder (NVR) for achieving storage capabilities. For monitoring purposes, video monitors / LED Monitors shall be set up with suitable mounting arrangements as per user requirements. Facility for viewing and controlling all the cameras as required should be provided.
- NVR/Storage has to be configured as per the technical specifications.
- Cameras should be configured to directly access the local NVR and the storage of NVR. This is to make sure recording happens 24x7.
- The recording should be configured in such a way, when the storage capacity gets to maximum limit., re-write happens on a first in first out basis without any manual intervention.
- 5. IP Cameras and NVR should be Compatible to each other.
- 6. All the hardware and software features mentioned in the tender specifications should be available at the time submission of tender. THE OFFICE / GIL may ask for a demo of all IP cameras and related software as per tender.
- 7. Monitor / Display should be provided with Wall / Table mounting Kit.
- 8. **System Training:** This shall include providing 1-week system operation & maintenance training to the designated security personnel after the successful commissioning of the project. Appropriate training material should be provided during the training.
- 9. The Scope of complete work would broadly Design, Engineering, Supply, Testing, Installation, Commissioning, Site Acceptance Test, Training, Documentation, Warranty and Maintenance.
- 10. Components of proposed Surveillance System:
 - > IP CCTV Cameras
 - Display Arrangement
 - Backup Power Supply
- 11. The successful bidder has to provide on-site warranty for all equipments as mentioned in RFP.
- 12. **Preventive Maintenance:** The bidder shall also be responsible for performing/carrying out preventive maintenance activity at least once in a quarter which includes cleaning, dusting and upkeep of interior and exterior, realignment of the deployed equipment's, configuration backup and software up gradation and update of all hardware and wiring.

The Bidder is required to submit preventive maintenance schedule for all equipment to TENDERER from time to time. After performing preventive maintenance activities, successful bidder is required to submit the detailed report of the same. All such activities should be done with prior intimation to COT.



Section - 3

Instructions to Bidders

ARTICLE - 1: COST OF BIDDING

- 1.1 The Bidder shall bear all costs associated with the preparation and submission of the Bid and Gujarat Informatics Ltd (GIL) \ THE OFFICE will in no case be responsible for those costs, regardless of the conduct or outcome of the bidding process.
- 1.2 Bidder is requested to pay **Rs. 17,700/-** as a bid processing fee (Non refundable) & Earnest Money Deposit (E.M.D.) of **Rs. 5,00,000/-** (Rupees five lakh only) (Refundable). In case of non receipt of bid processing fees & EMD the bid will be rejected by GIL.

ARTICLE - 2: BIDDING DOCUMENTS

2.1 Bidder can download the bid document and further amendment if any freely available on https://www.gil.gujarat.gov.in and https://www.gil.nprocure.com and submit the bid on https://www.gil.nprocure.com on or before due date & time of the tender. Bidder is expected to examine all instructions, forms, terms, and specifications in the bidding documents. Failure to furnish all information required by the bidding documents or submits a Bid not substantially responsive to the bidding documents in every respect may result in the rejection of the Bid. Under no circumstances physical bid will be accepted.

ARTICLE - 3: CLARIFICATION ON BIDDING DOCUMENTS & PRE-BID MEETING:

3.1 Bidders can seek written clarifications up to **5 days before pre bid meeting** to DGM(Tech.), Gujarat Informatics Ltd., 2nd Floor, Block No. 2, Karmayogi Bhavan, Sector-10A, Gandhinagar 382 010 and pre-bid meeting will be held as per the schedule. GIL / THE OFFICE will clarify & issue amendments if any to all the bidders in the pre-bid meeting. No further clarification what so ever will be entertained after the bid submission date.

ARTICLE - 4: AMENDMENT OF BIDDING DOCUMENTS

- 4.1 At any time prior to the deadline for submission of bids, GIL / THE OFFICE, for any reason, whether at its own initiative or in response to the clarifications requested by prospective bidders may modify the bidding documents by amendment.
- 4.2 All prospective bidders are requested to browse our website & any amendments / corrigendum / modification will be notified on our website and such modification will be binding on them. Bidders are also requested to browse the website of GIL/GoG i.e. www.gil.gujarart.gov.in & www.gil.gujarart.gov.
- 4.3 In order to allow prospective bidders a reasonable time to take the amendment into account in preparing their bids, GIL / THE OFFICE, at its discretion, may extend the deadline for the submission of bids.

ARTICLE - 5: LANGUAGE OF BID

5.1 The Bid prepared by the Bidder, as well as all correspondence and documents relating to the Bid exchanged by the Bidder and GIL / THE OFFICE shall be in English. Supporting documents and printed literature furnished by the bidder may be in another language provided they are accompanied by an accurate translation of the relevant pages in English. For purposes of interpretation of the bid, the translation shall govern.



ARTICLE - 6: SECTIONS COMPRISING THE BIDS

- 6.1 The quotation should be scan-able and distinct without any option stated in.
- 6.2 The bid submitted shall have the following documents:

EMD & Bid Processing Fees Section:

The EMD (refundable) & bid processing fee (non-refundable) to be furnished to GIL office on or before date & hours of submission of bid in a sealed cover super scribed with the bid document number. The details are required to be filled in this section.

Eligibility & Technical Section:

- Clause by clause Compliance statement for Bid document including annexure to be uploaded.
- b) All deviations and / or non compliance clauses shall be listed separately & uploaded.
- c) Letter of Authority for signing the bid.
- d) All Annexure/Table, duly filled-in with necessary proofs, as required and stated in the bid document.
- e) Make & Model of quoted item in the bid with brochures\ website literature.
- f) All Eligibility forms & technical specification & dealership\distributorship authorized certificate & supporting document related Eligibility & Technical Stage.

Price Bid Section:

a) Priced bid (in the prescribed format only)

ARTICLE - 7: BID FORMS

- 7.1 Wherever a specific form is prescribed in the Bid document, the Bidder shall use the form to provide relevant information. If the form does not provide space for any required information, space at the end of the form or additional sheets shall be uploaded to convey the said information. Failing to upload the information in the prescribed format, the bid is liable for rejection.
- 7.2 For all other cases, the Bidder shall design a form to hold the required information.
- 7.3 GIL / THE OFFICE shall not be bound by any printed conditions or provisions in the Bidder's Bid Forms.

ARTICLE - 8: FRAUDULENT & CORRUPT PRACTICE

- 8.1 Fraudulent practice means a misrepresentation of facts in order to influence a procurement process or the execution of a Contract and includes collusive practice among Bidders (prior to or after Bid submission) designed to establish Bid prices at artificial noncompetitive levels and to deprive the GIL / THE OFFICE of the benefits of free and open competition.
- 8.2 "Corrupt Practice" means the offering, giving, receiving or soliciting of anything of value, pressurizing to influence the action of a public official in the process of Contract execution.
- 8.3 GIL / THE OFFICE will reject a proposal for award and may forfeit the E.M.D. and/or Performance Guarantee if it determines that the bidder recommended for award has engaged in corrupt or fraudulent practices in competing for, or in executing, contract(s).

ARTICLE - 9: LACK OF INFORMATION TO BIDDER

9.1 The Bidder shall be deemed to have carefully examined all contract documents to his entire satisfaction. Any lack of information shall not in any way relieve the Bidder of his responsibility to fulfill his obligation under the Contract.



ARTICLE - 10: CONTRACT OBLIGATIONS

10.1 If after the award of the contract the Bidder does not sign the Agreement or fails to furnish the Performance Bank guarantee within fifteen (15) working days from the date of confirmed purchase order, along with the inception report and working schedule as per the tender requirements & if the operation are not started within fifteen (15) working days after submission of P.B.G. as mentioned, GIL / THE OFFICE reserves the right to cancel the contract and apply all remedies available to him under the terms and conditions of this contract.

ARTICLE - 11: BID PRICE

- 11.1 The priced bid should indicate the prices in the format/price schedule only.
- 11.2 Offered price should be inclusive of Packing\Forwarding, Insurance, FOR destination (anywhere in the Gujarat state). GST needs to be shown separately.
- 11.3 Discount if offered, should not be mentioned separately. It should be included in offered price.
- 11.4 Any effort by a bidder or bidder's agent\consultant or representative howsoever described to influence the GIL\ THE OFFICE in any way concerning scrutiny\consideration\evaluation\comparison of the bid or decision concerning award of contract shall entail rejection of the bid.
- 11.5 Unit rates should be quoted separately for each item. Quantities can be increased or decreased by purchaser and bidder has to supply deviated quantities at the rates prescribed and approved by the purchaser in the tender document.

ARTICLE - 12: BID CURRENCY

12.1 The prices should be quoted in Indian Rupees. Payment for the supply of equipments as specified in the agreement shall be made in Indian Rupees only.

ARTICLE - 13: EARNEST MONEY DEPOSIT (EMD)

- 13.1 The Bidder shall furnish, as part of the Bid, EMD of Rs. 5,00,000/- shall be submitted in the form of Demand Draft OR in the form of an unconditional Bank Guarantee (which should be valid up to validity of bid + 90 days) of any Nationalized Bank including the public sector bank or Private Sector Banks or Commercial Banks or Co-Operative Banks and Rural Banks (operating in India having branch at Ahmedabad/ Gandhinagar) as per the G.R. no.EMD/10/2018/DMO dated 16.04.2018 http://www.gil.gujarat.gov.in/grs/DMO_2173_16_Apr_2018_714.pdf) issued by Finance Department or further instruction issued by Finance department time to time; in the name of "Gujarat Informatics Ltd." payable at Gandhinagar (as per prescribed format given at Annexure A) in a separate envelope. The un-priced bid (Technical-bid) will be opened subject to the confirmation of valid EMD and bid processing fees.
- 13.2 Unsuccessful bidder's E.M.D. will be returned as promptly as possible within 30 days after the expiration of the period of bid validity OR upon the successful Bidder signing the Contract, and furnishing the Performance Bank Guarantee @ 5% of the total order value as prescribed by GIL, whichever is earlier.
- 13.3 The successful Bidder's EMD will be discharged upon the Bidder signing the Contract/Agreement, and furnishing the Performance Bank Guarantee.
- 13.4 The EMD may be forfeited at the discretion of GIL / THE OFFICE, on account of one or more of the following reasons:



- The Bidder withdraws their Bid during the period of Bid validity specified by them on the Bid letter form.
- b) Bidder does not respond to requests for clarification of their Bid.
- c) Bidder fails to co-operate in the Bid evaluation process, and
- d) In case of a successful Bidder, the said Bidder fails:
 - (I) To sign the Agreement in time, (ii) To furnish Performance Bank Guarantee

ARTICLE - 14: PERIOD OF VALIDITY OF BIDS

- 14.1 Bids shall remain valid for 180 days after the date of Financial Opening by GIL. A Bid valid for a shorter period shall be rejected as non-responsive.
- 14.2 In exceptional circumstances, GIL / THE OFFICE may solicit Bidder's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The EMD shall also be suitably extended. A Bidder granting the request is not required nor permitted to modify the Bid.

ARTICLE - 15: DURATION OF THE CONTRACT

15.1 The duration of the Contract period for this will be of **5 years**. The duration spent for installation of Hardware and Software will not be a part of contract period. Hence the actual contract period starts after the successful installation of hardware and software & completion of deployment of software as per the RFP.

ARTICLE - 16: BID DUE DATE

- 16.1 Bid must be uploaded by vendor not later than the due date specified in the RFP.
- 16.2 The GIL / THE OFFICE may, as its discretion, extend the bid due date, in which case all rights and obligations of the GIL / THE OFFICE and the bidders, previously subject to the bid due date, shall thereafter be subject to the new bid due date as extended.

ARTICLE - 17: LATE BID

17.1 No bidder may be able to upload or submit the bid after the bid due date/time.

ARTICLE - 18: MODIFICATION AND WITHDRAWAL OF BID

- 18.1 The Bidder may modify or withdraw its Bid before the due date of bid submission.
- 18.2 No Bid may be modified subsequent to the deadline for submission of bids.
- 18.3 No Bid may be withdrawn in the interval between the deadline for submission of bids and the expiration of the period of Bid validity specified by the Bidder on the bid letter form. Withdrawal of a Bid during this interval may result in the bidder's forfeiture of its EMD.

ARTICLE - 19: OPENING OF BIDS BY GIL

- 19.1 Bids will be opened in the presence of Bidder's representatives, who choose to attend. The Bidder's representatives who are present shall sign a register evidencing their attendance.
- 19.2 The Bidder's names, Bid modifications or withdrawals, discounts and the presence or absence of relevant EMD and such other details as the GIL / THE OFFICE officer at his/her discretion, may consider appropriate, will be announced at the opening.
- 19.3 Immediately after the closing time, the GIL / THE OFFICE contact person shall open the Unpriced Bids and list them for further evaluation.

ARTICLE - 20: CONTACTING GIL / THE OFFICE



- 20.1 Bidder shall not approach GIL / THE OFFICE officers outside of office hours and / or outside GIL / THE OFFICE premises, from the time of the Bid opening to the time the Contract is awarded.
- 20.2 Any effort by a bidder to influence GIL / THE OFFICE officers in the decisions on Bid evaluation, bid comparison or contract award may result in rejection of the Bidder's offer. If the Bidder wishes to bring additional information to the notice of the GOG, it should do so in writing.

ARTICLE - 21: REJECTION OF BIDS

21.1 GIL / THE OFFICE reserves the right to reject any Bid, and to annul the bidding process and reject all bids at any time prior to award of Contract, without thereby incurring any liability to the affected Bidder(s) or any obligation to inform the affected Bidder(s) of the grounds for such decision.

ARTICLE - 22: PRELIMINARY EXAMINATION OF BID

- 22.1 Un-priced Bid documentation shall be evaluated in two steps.
- 22.2 Firstly, the documentation furnished by the Bidder will be examined based on the following criteria:
 - (i) Compliance to bid document.
 - (ii) Evaluation of Eligibility Criteria & Technical Specifications of the Product / Solution Offered. (The bidder shall provide details in the bid)
 - (iii) Experience in handling such projects (the bidder shall provide information in the BID)
- 22.3 In the second step, GIL / THE OFFICE may ask Bidder(s) for additional information, demonstration of the equipments, field testing of the equipments offered to check compatibility with the existing user's infrastructure, visit to Bidders site and/or arrange discussions with their professional, technical faculties or Users, to verify claims made in Un-priced Bid documentation.
- 22.4 Bidder will have to demonstrate seamless integration of offered item with user's Infrastructures, as mentioned in the Scope of Work, with satisfactory performance of required transmission as requested in Specification Sheet.
- 22.5 **Priced Bid:** Priced Bids will be opened only if the bids are technically qualified and fulfill the Eligibility Criteria. GIL may at its discretion discuss with Bidder(s) available at this stage to clarify contents of Price Bid.
- 22.6 Choice of Firm: Final Choice of Firm to execute this project shall be made on the basis of conformity to eligibility & technical bid. The financial bid of the technically qualified bidders will be opened and financially L1 bidder will be decided from the sum total of prices for all line items without tax with 5 years warranty and then called for further negotiations if required.
- 22.7 As per the provision in Electronics & IT/ITeS Start-up Policy Resolution No. ITS/10/2015/5284/IT dated 6th June, 2016 issued by Department of Science & Technology; in e-Governance project undertaken by Government Departments or its Boards, Corporations or parastatal bodies getting grants from the Government, the chosen solution provider or system integrator will pass on job work or will outsource part of the work of a value ranging between 5% to 10% of the contract value to the eligible start-ups and to students of shortlisted Technical Colleges in Gujarat. In such arrangements, the responsibility of meeting SLAs (Service Level Agreements) will continue to belong to the solution provider or the system integrator.



ARTICLE - 23: AWARD OF CONTRACT

- 23.1 Award Criteria: The Criteria for selection will be the lowest effective cost to THE OFFICE for the technically qualified bids for total cost. (Excluding any taxes).
- 23.2 THE OFFICE's right to vary requirements at time of award: GIL/ THE OFFICE reserves the right at the time of award to increase or decrease quantity for the requirements originally specified in the document without any change in Bid rate or other terms and conditions.
- 23.3 In case, if lowest bidder does not accept the award of contract or found to be involved in corrupt and/or fraudulent practices, the next lowest bidder will be awarded the contract. In such scenario, the lowest bidder has to born the difference between lowest prices and next lowest prices.
- 23.4 The tendered quantities are estimated based on the receipt of the requirement from Government offices at the time of floating the bid. During the bid validity, the other Government offices can also place the purchase order under this bid at final negotiated rate.

ARTICLE - 24: NOTIFICATION OF AWARD & SIGNING OF CONTRACT

- 24.1 Prior to expiration of the period of Bid validity, THE OFFICE will notify the successful Bidder and issue Lol.
- 24.2 The Successful bidder has to submit Performance Bank Guarantee @ 5% of total order value within 15 days from the date of issue of Purchase order (for warranty period + extra 3 months) from any Nationalized Bank including the public sector bank or Private Sector Banks authorized by RBI or Commercial Bank or Regional Rural Banks of Gujarat or Co-Operative Bank of Gujarat (operating in India having branch at Ahmedabad / Gandhinagar) as per the G.R. no.EMD/10/2018/DMO dated 16.04.2018 http://www.gil.gujarat.gov.in/grs/DMO 2173 16 Apr 2018 714.pdf) issued by Finance Department or further instruction issued by Finance department time to time. (The draft of Performance Bank Guarantee is attached herewith
- 24.3 Successful Bidder will have to sign the contract upon receiving the purchase order with the purchaser(s) within 15 working days from the date of purchase order. (The draft is attached herewith).

ARTICLE - 25: FORCE MAJEURE

- 25.1 Force Majeure shall mean any event or circumstances or combination of events or circumstances that materially and adversely affects, prevents or delays any Party in performance of its obligation in accordance with the terms of the Agreement, but only if and to the extent that such events and circumstances are not within the affected party's reasonable control, directly or indirectly, and effects of which could have prevented through Good Industry Practice or, in the case if construction activities through reasonable skill and care, including through the expenditure of reasonable sums of money. Any events or circumstances meeting the description of the Force Majeure which have same effect upon the performance of any contractor shall constitute Force Majeure with respect to the Vendor. The Parties shall ensure compliance of the terms of the Agreement unless affected by the Force Majeure Events. The Vendor shall not be liable for forfeiture of its implementation / Performance guarantee, levy of Penalties, or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under the Agreement is the result of Force Majeure.
- 25.2 Force Majeure Events



The Force Majeure circumstances and events shall include the following events to the extent that such events or their consequences (it being understood that if a causing event is within the reasonable control of the affected party, the direct consequences shall also be deemed to be within such party's reasonable control) satisfy the definition as stated above.

Without limitation to the generality of the foregoing, Force Majeure Event shall include following events and circumstances and their effects to the extent that they, or their effects, satisfy the above requirements:

- 25.3 Natural events ("Natural Events") to the extent they satisfy the foregoing requirements including:
 - (a) Any material effect on the natural elements, including lightning, fire, earthquake, cyclone, flood, storm, tornado, or typhoon:
 - (b) Explosion or chemical contamination (other than resulting from an act of war);
 - (c) Epidemic such as plague;
 - (d) Any event or circumstance of a nature analogous to any of the foregoing.
- 25.4 Other Events ("Political Events") to the extent that they satisfy the foregoing requirements including:

Political Events which occur inside or Outside the State of Gujarat or involve directly the State Government and the Central Government ("Direct Political Event"), including:

- (i) Act of war (whether declared or undeclared), invasion, armed conflict or act of foreign enemy, blockade, embargo, revolution, riot, insurrection, civil commotion, act of terrorism or sabotage;
- (ii) Strikes, work to rules, go-slows which are either widespread, nation-wide, or state-wide and are of political nature;
- (iii) Any event or circumstance of a nature analogous to any of the foregoing.

25.5 FORCE MAJEURE EXCLUSIONS

Force Majeure shall not include the following event(s) and/or circumstances, except to the extent that they are consequences of an event of Force Majeure:

- (a) Unavailability, late delivery
- (b) Delay in the performance of any contractor, sub-contractors or their agents;

25.6 PROCEDURE FOR CALLING FORCE MAJEURE

The Affected Party shall notify to the other Party in writing of the occurrence of the Force Majeure as soon as reasonably practicable, and in any event within 5 (five) days after the Affected Party came to know or ought reasonably to have known, of its occurrence and that the Force Majeure would be likely to have a material impact on the performance of its obligations under the Agreement.

ARTICLE – 26: CONTRACT OBLIGATIONS

Once a tender is confirmed and signed, the terms and conditions contained therein shall take precedence over the Bidder's bid and all previous correspondence.

ARTICLE – 27: AMENDMENT TO THE AGREEMENT

Amendments to the Agreement may be made by mutual agreement by both the Parties. No variation in or modification in the terms of the Agreement shall be made except by written amendment signed by both the parties. All alterations and changes in the Agreement will take into account prevailing rules, regulations and laws applicable in the State of Gujarat.

ARTICLE – 28: USE OF AGREEMENT DOCUMENTS AND INFORMATION



The Vendor shall not without prior written consent from GoG disclose the Agreement or any provision thereof or any specification, plans, drawings, pattern, samples or information furnished by or on behalf of THE OFFICE in connection therewith to any person other than the person employed by the Vendor in the performance of the Agreement. Disclosure to any such employee shall be made in confidence and shall extend only as far as may be necessary for such performance.

The Vendor shall not without prior written consent of THE OFFICE make use of any document or information made available for the project except for purposes of performing the Agreement.

All project related documents issued by THE OFFICE other than the Agreement itself shall remain the property of THE OFFICE and Originals and all copies shall be returned to THE OFFICE on completion of the Vendor's performance under the Agreement, if so required by THE OFFICE.

ARTICLE - 29: TAXES & DUTIES

Vendor is liable for all taxes and duties etc. as may be applicable from time to time.

ARTICLE – 30: BOOKS & RECORDS

Vendor shall maintain adequate books and records in connection with Contract and shall make them available for inspection and audit by THE OFFICE during the terms of Contract until expiry of the performance guarantee.

ARTICLE - 31: WARANTY TERMS

The successful bidder/Agency shall give on-site warranty for all equipments mentioned in RFP for 5 years. Bidder has to quote for total 5 year warranty. **L1 will be decided with 5 years warranty.**

In the event that the materials supplied do not meet the specifications and/or are not in accordance with the drawings data in terms of this order, and rectification is required at site, THE OFFICE shall notify the Vendor giving full details of difference. The Vendor shall attend the site within seven (7) days of receipt of such notice to meet and agree with representatives of THE OFFICE, the action required to correct the deficiency. Should the Vendor fail the attend meeting at site within the time specified above, THE OFFICE shall be at liberty to rectify the work/materials and Vendor shall reimburse THE OFFICE all costs and expenses incurred in connection with such trouble or defect.

Warranty should also cover the equipment damage or burn due to power failure, high voltage, surge and earthing.

ARTICLE – 32: PERFORMANCE GUARANTEE

- 32.1 The Vendor shall furnish Performance Guarantee for the duration of warranty period + extra 3 months to THE OFFICE / GoG for an amount equal to 5% of the value of order.
- 32.2 The performance guarantee will be in the form of bank guarantee for the amount equal of 5% of the value of the Order towards faithful performance of the contract obligation, and performance of the equipments during Warrantee period. In case of poor and unsatisfactory field services, THE OFFICE shall invoke the PBG.
- 32.3 The Performance Guarantee shall be valid for the duration of warranty period + extra 3 months and shall be denominated in Indian Rupees and shall be in the form of an unconditional Bank Guarantee issued by any Nationalized Bank including the public sector bank or Private Sector Banks authorized by RBI or Commercial Bank or Regional Rural Banks of Gujarat or Co-Operative Bank of Gujarat (operating in India having branch at Ahmedabad / no.EMD/10/2018/DMO Gandhinagar) per the G.R. dated 16.04.2018 http://www.gil.gujarat.gov.in/grs/DMO_2173_16_Apr_2018_714.pdf) issued by Finance



Department or further instruction issued by Finance department time to time. in the format provided by THE OFFICE to be submitted within 15 working days of receipt of award.

32.4 The Performance Guarantee shall be discharged by THE OFFICE and returned to the Vendor within 30 days from the date of expiry of the Performance Bank Guarantee.

ARTICLE- 33 DELIVERIES AND INSTALLATION / IMPLEMENTATION:

- The work has to be completed within 90 days for the date of Work Order issued. The bidder has to take the necessary approval of THE OFFICE for Schematics Diagram (Layout) within 15 days for cabling & laying work of Video Surveillance System and complete the working from the remaining 75 days.)
- If in any case the quoted Item is not available in the market at the time of delivery, the bidder
 will have to supply Higher Version/replacement of that Item in the quoted cost in the same
 time duration with prior approval of GIL. No "End of Life" product should be quoted to minimize
 such instances.

ARTICLE -34: PAYMENTS TERMS

- 34.1 No advance Payment will be made.
- 34.2 50 % payment will be made after Delivery of all hardware and related peripherals at site. The inspection will be done by GIL.
- 34.3 30 % payment will be made after Installation and Completion of Work & Acceptance Test
- 34.4 Remaining 20 % payment will be made after 90 days from completion of the work and training to personnel from THE OFFICE.

ARTICLE – 35: SERVICE TERMS

- 35.1 The entire scope of the work depends on the technical skill and experience in management of the same level or kind of infrastructure.
- 35.2 It is mandatory for Vendor to deploy qualified professional to install, commission & maintain the equipments, as defined under scope of work.
- 35.3 The Vendor has to submit regular schedule of man power availability & get it approved by THE OFFICE.
- 35.4 The Vendor is free to deploy or to develop applications to facilitate the operation. THE OFFICE will welcome the deployment such application in respect to improve Quality of Services.
- 35.5 For extending better services to the user, the Vendor will be allowed to deploy & use own tested and proven solution, with prior permission from THE OFFICE.
- 35.6 The Vendor need to manage & maintain various records related to the services extended to the user.
- 35.7 The network is being operated & maintained by various agencies. In such circumstances the Vendor may need to coordinate and approach various agencies, if required.
- 35.8 The Vendor is responsible to maintain documentation on the progress of the work and will have to update the same on regular basis. Vendor will have to submit the progress reports regularly, to THE OFFICE.
- 35.9 The understanding of the comprehensive maintenance under warranty period is as follows.
 - a) In case of failure, the Vendor needs to repair or replace the faulty part/component/device to restore the services at the earliest.
 - b) The cost of the repairing or replacement of faulty part/component/device has to be entirely born by the Vendor.



- c) All expenses related to part/component/device, including hiring of specialized technical expertise, in case required, has to be borne by the Vendor as part of comprehensive maintenance.
- d) The Vendor also needs to make alternate arrangement in case of major failure happens in the network, due to which services may be effecting for longer period.
- e) After repairing or replacement of the part/component/device, the Vendor needs to put the same into operation.

ARTICLE - 36: PENALTY CLAUSE

36.1 Penalties for delay in implementation:

- a) If the bidder fails to deliver the requisite hardware and software within 90 days of the issue of the purchase order, then a sum equivalent to one percent (1%) of the total contract value shall be deducted from the payment for each calendar week of delay or part thereof.
- b) The amount of penalty for delay in delivery & installation shall be subject to maximum limit of 10 % of the total contract value.
- c) Delay in excess of 10 weeks will be sufficient to cause for termination of the contract. In that case the Performance Bank Guarantee of the bidder will be forfeited.
- d) In case, the selected bidder does not supply the ordered items for any reason, the bidder will be liable to pay the difference amount to the purchaser, over and above the performance guarantee, which indenter department has to pay to the next or other selected bidder for purpose of the said items.

36.2 **Operational Penalties:**

- a) During warranty period, if the complaint is not resolved within 48 hrs the penalty of Rs. 500 per day for Camera, NVR, Switch, and UPS & within 72 hrs for networking components and other peripherals, the penalty of Rs. 300 per day will be levied. However, if the complaints not resolved within 7 days then from 8th day to 14th day, penalty would be levied @ 150% and from 15th day onwards penalty @ 200% of the above rates would be levied. The amount of penalty will be recovered from the Performance bank guarantee during warranty period.
- b) In case of major failure happens due to which services may be effecting for longer period, the bidder will be required to an immediate alternate arrangement of the same till it is repaired. Failure to arrange for the immediate repair/replacement will be liable for penalty of Rs.500 per day for Camera, NVR, Switch, UPS and Rs. 300 per day for networking components and other peripherals. The amount of penalty will be recovered from the Performance bank guarantee during warranty period.
- c) The Bidder/System Integrator will be required to co-ordinate with THE OFFICE, software vendor and/or do liasioning with other service provider to achieve the end-to-end connectivity. This also includes Server/NVR OS configuration with respect to LAN/WAN technologies implementation.

ARTICLE – 37 PROJECT IMPLEMENTATION

- 37.1 The selected agency will have to be completed the work which includes Supply, Installation, Testing and Commissioning of hardware and required equipments including LAN & cabling work within 90 days from date of Purchase Order/ Work Order issued. The bidder has to take the necessary approval of THE OFFICE for Schematics Diagram (Layout) within 15 days for cabling & laying work of Video Surveillance System and complete the work from the remaining 75 days.
- 37.2 The Selected agency will implement the project strictly as per the plan approved by THE OFFICE. The Vendor shall carry out cabling work at such locations as may be decided by THE OFFICE within a specified period as specified in Instruction letter/LOI/Order and complete their provisional Acceptance Test to the satisfaction of THE OFFICE within 10 days



from the date specified. This period may be extended depending upon the fulfillment of Conditions Precedent.

- 37.3 Installation, Commissioning and Acceptance of work will be undertaken by THE OFFICE. All Invoices, Vouchers, -Bills for supplied goods and services by the Supplier under the scope of the work will be verified measured and accepted by THE OFFICE for release of payment.
- 37.4 As part of implementation the Vendor shall provide details of equipment that will be incorporated in the proposed system, material and manpower as required. The location for storing spare parts and quantity there on should also be clearly indicated.
- 37.5 The Vendor shall provide the necessary technical support, Standard Operating Procedure (SOP) and other information to THE OFFICE and its user organizations in implementing the proposed system applications. THE OFFICE at any time during the currency of the Agreement should have access to the proposed sites.
- 37.6 The Vendor shall provide training to THE OFFICE Personnel at no cost to THE OFFICE. The training schedule, content and modalities will be defined jointly by both the parties.
- 37.7 The Vendor shall arrange to obtain all statutory permission with no cost to THE OFFICE. The Vendor may have to work during Holidays and Sundays, according to the urgency of work. The Vendor will obtain such permission on his own in consultation with THE OFFICE. It will be the responsibility of the Vendor to co-ordinate with THE OFFICE required to execute the job.
- 37.8 The Vendor shall not disturb or damage the existing network of communication. If in case any damage to the network is done, the same shall be corrected with no extra cost. The agency shall also be responsible for paying penalty, as imposed by the service owner to which the damage is incurred.
- 37.9 In case of the material/solution supplied and installed is rejected owing to its non-conformity to the specification or due to the poor quality of workmanship, the same shall be replaced promptly.
- 37.10 Vendor shall treat all matters connected with the contract strictly confidential and shall undertake not to disclose, in any way, information, documents, technical data, experience and know how, without prior written permission from THE OFFICE.
- 37.11 Any damage caused to the property of THE OFFICE while executing the job shall be solely Vendor's responsibility. In case any damage to the property is caused, the same will be recovered from the Vendors. No any extra cost shall be paid to the Vendor for such reasons.
- 37.12 The Vendor shall have to furnish the documentation of the work undertaken in consultation with THE OFFICE. 3 sets of such documentation should be provided before the issue of completion certificate.
- 37.13 It is a turnkey project. The Vendor shall be fully responsible for implementing the Project in totality and should include the items and their prices, if not included in Schedule of Requirement to complete the project on turnkey basis. Any claim whatsoever in this regard will not be entertained later on.
- 37.14 In the event of the delay in delivery of contracted services or services is not satisfactory the purchaser may procure goods from else ware as prescribed in bid and Vendor shall be liable without limitations for the difference between the cost of such substitution and the price set forth in the contract for the goods involved i.e. at the risk and cost of the Vendor.
- 37.15 THE OFFICE reserve the right to visit any working site of the Vendor with prior intimation. The concern Vendor has to make necessary arrangement for the same.



- 37.16 The Supplier shall be responsible and take required insurance for all of their representations working on the site at their own cost. THE OFFICE will not be responsible for any loss or damage to any of the representatives of the Supplier during the said contract.
- 37.17 All work shall be performed and executed by the Supplier in strict conformity with THE OFFICE and any relative instruction issued to the Supplier by THE OFFICE time to time.
- 37.18 In the event of the delay in delivery of contracted services or services is not satisfactory the purchaser may procure goods from else ware as prescribed in bid and Vendor shall be liable without limitations for the difference between the cost of such substitution and the price set forth in the contract for the goods involved i.e. at the risk and cost of the Vendor.
- 37.19 THE OFFICE shall associate few engineers / technicians during installation and commissioning work. Vendor shall ensure proper participation of the nominated personnel from THE OFFICE and train them on the system related. Also vendor shall organize the systematic training of selected personnel from THE OFFICE on the operation / management of equipments.

ARTICLE – 38: ACCEPTANCE TEST

Acceptance Test will be conducted in as follows:

- 38.1 THE OFFICE reserve the right to inspect equipment's and OFC/JFC, Cat-5/Cat-6 cables etc. The cost of all such tests shall be borne by the Vendor. Any inspected goods fail for confirm to specification after installation, THE OFFICE may reject them and the Vendor shall have to replace the rejected goods. In case of inspection waiver the same shall be obtained before the dispatch of goods. Inspection of rest of material shall be done at site. Sample approval should be obtained before installation for such material.
- 38.2 The first step will involve successful installation of all sites. The provisional acceptance of these sites will be defined as Partial Acceptance.
- 38.3 The date on which Acceptance Certificate is issued shall be deemed to be the date of successful Commissioning of the System.
- 38.4 Any delay by the Vendor in the Acceptance Testing shall render the Vendor liable to the imposition of appropriate Penalties.

ARTICLE – 39: INSTALLATION REQUIREMENTS

- 39.1 The Vendor needs to pull necessary cables up to required place, using approved PVC Piping/Channel/RF/CAT5 or CAT6 Cable.
- 39.2 The necessary Civil & Electrical work has to be carried out by the Vendor if required at customer site like requirement of brackets, installation of camera on wall etc. THE OFFICE will not reimburse any cost towards the same. The Vendor need to take necessary permission if require from concern authority.

ARTICLE – 40: SOFTWARE LICENCES (IF APPLICABLE)

The Vendor shall be responsible for providing Software (System Software, Application Software, Device Drivers, IOS, etc) required, if any, during warranty period to THE OFFICE. All license software must be in the name of THE OFFICE / Government of Gujarat. The ownership of any involved customize software will be of THE OFFICE / Government of Gujarat.

ARTICLE – 41: INSTALLATION OF ADDITIONAL HARDWARE (IF APPLICABLE)

GUJARAT INFORMATICS SIMITED

GUJARAT INFORMATICS LIMITED BLOCK NO. 2, 2nd FLOOR, KARMAYOGI BHAVAN, SECTOR-10A, GANDHINAGAR

During the currency of the Agreement, for any additional requirement of equipment including interface equipment, the specifications will be provided by the Vendor. THE OFFICE /The Third Party Agency will verify suitability of the specifications submitted by Vendor and recommend to THE OFFICE for acceptance. The Vendor will be obligated to undertake integration, operation and maintenance for all additional equipments if required.

ARTICLE – 42: THIRD PARTY AGENCY

THE OFFICE may appoint Third Party Agency, who would monitor the project during implementation, commissioning and operation. The Third Party Agency will also conduct the Partial and Final Acceptance Test as per the technical requirement of the Agreement and will issue the Certificate of Completion of each proposed site. Third Party Agency will verify the services provided by the Vendor under the Agreement. The Vendor will co-operate with such Third Party Agency.

ARTICLE – 43: SUPPORT FROM EXTERNAL AGENCY (IF APPLICABLE)

In case, if Vendor wish to have support from any external agency, it's very necessary to inform THE OFFICE in written prior to allow them to work on THE OFFICE infrastructure. The information should contain all respective information about the company from whom support has been extended, the person/group of people and the segment in which services has been taken. On completion of the task, another report should be submitted by mentioning action taken by this person/group of people from external agency, with duration. The Vendor is sole responsible for the action taken by such agency on their behalf. No Data/ Information should be sent out of the premise without obtaining prior written confirmation from the THE OFFICE.

Section - 4

Make & Model List

| Sr. No. | ltem | Make & Model | Supporting Document uploaded? (Yes/No) |
|------------|---|--------------|--|
| 1 | Indoor Dome IP Camera | | |
| 2 | Outdoor Bullet IP Camera | | |
| 3 | Outdoor Box IP Camera | | |
| 4 | 16 CH Network Video Recorder (NVR) | | |
| 5 | 32 CH Network Video Recorder (NVR) | | |
| 6 | 64 CH Network Video Recorder (NVR) | | |
| 7 | 128 CH Network Video Recorder (NVR) | | |
| 8 | PoE Layer-2, 24 port Switch | | |
| 9 | PoE Layer-2, 8 port Switch | | |
| 10 | 1 KVA Online UPS (with 30 Minutes battery backup) | | |
| 11 | 600 VA UPS (with 15 Minutes battery backup) | | |
| 12 | 40" or higher LED Display unit | | |
| 13 | 32" or higher LED Display unit | | |
| 14 | 24 Port Cat-6 Jack / Patch Panel with I/Os | | |
| 15 | 8 Port Cat-6 Jack / Patch Panel with I/Os | | |
| 16 | 24 U Rack | | |
| 17 | 9 U Rack | | |
| 18 | 1 feet Cat-6 Factory Crimped Patch Cord | | |
| 19 | Mount Box at Camera End | | |
| 20 | Cat 6 UTP cable | | |
| 21 | 6 Core Single Mode Fiber Cable | | |
| 22 | 12 Port Fiber LIU fully Loaded with Adapter, Pigtail | | |
| 23 | SM Type Fiber MiniGBIC Modules for Fiber Connectivity | | |
| 24 | Surge Protection Power Strip | | |
| 25 | 1.5" Size PVC pipe | | |
| 26 | 32 MM HDPE Pipe | | |
| 27 | 25mm GI Pipe | | |
| Noto: | | | |

Note:

The Bidder may quote only one option (i.e. one products can be quoted) against each item. Bidders are required to mention Make and Model of the product (Do not write "OEM" against items). Bidders are expected to give make and model of the product).

Ensure that all equipment including material to be installed by the Bidder shall be new and the product should not be de-supported or declared end of life during the next 7 years.



Section - 5

Technical Specification

| Item no.: 1 Indoor Dome 2MP IP Camera | | | | | | |
|---------------------------------------|---|----------------------------|------------------------------------|--|--|--|
| S/N | Item (Minimum Specification) | Matched/ Not Matched | Deviation/ Remarks, (if any) | | | |
| | Image sensor: 1/3" Progressive Scan CMOS 2 MP or betters | | | | | |
| | Lens: 3 to 9 mm or better, DC-iris, motorized | | | | | |
| | Day and Night: Automatic/manual/scheduled | | | | | |
| | IR Range: Min 30 Mtr or better | | | | | |
| | WDR: True WDR >=100 db | | | | | |
| | Min. Illumination / Light Sensitivity: Color mode: F1.2 @ 0.5 lux and B&W mode: F1.2@ 0.01 lux | | | | | |
| | Light sensor: Senses the level of ambient light to determine when to switch day/night mode. | | | | | |
| | Video Compression: H.264, H. 265 | | | | | |
| | Video Stream: Individually configurable min 03 video streams (H.264/H.265), Unicast/ Multicast | | | | | |
| 1 | Intelligent Video: Motion Detection, Camera Tampering | | | | | |
| 1 | Resolutions and frame rates: 25/30 fps at 1920x1080 (1080p) | | | | | |
| | Protocol Support: IPv4, IPv6, TCP/IP, HTTP, DHCP, UDP, DNS, SMTP, RTP, RTSP, SNMP protocols/Should meet all functional requirement of the project | | | | | |
| | Interface: 10/100BaseT or better RJ45 Port with 802.3af POE Support | | | | | |
| | Camera Should remote Zoom and Auto focus | | | | | |
| | Camera should supplied with 32GB Micro SD/SDHC /SDXC memory card for recording | | | | | |
| | IP 66 and IK 10 Rated housing | | | | | |
| | Should be ONVIF compliant | | | | | |
| | Certification- CE or FCC and UL/ETL/BIS certified at the time of bidding, The OEM should have ISO 9001:2008 and ISO 14001:2004 certificate for Manufacturing. | | | | | |
| | Operating Temperature: 0-50 °C | | | | | |

| Item i | no.: 2 Outdoor Bullet 2MP IP Camera | | |
|--------|--|----------------------------|------------------------------------|
| S/N | Item (Minimum Specification) | Matched/ Not Matched | Deviation/ Remarks, (if any) |
| | Image sensor: 1/3" Progressive Scan CMOS 2 MP or betters | | |
| | Lens: 3 to 9 mm or better, DC-iris, motorized Zoom | | |
| | Day and Night: Automatic/manual/scheduled | | |
| | IR Range: Min 30 Mtr or better | | |
| | WDR: True WDR >=100 db or better | | |
| 2 | Min. Illumination / Light Sensitivity: Color mode: F1.2 @ 0.5 lux and B&W mode: F1.2@ 0.01 lux | | |
| | Light sensor: Senses the level of ambient light to determine when to switch day/night mode. | | |
| | Video Compression: H.264, H. 265 | | |
| | Video Stream: Individually configurable min 03 video streams (H.264/H.265), Unicast/ Multicast | | |
| | Intelligent Video: Motion Detection, Camera Tampering | | |



| Resolutions and frame rates: 25/30 fps at 1920x1080 (1080p) | |
|---|--|
| Protocol Support: IPv4, IPv6, TCP/IP, HTTP, DHCP, UDP, DNS, SMTP, RTP, RTSP, SNMP protocols/Should meet all functional requirement of the project | |
| Interface: 10/100BaseT or better RJ45 Port with 802.3af POE Support | |
| Camera Should remote Zoom and Auto focus | |
| Camera should supplied with 32GB Micro SD/SDHC/SDXC memory card for recording | |
| IP 66 Rated housing | |
| Should be ONVIF compliant | |
| Certification- CE or FCC and UL/ETL/BIS certified at the time of bidding The OEM should have ISO 9001:2008 and ISO 14001:2004 certificate for Manufacturing | |
| Operating Temperature: 0-55 °C, should have sun shield on top of the camera enclosure | |
| Should be supplied with suitable mounting box, L/C Bracket | |

| S/N | Parameter | Minimum Specification | Matched/ Not Matched | Deviation/ Remarks, (if any) |
|-----|-----------------------------|---|----------------------------|------------------------------------|
| 3 | Image sensor and Effective | 1/ 2.8" or better, CMOS Progressive Scan | | |
| | Pixels (Resolution) | & Minimum 2 MP. | | |
| | Electronic Shutter | 1 to 1 / 10,000 s or better | | |
| | Focus | Automatic and Manual both | | |
| | Automatic Gain Control | Automatic / Manual | | |
| | S/N Ratio | >50 dB | | |
| | Frame Rate | 50/60 FPS at Full Resolution | | |
| | Codec | H.264, H.265 | | |
| | Multi Focal Lens | ≤6 mm to ≥50 mm Lens or better | | |
| | Minimum Illumination | | | |
| | Day and Night functionality | Automatic, Color, Mono | | |
| | IR illuminator | External/Internal in Box Illuminator with visibility should be at least 50m, Power requirement & connectivity should be part of the solution. Illumination (Colour & b/w) should be sufficient to capture Objects | | |
| | WDR | True WDR 100 dB or better | | |
| | Video Streams | Individually configurable min 03 video streams (H.264/H.265), Unicast/Multicast | | |
| | Intelligent Video | Motion detection, Tampering Alert | | |
| | Interface | RJ-45 for 10/100 base-T Ethernet | | |
| | Network Protocols support | IPv4, IPv6, TCP/IP, HTTP, DHCP, UDP, DNS, SMTP, RTP, RTSP, SNMP protocols/Should meet all functional requirement of the project | | |
| | Alarm Event (Non-working, | Events / alerts send via FTP, HTTP, email, | | |
| | tampering,) | Pre-Post alarm video buffering. | | |
| | Compliance | Should be ONVIF compliant | | |
| | Operational Temperature °C | 0°C to 50 °C | | |

Page 23 of 41



| Item I | Item No. 3 Outdoor Box 2 MP IP Camera | | | | | | |
|--------|---|---|----------------------------|------------------------------------|--|--|--|
| S/N | Parameter | Minimum Specification | Matched/ Not Matched | Deviation/ Remarks, (if any) | | | |
| | Outer Casing | Vandal Proof IK10 or above rated, NEMA 4X/ IP66 rated Housing | | | | | |
| | Power | | | | | | |
| | Certifications CE or FCC and UL/ETL/BIS The OEM should have ISO 9001:2008 and ISO 14001:2004 certificate for Manufacturing | | | | | | |
| | Local Storage (memory card of Min 32 GB to be included) | Camera should supplied with 32GB Micro SD/SDHC/SDXC memory card for recording | | | | | |
| | Mounting Accessories | For pole/gantry/ surface mount with L/C Brackets | | | | | |

| Item | tem no.: 4: 16 CH Network Video Recorder | | | | |
|-----------|---|----------------------------|------------------------------------|--|--|
| Sr. No | Item (Minimum Specification) | Matched/ Not Matched | Deviation/ Remarks, (if any) | | |
| 4 | 16 Channels or better NVR with supports up to 4 SATA hard drives each support up to 4TB or 2 SATA hard drives each support up to 8TB, Should be loaded with 16 TB Capacity of HDDs. Should support Raid 0,1,5 | | | | |
| | Support 4K streaming, Support 16 Channel up to (3840*2160) Resolution Support 120 Mbps or higher of incoming Bandwidth | | | | |
| | Support H.264 and H.265 | | | | |
| | 1# of Gigabit port with load balancing and failover | | | | |
| | Support ONVIF 2.0 and above cameras, Should support Remote live view and remote playback, | | | | |
| | VGA D-sub and HDMI, 2 nos. of USB port, Should support Network storage and backup | | | | |
| | Should support 16 Channels streaming in Single screen, 08 Channels synchronous Playback | | | | |
| | Certification- CE or FCC and UL/ETL/BIS certified at the time of bidding The OEM should have ISO 9001:2008 and ISO 14001:2004 certificate for Manufacturing | | | | |
| | NVR and IP CCTV camera should be same make | | | | |

| Item | Item no.: 5 : 32 CH Network Video Recorder | | | | | |
|-----------|--|----------------------------|------------------------------------|--|--|--|
| Sr. No | Item (Minimum Specification) | Matched/ Not Matched | Deviation/ Remarks, (if any) | | | |
| 5 | 32 Channels or better NVR with supports up to 8 SATA hard drives each support up to 6TB, Should be loaded with 24 TB Capacity of HDDs. Should support Raid 0,1,5 | | | | | |
| | Support 4K streaming, Support 32 Channel up to (3840*2160) Resolution Support 300 Mbps of incoming Bandwidth, support e-sata and USB | | | | | |
| | Support H.264 and H.265 | | | | | |
| | 2# of Gigabit port with load balancing and failover | | | | | |
| | Support ONVIF 2.0 and above cameras, | | | | | |
| | Should support Remote live view and remote playback, | | | | | |
| | VGA D-sub and HDMI, 2 nos. of USB port, Should support Network storage and backup | | | | | |
| | Should support 32 Channels streaming in Single screen, 16 Channels synchronous Playback | | | | | |
| | Certification- CE or FCC and UL/ETL/BIS certified at the time of bidding | | | | | |



| | The | OEM | should | have | ISO | 9001:2008 | and | ISO | 14001:2004 | certificate | for | |
|--|-----|---------|--------|------|-----|-----------|-----|-----|------------|-------------|-----|--|
| | Man | ufactur | ring | | | | | | | | | |
| NVR and IP CCTV camera should be same make | | | | | | | | | | | | |

| Item | Item no.: 6: 64 CH Network Video Recorder | | | | |
|-----------|--|----------------------------|------------------------------------|--|--|
| Sr. No | Item (Minimum Specification) | Matched/ Not Matched | Deviation/ Remarks, (if any) | | |
| 6 | 64 Channels or better NVR with supports up to 8 SATA hard drives each support up to 6TB, Should be loaded with 32 TB Capacity of HDDs. Should support Raid 0,1,5 | | | | |
| | Support 4K streaming, Support 64 Channel up to (3840*2160) Resolution Support 300 Mbps of incoming Bandwidth, support e-sata and USB | | | | |
| | Support H.264 and H.265 | | | | |
| | 2# of Gigabit port with load balancing and failover | | | | |
| | Support ONVIF 2.0 and above cameras, Should support Remote live view and remote playback, | | | | |
| | VGA D-sub and HDMI, 2 nos. of USB port, Should support Network storage and backup | | | | |
| | Should support 32 Channels streaming in Single screen, 16 Channels synchronous Playback | | | | |
| | Certification- CE or FCC and UL/ETL/BIS certified at the time of bidding The OEM should have ISO 9001:2008 and ISO 14001:2004 certificate for Manufacturing | | | | |
| | NVR and IP CCTV camera should be same make | | | | |

| Item | Item no.: 7: 128 CH Network Video Recorder | | | | |
|-----------|--|----------------------------|------------------------------------|--|--|
| Sr. No | Item (Minimum Specification) | Matched/ Not Matched | Deviation/ Remarks, (if any) | | |
| 7 | 128 Channels or better NVR with supports up to 16 SATA hard drives each support up to 6TB, Should be loaded with 64 TB Capacity of HDDs. Should support Raid 0,1,5 | | | | |
| | Support 4K streaming, Support 128 Channel up to (3840*2160) Resolution Support 350 Mbps of incoming Bandwidth, support e-sata and USB | | | | |
| | Support H.264 and H.265 | | | | |
| | 2# of Gigabit port with load balancing and failover | | | | |
| | Support ONVIF 2.0 and above cameras, Should support Remote live view and remote playback, | | | | |
| | VGA D-sub and HDMI, 2 nos. of USB port, Should support Network storage and backup | | | | |
| | Should support 32 Channels streaming in Single screen, 16 Channels synchronous Playback | | | | |
| | Certification- CE or FCC and UL/ETL/BIS certified at the time of bidding The OEM should have ISO 9001:2008 and ISO 14001:2004 certificate for Manufacturing | | | | |
| | NVR and IP CCTV camera should be same make | | | | |

| Item | Item no.: 8 PoE Layer-2, 24 port Network Switch | | | | | | | |
|-----------|--|----------------------------|------------------------------------|--|--|--|--|--|
| Sr. No | Item (Minimum Specification) | Matched/ Not Matched | Deviation/ Remarks, (if any) | | | | | |
| 8 | 24 nos. of 10/100/1000 Base - T Gigabit port Layer 2 managed POE switch with 2 SFP, 330W POE budget, RJ45/ micro USB console port, SNMP v2 and v3, LACP, 4K Vlan, built-in Power supply. Rack mountable, CE, FCC, The OEM should have ISO 9001:2008 and ISO 14001:2004 certificate for Manufacturing | | | | | | | |



| Item | Item no.: 9 PoE Layer-2, 08 port Network Switch | | | | | | |
|-----------|---|----------------------------|------------------------------------|--|--|--|--|
| Sr. No | Item (Minimum Specification) | Matched/ Not Matched | Deviation/ Remarks, (if any) | | | | |
| 9 | 8 nos. of 10/100/1000 Base - T Gigabit port Layer 2 managed POE switch with 2SFP, 120W POE budget, RJ45/ micro USB console port, SNMP v2 and v3, LACP, 4K Vlan, built-in Power supply, Rack mountable, CE, FCC The OEM should have ISO 9001:2008 and ISO 14001:2004 certificate for Manufacturing | | | | | | |

| Sr. No. | Item (Minimum Spe | cification) | Matched/ Not Matched | Deviation/ Remarks, (if any) |
|------------|---------------------|---|----------------------------|------------------------------------|
| 10 | Features | Description | | |
| | | Online UPS with PWM Technology suitable for single Phase AC input voltage | | |
| | | UPS shall be housed in rugged enclosure made of M.S. Sheet 1.2 mm (minimum) thick, aesthetically finished, duly pre-treated and powder coated. | | |
| | | UPS shall be free from workmanship defects, sharp edges, nicks, scratches, burs etc. All fasteners shall be fixed properly. The equipment shall be complete with all parts and all parts shall be functional | | |
| | Certifications | UPS should meet CE and ROHS standards (Pls submit certificates along with bid) | | |
| | Bypass Switch | Manual and Static by-pass switch shall be provided for maintenance of UPS with provision for Enable/Disable of Bypass mode | | |
| | | UPS shall supply output power and charging current at the same time | | |
| | Switching Device | Switching Device shall be IGBT | | |
| | | Switching frequency shall be 19 KHz or above | | |
| | | UPS shall be provided with USB or serial communication port RS 232 for computer interface for data exchange of electrical parameters of UPS like voltage, current, frequency, charging status, mode of operation etc. | | |
| | INPUT | | | |
| | Voltage Range | 160 V – 280 V | | |
| | Frequency Range | 50 Hz +/- 10% Hz | | |
| | Phase | Single Phase AC | | |
| | OUTPUT | | | |
| | Voltage Regulation | 230 V +/-2% (with alternative setting for 220V +/- 2%) | | |
| | Output Frequency | 50 Hz +/- 1 Hz Single Phase (In inverter mode) | | |
| | Voltage regulation | From on load to full load Should be within +/-1% in both the cases, UPS shall also have facility for operation in synchronous mode in which output frequency shall be same as that of mains frequency | | |
| | Harmonic Distortion | 2% max. for 1 KVA UPS on resistive load, | | |



| Efficiency | At rated Output voltage and Frequency | |
|----------------|--|--|
| Overall | 85% (min) | |
| Power Factor | | |
| Over load | UPS shall withstand 20% overload for 5 minutes and 50% overload for 1 minute | |
| ENVIRONMENT | Noise Level – less than 55 db at a distance of 1 meter | |
| Protection | Over voltage, short circuit and overload at UPS output terminal, Under voltage at battery terminal, Overshoot and undershoot shall not be greater than 4% of rated voltage for duration of 60 msec | |
| Indicators | Mains Presence, Battery Charging and Discharging, Low battery voltage | |
| Digital meters | "Input AC Voltage, Output AC Voltage, I/o Frequency, O/p Frequency, Output Current, Battery Voltage, Load Percentage, Battery Backup available in percentage, (with LED \ LCD display)" | |
| | Emergency Power Off (EPO) | |
| | UPS to be compatible with DG supply | |
| | Cables: With all necessary cables and plug and Battery links | |
| | Rack: Suitable Metallic Rack for housing of SMF Batteries to be provided | |
| Battery Detail | 800 VAH for 1 KVA - 30 min | |
| Battery Type | Sealed Maintenance Free (VRLA) | |
| Battery Make | Exide/Quanta/CSB/Panasonic/Yuasa (Battery Sr. No on OEM Letter Head with Warranty Assurance of 1 years) | |

| r. o. | Item (Minimum | Specification) | Matched/ Not Matched | Deviation Remarks (if any) |
|----------|------------------|--|----------------------------|----------------------------------|
| 1 | Features | Description | | |
| | | Single Phase Input & Single Phase Output | | |
| | | Line Interactive UPS with AVR & PWM Technology for computers | | |
| | | suitable for single Phase AC input voltage | | |
| | General | UPS shall be housed in rugged enclosure made of M.S. Sheet 1.2 | | |
| | General | mm (minimum) thick, aesthetically finished, duly pre-treated | | |
| | | and powder coated or ABS body. | | |
| | | UPS shall be free from workmanship defects, sharp edges, nicks, | | |
| | | scratches, burs etc. All fasteners shall be fixed properly. The | | |
| | | equipment shall be complete with all parts and all parts shall be functional | | |
| | Switching Device | Switching Device shall be MOSFET or IGBT | | |
| | | Switching frequency shall be above 50 Hz | | |
| | Transfer time | Switching over time from AC mains to UPS mode on power | | |
| | Transfer time | failure shall be Max. 10 milliseconds | | |
| | Input | 160 V – 280 V, 50 Hz +/- 3 Hz , single phase AC | | |
| | Output | | | |
| | AC Mode | AVR Output voltage in AC mode; 180-255 V ; 50 Hz +/- 3 Hz | | |
| | Battery Mode | UPS Output voltage in battery mode; 230 V +/- 10%, 50 Hz +/- 3 | | |
| | Battery Wiode | Hz load power factor of not less than 0.6 lagging | | |
| | Overload | UPS shall withstand 5% overload | | |
| | Protections | If input voltage goes outside the range 160V-280V, the system | | |
| | 1 10160110113 | shall switch over to UPS mode | | |
| | | Over Voltage, short circuit and overload at UPS output terminal, | | |
| | | no load shut down. Cold start | | <u> </u> |

Page 27 of 41



| | | Under voltage at battery terminal, Battery over charge |
|---|-----------------------|---|
| | Indicators and meters | Mains presence, UPS mode, Battery low, overload |
| | Battery details | |
| | Battery Type | Sealed Maintenance Free (VRLA) Built-in |
| | Battery make | Exide/Quanta/CSB/Panasonic /Yuasa(Battery Sr. No on OEM Letter Head with Warranty Assurance of 1 years) |
| • | Minimum Battery AH | 600 VA UPS – 84 VAH – 15 minutes Battery Back Up |

| Item | no.: 12 - 40" or | higher LED Display unit | | |
|------------|-------------------------|---|----------------------------|------------------------------------|
| Sr. No. | Features | Item (Minimum Specification) | Matched/ Not Matched | Deviation/ Remarks, (if any) |
| 12 | Diagonal Screen Size | 40" or higher | | |
| | Panel Type | LED | | |
| | Resolution | 1920 x 1080 or higher | | |
| | Brightness | 300 nit or better | | |
| | Contrast Ratio | 1000:1 or higher | | |
| | Input & Output | PC input (D-sub)-1/ HDMI-1, Audio in, USB | | |
| | Usage | 16/7 usage | | |
| | Acceptation | Power cable, VGA cable, (Please mention the length of the cables) | | |
| | Accessories | Wall mount kit, Quick Setup Guide, Warranty Card, Application CD, Remote Control with Batteries | | |

| Item | Item no.: 13 - 32" or higher LED Display unit | | | | | |
|------------|---|---|----------------------------|------------------------------------|--|--|
| Sr. No. | Features | Item (Minimum Specification) | Matched/ Not Matched | Deviation/ Remarks, (if any) | | |
| 13 | Diagonal Screen Size | 32" or higher | | | | |
| | Panel Type | LED | | | | |
| | Resolution | 1920 x 1080 or higher | | | | |
| | Brightness | 300 nit or better | | | | |
| | Contrast Ratio | 1000:1 or higher | | | | |
| | Input & Output | PC input (D-sub)-1/ HDMI-1, Audio in, USB | | | | |
| | Usage | 16/7 usage | | | | |
| | Accessories | Power cable, VGA cable, (Please mention the length of the cables) | | | | |
| | Accessories | Wall mount kit, Quick Setup Guide, Warranty Card, Application CD, Remote Control with Batteries | | | | |

| Item N | Item No. 14 : 24 Port Cat-6 Jack / Patch Panel with I/Os | | | | |
|------------|--|----------------------------|------------------------------------|--|--|
| Sr. No. | Item (Minimum Specification) | Matched/ Not Matched | Deviation/ Remarks, (if any) | | |
| 14 | Category Cat6 No. of Ports 24 Ports Features I/Os Individually replaceable Built-in Shutter Rear Cable Manager, Rack Mountable | | | | |

| Item No. 15: 8 Port Cat-6 Jack / Patch Panel with I/Os | | | | | |
|--|---|----------|------------|--|--|
| Sr. | Item (Minimum Specification) | Matched/ | Deviation/ | | |
| No. | | Not | Remarks, | | |
| | | Matched | (if any) | | |
| 15 | Category Cat 6, No. of Ports 08 Ports, Features I/Os Individually | | | | |
| | replaceable Built-in Shutter Rear Cable Manager, Rack Mountable. | | | | |



| Item N | Item No. 16: 24 U Rack | | | | | |
|------------|---|----------------------------|------------------------------------|--|--|--|
| Sr. No. | Item (Minimum Specification) | Matched/ Not Matched | Deviation/ Remarks, (if any) | | | |
| 16 | 24 U Floor standing, 19" Adjustable rails in the front and rear, Front section with glass door and lock, Top and bottom cable entry facility, Cable managers, Earth continuity kit, Steel powder coated cabinet (Bidder has to carry out installation/fixing) | | | | | |

| Item | Item No. 17:9 U Rack | | | | | |
|------------|--|----------------------------|------------------------------------|--|--|--|
| Sr. No. | Item (Minimum Specification) | Matched/ Not Matched | Deviation/ Remarks, (if any) | | | |
| 17 | 9 U wall mounting rack – Rigid frame that can be fixed to the wall, 19" Adjustable rails in the front and rear, Front section with glass door and lock, Top and bottom cable entry facility, , Cable managers, Earth continuity kit, Steel powder coated cabinet (Bidder has to carry out installation/fixing) | | | | | |

| Item | Item No. 18 : 1 feet Cat-6 Factory Crimped Patch Cord | | | | |
|------------|---|----------------------------|------------------------------------|--|--|
| Sr. No. | Item (Minimum Specification) | Matched/ Not Matched | Deviation/ Remarks, (if any) | | |
| 18 | Factory Crimped Cat6 UTP Patch cord with 24 AWG 7/32 Round stranded copper wire. Length- 1 feet | | | | |

| Item | Item no 19.: Mount/Junction Box | | | | | |
|------------|--|----------------------------|------------------------------------|--|--|--|
| Sr. No. | Item (Minimum Specification) | Matched/ Not Matched | Deviation/ Remarks, (if any) | | | |
| 19 | Mount/Junction Box at Camera End (should be Suitable for quoted IP camera) | | | | | |

| Item | Item No. 20 : Cat 6 UTP cable | | | | |
|------------|--|----------------------------|------------------------------------|--|--|
| Sr. No. | Item (Minimum Specification) | Matched/ Not Matched | Deviation/ Remarks, (if any) | | |
| 20 | Category Cat6 Conductor 23AWG, Solid Bare Electrolytic Grade Copper Outer Sheath FRPVC Insulation HDPE Splitter X-Shaped Spine separator Tested Frequency 250Mhz Standards | | | | |

| Item | Item No 21: 6 Core Single Mode Fiber Cable | | | | |
|------------|--|----------------------------|------------------------------------|--|--|
| Sr. No. | Item (Minimum Specification) | Matched/ Not Matched | Deviation/ Remarks, (if any) | | |
| | 6 core Fiber Cables to be supplied | | | | |
| | Single Mode Fiber to support 1310 nm and 1550 nm wavelengths, 9/125 micron, | | | | |
| 21 | Graded index, anti rodent, fiber Should be protected inside jelly filled loose tube armoring with acrylic coated good quality steel. | | | | |
| | ECCS armor followed by a jacket of polyethylene. Over the armor, water blocking powder applied for water tight cable. | | | | |
| | Steel rods embedded in the outer jacket. | | | | |

| Item | Item No 22: 12 Port Fiber LIU fully Loaded with Adapter, Pigtail | | | | |
|------------|---|--|----------------------------|------------------------------------|--|
| Sr. No. | Item (Minimum Specification) | | Matched/ Not Matched | Deviation/ Remarks, (if any) | |
| 22 | Type 19" Rack mount with 1 U height, 1. Port Availability 12 Port or higher | | | | |

Page 29 of 41



| | Should have slots on front panel to accommodate SC type Adapter Plates Should have splicing tray and mounting clamps Made up of powder coated steel. | |
|---------|--|--|
| | Provision for entry 4 nos. | |
| Pigtail | Connector Type:- SC-Style | |
| | 12 nos. of pigtail must be included | |
| adaptor | Duplex SC Adaptor | |
| | Dust caps for protection | |
| | 12 nos. of adaptor must be included | |

| | Item No.23: SM Type Fiber MiniGBIC Modules for Fiber Connectivity including the required Fiber Patch Cord. | | | | | |
|------------|--|--|----------------------------|------------------------------------|--|--|
| Sr. No. | Item (Minimum Specification) | | Matched/ Not Matched | Deviation/ Remarks, (if any) | | |
| 23 | Type | Small Form Factor Pluggable module – Mini GBIC 1000 based LX module to support Gigabit speeds over 9/125 Single mode Fiber up to a distance of 10kms with SM SC / LC Fiber Patch Cord, 3M, Duplex. | | | | |

| Item | No. 24 Surge Protection Power S | Strip | | |
|-----------|---------------------------------|--|----------------------------|-----------------------------------|
| Sr. No | | | Matched/ Not Matched | Deviation/ Remarks (if any) |
| 24 | Clamping Voltage | 240 V | | |
| | Response time | <10 ns | | |
| | Energy Dissipation | Min 500 joules | | |
| | Max voltage Spike protection | Up to 400 Volts | | |
| | Max current Spike Protection | 5000 Amps | | |
| | Cable | Heavy duty Cable of standard Length | | |
| | Power Outlet | Min. 4 Nos. 5 Amp Indian Standard Power Outlets | | |
| | Operating Temperature | 0-55 ° C. The bidder has to take into consideration of the internal temperature adjustment of the junction box | | |

| Item n | Item no.: 25 to 27 Other Components | | | | |
|------------|---|----------------------------|-----------------------------------|--|--|
| Sr. No. | Item (Minimum Specification) | Matched/ Not Matched | Deviation/ Remarks (if any) | | |
| 25 | 1.5" Size PVC pipe, ISI mark (In mtrs.) | | | | |
| 26 | 32 MM ISI mark HDPE Pipe for Fiber Cable (In mtrs.) | | | | |
| 27 | 25mm GI Pipe (In mtrs.) | | | | |

| Item 28. Poles including mounting/installation | | | | | |
|--|---|---|----------------------------|-----------------------------------|--|
| Sr. No. | Parameter | Minimum Required Specifications | Matched/ Not Matched | Deviation/R emarks (if any) | |
| 28 | Pole type Galvanized pole as per IS:2629 and Fabrication as per IS:2713 | | | | |
| | Height | 6 meter above ground surface Bottom section: 1.4 meter Middle Section: 1.4 meter Top Section: 3.2 meter | | | |



| Foundation | Minimum 1 meter so as to ensure that video feed quality is not impacted due to winds in different climatic conditions and from vibration caused due to heavy vehicles on road | |
|----------------------|--|--|
| Pole | Bottom section : 97.9mm | |
| Diameter | Middle Section : 76.2mm | |
| (Outer side) | Top Section : 65.2mm | |
| Bottom Base Plate | 300mm x 300mm x 6mm | |
| Protection | Lightening arrestor and Earthing | |
| Cantilevers | The pole should support 3 number of cantilever of varying length from 0.5 to 2.0 meters. The cantilever should be fitted such that the can be rotated to change the direction or adjust the angle, if at all required. The Cantilever should be strong enough so as to mount at least 2 CCTV camera's, if required. | |
| Mounting Facility | Should support pole, cantilever, Junction Box | |

Section 6 Price Bid Format

| Sr. No. | ltem | Qty. (In Nos.) | Unit Price With 5 Year Warranty (In Rs.) (Without Tax) | Total Price With 5 Years Warranty (In Rs.) (Without Tax) | Rate of Tax (GST) if any (%) |
|------------|--|----------------------|--|--|--|
| Α | В | С | D | E=(C*D) | Н |
| 1 | Indoor Dome IP Camera | 497 | | | |
| 2 | Outdoor Bullet IP Camera | 247 | | | |
| 3 | Outdoor Box IP Camera | 120 | | | |
| 4 | 16 CH Network Video Recorder (NVR) | 12 | | | |
| 5 | 32 CH Network Video Recorder (NVR) | 17 | | | |
| 6 | 64 CH Network Video Recorder (NVR) | 11 | | | |
| 7 | 128 CH Network Video Recorder (NVR) | 3 | | | |
| 8 | PoE Layer-2, 24 port Switch | 14 | | | |
| 9 | PoE Layer-2, 8 port Switch | 114 | | | |
| 10 | 1 KVA Online UPS (with 30 Minutes battery backup) | 43 | | | |
| 11 | 600 VA UPS (with 15 Minutes battery backup) | 85 | | | |
| 12 | 40" or higher LED Display unit | 14 | | | |
| 13 | 32" or higher LED Display unit | 29 | | | |
| 14 | 24 Port Cat-6 Jack / Patch Panel with I/Os | 14 | | | |
| 15 | 8 Port Cat-6 Jack / Patch Panel with I/Os | 114 | | | |
| 16 | 24 U Rack | 43 | | | |
| 17 | 9 U Rack | 85 | | | |
| 18 | 1 feet Cat-6 Factory Crimped Patch Cord | 864 | | | |
| 19 | Mount Box at Camera End | 864 | | | |
| 20 | Cat 6 UTP cable with laying (in meter) | 45000 | | | |
| 21 | 6 Core Single Mode Fiber Cable (in meter) | 900 | | | |
| 22 | 12 Port Fiber LIU fully Loaded with Adapter, Pigtail | 18 | | | |
| 23 | SM Type Fiber Mini GBIC Modules for Fiber Connectivity | 36 | | | |
| 24 | Surge Protection Power Strip | 128 | | | |
| 25 | 1.5" Size PVC pipe including Labor Charges (in meter) | 23000 | | | |
| 26 | 32 MM HDPE Pipe with Supply & Laying on Wall and Underground (Soft soil and Hard Soil, digging) (in meter) | 900 | | | |
| 27 | 25mm GI Pipe (in meter) | 300 | | | |
| 28 | Poles including mounting/installation | 46 | | | |
| 29 | Asphalt Cutting / Horizontal Boaring/RCC/plaster cutting (in meter) | 300 | | | |
| | Grand Total | | | | |

Note:

- 1. Rate to be filled should be inclusive of Packing\Forwarding, Insurance, FOR destination (anywhere in the Gujarat state) and with applicable warranty. GST needs to be shown separately.
- Financially L1 bidder will be decided from the sum total of prices for all line items without tax with 5 years warranty.



- 3. The above mentioned quantity (excluding item no.20,21,25,26,27 & 29) is estimated and for evaluation purpose only, however actual quantity may vary as per the requirement.
- 4. For Cat 6 UTP cable, fiber cable, 1.5" PVC Pipe, 32 MM HDPE, 25mm GI Pipe, Asphalt Cutting including Labor Charges, has been taken based on survey carried out. Bidders have to quote the price based on his own survey carried out. Beyond the above mentioned qty. required during the installation the additional rate is not payable. However, for lesser qty used for installation, the actual consumption will be taken into account at the finalized rate and payment will be made on actual work carried out.

GUJARAT INFORMATICS JUNITED

GUJARAT INFORMATICS LIMITED BLOCK NO. 2, 2nd FLOOR, KARMAYOGI BHAVAN, SECTOR-10A, GANDHINAGAR

Section - 7

Performa of Compliance letter/Authenticity of Information Provided

(On Non judicial Stamp paper of 100 duly attested by the First class Magistrate/Notary Public)

Date:

To,
DGM (Tech.)
Gujarat Informatics Ltd.
Block No.2, 2nd Floor,
Karmayogi Bhavan, Gandhinagar.

Sub: Compliance with the Tender Terms & Conditions, Specifications and Eligibility Criteria.

Ref: RFP.NO. GIL\COT\Video Surveillance\2018-19

Dear Sir,

With reference to above referred tender, I, undersigned <<Name of Signatory>>, in the capacity of <<Designation of Signatory>>, is authorized to give the undertaking on behalf of <<Name of the bidder>>.

We wish to inform you that we have read and understood the technical specification and total requirement of the above mentioned bid submitted by us on **DD.MM.YYYY**.

We hereby confirm that all our quoted items meet or exceed the requirement and are absolutely compliant with specifications mentioned in the bid document.

We also explicitly understand that all quoted items meet technical specification of the bid & that such technical specification overrides the brochures/standard literature if the same contradicts or is absent in brochures.

In case of breach of any tender terms and conditions or deviation from bid specification other than already specified as mentioned above, the decision of GIL Tender Committee for disqualification will be accepted by us.

The Information provided in our submitted bid is correct. In case any information provided by us are found to be false or incorrect, you have right to reject our bid at any stage including forfeiture of our EMD/ PBG/cancel the award of contract. In this event, GIL reserves the right to take legal action on us.

Thanking you,

Dated this _____ day of ____2019

Signature: ____
(In the Capacity of) : _____
Duly authorized to sign bid for and on behalf of

Note: This form should be signed by authorized signatory of bidder



GUJARAT INFORMATICS LIMITED BLOCK NO. 2, 2nd FLOOR, KARMAYOGI BHAVAN, SECTOR-10A, GANDHINAGAR

Annexure A

Format of Earnest Money Deposit in the form of Bank Guarantee

| Ref: | Bank Guarantee No. Date: |
|---|--|
| To, | |
| DGM (Technical) | |
| Gujarat Informatics Limited | |
| 2 nd Floor, Block -2, Karmayogi Bhavan, | |
| Sector – 10 A, Gandhinagar - 382017 | |
| Gujarat, India | |
| | |
| Whereas (here in bid dated in response to the RFP.NO. GIL\COT\Vi Agency for Supply, Installation, Commissioning and warrar Implementation of Video Surveillance System at various RTO's a MEN by these presents that WE | deo Surveillance\2018-19 Bid for Selection of nty support of various Equipments for the |
| having our register | |
| (hereinafter called "the Bank") are boun sum of for which payment well and truly to Bank binds itself, its successors and assigns by these presents. Statesday of | d unto the Gujarat Informatics Limited in the be made to Gujarat Informatics Limited , the |

THE CONDITIONS of this obligation are:

- 1. The E.M.D. may be forfeited:
 - a. if a Bidder withdraws its bid during the period of bid validity
 - b. Does not accept the correction of errors made in the tender document;
 - c. In case of a successful Bidder, if the Bidder fails:
 - (i) To sign the Contract as mentioned above within the time limit stipulated by purchaser or
 - (ii) To furnish performance bank guarantee as mentioned above or
 - (iii) If the bidder is found to be involved in fraudulent practices.
 - (iv) If the bidder fails to submit the copy of purchase order & acceptance thereof.

We undertake to pay to the GIL/Purchaser up to the above amount upon receipt of its first written demand, without GIL/ Purchaser having to substantiate its demand, provided that in its demand GIL/ Purchaser will specify that the amount claimed by it is due to it owing to the occurrence of any of the abovementioned conditions, specifying the occurred condition or conditions.

This guarantee will remain valid up to validity of bid + 90 days from the date of bid submission. The Bank undertakes not to revoke this guarantee during its currency without previous consent of the OWNER/PURCHASER and further agrees that if this guarantee is extended for a period as mutually agreed between bidder & owner/purchaser, the guarantee shall be valid for a period so extended provided that a written request for such extension is received before the expiry of validity of guarantee.

The Bank shall not be released of its obligations under these presents by any exercise by the OWNER/PURCHAER of its liability with reference to the matters aforesaid or any of them or by reason or any other acts of omission or commission on the part of the OWNER/PURCHASER or any other indulgence shown by the OWNER/PURCHASER or by any other matter or things.



The Bank also agree that the OWNER/PUCHASER at its option shall be entitled to enforce this Guarantee against the Bank as a Principal Debtor, in the first instance without proceeding against the SELLER and not withstanding any security or other guarantee that the OWNER/PURCHASER may have in relation to the SELLER's liabilities.

| Dated at | _ on this | day of | 2019. |
|--|-----------|--------|-------|
| Signed and delivered by | | | |
| For & on Behalf of | | | |
| Name of the Bank & Branc Its official Address | h & | | |

(Approved Bank: All Nationalized Bank including the public sector bank or Private Sector Banks or Commercial Banks or Co-Operative & Rural Banks (operating in India having branch at Ahmedabad/ Gandhinagar) as per the G.R. no. EMD/10/2018/DMO dated 16.04.2018 http://www.gil.gujarat.gov.in/grs/DMO 2173 16 Apr 2018 714.pdf) issued by Finance Department or further instruction issued by Finance department time to time)

GUJARAT INFORMATICS AIMITED

GUJARAT INFORMATICS LIMITED BLOCK NO. 2, 2nd FLOOR, KARMAYOGI BHAVAN, SECTOR-10A, GANDHINAGAR

Section - 8

Performa of Contract-cum-Equipment

Performance Bank Guarantee

(To be stamped in accordance with Stamp Act)

| Ref: | Bank Guarantee No. Date: |
|---|---|
| To Name & Address of the Purchaser/Indenter | |
| Dear Sir, | |
| In consideration of <<name &="" address="" b="" of="" purc<="" the=""> Gandhinagar>> (hereinafter referred to as the OWNER/F repugnant to the context or meaning thereof include succ awarded to M/s.</name> | PURCHASER which expression shall unless |
| | on shall unless repugnant to the context or administrators, executors and assigns) the se Order No |
| administrators, executors and assigns) do hereby gu- Rs(Rupees demand at any time up to without a re made by the OWNER/PURCHASER on the Bank shall any difference between Tribunals, Arbitrator or any other |) to the OWNER/PURCHASER on eference to the SELLER. Any such demand be conclusive and binding notwithstanding |

The Bank undertakes not to revoke this guarantee during its currency without previous consent of the OWNER/PURCHASER and further agrees that the guarantee herein contained shall continue to be enforceable till the OWNER/PURCHASER discharges this guarantee. OWNER/PURCHASER shall have the fullest liberty without affecting in any way the liability of the Bank under this guarantee from time to time to extend the time for performance by the SELLER of the aforementioned CONTRACT. The OWNER/ PURCHASER shall have the fullest liberty, without affecting this guarantee, to postpone from time to time the exercise of any powers vested in them or of any right which they might have against the SELLER, and to exercise the same at any time in any manner, and either to enforce to forebear to enforce any covenants contained or implied, in the aforementioned CONTRACT between the OWNER/PURCHASER and the SELLER or any other course of or remedy or security available to the OWNER/PURCHASER.



List of approved Banks

GUJARAT INFORMATICS LIMITED BLOCK NO. 2, 2nd FLOOR, KARMAYOGI BHAVAN, SECTOR-10A, GANDHINAGAR

The Bank shall not be released of its obligations under these presents by any exercise by the OWNER/PURCHAER of its liability with reference to the matters aforesaid or any of them or by reason or any other acts of omission or commission on the part of the OWNER/PURCHASER or any other indulgence shown by the OWNER/PURCHASER or by any other matter or things.

The Bank also agree that the OWNER/PUCHASER at its option shall be entitled to enforce this Guarantee against the Bank as a Principal Debtor, in the first instance without proceeding against the SELLER and not withstanding any security or other guarantee that the OWNER/PURCHASER may have in relation to the SELLER's liabilities.

| Notwithstanding anything (Rup | | | | |
|--|-----------|------------------|----------------------|--------------------|
| includingdesired by the SELLER on | and shall | be extended from | time to time for suc | h period as may be |
| Dated at | _ on this | day of | 2019. | |
| Signed and delivered by | | | | |
| For & on Behalf of | | | | |
| Name of the Bank & Brand Its official Address | ch & | | | |

Approved Bank: All Nationalized Bank including the public sector bank or Private Sector Banks or Commercial Banks or Co-Operative & Rural Banks (operating in India having branch at Ahmedabad/ Gandhinagar) as per the G.R. no. EMD/10/2018/DMO dated 16.04.2018 http://www.gil.gujarat.gov.in/grs/DMO 2173 16 Apr 2018 714.pdf) issued by Finance Department or further instruction issued by Finance department time to time

GIL GUJARAT INFORMATICS LIMITED

GUJARAT INFORMATICS LIMITED BLOCK NO. 2, 2nd FLOOR, KARMAYOGI BHAVAN, SECTOR-10A, GANDHINAGAR

CONTRACT FORM

| THIS | AGRE | EME | NT made o | | | | y of | | | | , 20 | Bet | ween |
|--------------|---|-----------------|--|---------------|--------------------------|--------|-----------------------|-------------------|----------|----------|-------------|-------------|-----------|
| (Coun | try | of | Purchaser) | • | me of poereinafter | "the | Purc (Nam | | of of | | one Supp | olier) | and of |
| the oth | ner pa | rt : | | | (City and | Counti | ry ot Su _l | <i>opiier)</i> ne | ereinar | ter call | ea "t | ne Supplie | er" of |
| WHEE | PEΔS | the | Purchaser | ie | desirous | that | certain | Goods | and | ancill | larv | services | viz |
| | | | | | | | | | | | | | |
| (Br those | (Brief Description of Goods and Services) and has accepted a bid by the Supplier for the supply of those goods and services in the sum of (Contract Price in Words and Figures) | | | | | | | | | | | | |
| herein | after o | alled | "the Contrac | ct Pri | ce in Word | s and | Figures" | hereinaf | ter cal | led "the | e Cor | tract Price | e." |
| NOW | THIS | AGRE | EEMENT WI | THN | ESSETH A | S FOL | LOWS : | | | | | | |
| 1 | | - | reement wor to them in th | | • | | | | ne me | anings | as a | ire respec | tively |
| 2 | | | ving docume nt, viz. : | nts s | hall be de | emed t | to form a | and be re | ad an | d cons | trued | l as part o | f this |
| | 2.1 | the | Bid Form a | nd th | e Price Sc | hedule | submitte | ed by the | Bidde | er; | | | |
| | 2.2 | ter | ms and cond | dition | s of the bid | k | | | | | | | |
| | 2.3 | the | Purchaser's | s Not | ification of | Award | i | | | | | | |
| 3 | ment | tioned ces a | eration of the d, the Suppl and to remed | ier h | ereby con | venant | ts with t | he Purch | naser | to prov | vide 1 | the goods | and |
| 4 | good sum | ls and as m | naser hereby d services a nay become rescribed by | nd th paya | ne remedyi able under | ng of | defects | therein, t | he Co | ntract | Price | or such | other |
| 5 | | | s of the good the enclose | | | which | shall be | supplied | / prov | ided by | / the | Supplier a | re as |
| TOTA | L VAL | UE: | | | | | | | | | | | |
| IN WI | TNES | S whe | EDULE: ereof the particle laws the | | | | | | nt to t | oe exed | cuted | in accord | lance |
| Signe | d, Sea | led a | nd Delivered | by tl | ne | | | | | | | | |
| Said _ | | | | | | (Fc | r the Pu | rchaser) | | | | | |
| in the | presei | nce o | f | | | | | | | | | | |
| Signe | d, Sea | led a | nd Delivered | by tl | ne | | | | | | | | |
| said _ | | | | | | (Fo | r the Sup | oplier) | | | | | |
| | | | of | | | | · | • | | | | | |



Section - 9 Annexure

Bid Processing Fees & Earnest Money Deposit Details:

| Sr. No. | Sr. No. Item | | Name & branch of the bank | Demand Draft No./Date |
|---------|--------------------------------|--|---------------------------|--------------------------|
| 1 | Bid Processing Fees | | | |
| 2 | Earnest Money Deposit (E.M.D.) | | | |

ELIGIBILITY CRITERIA

Form no. E1: Financial strength of the bidder:

| Sr. No. | Turnover in Crore | Audited Accounts Submitted? (Yes/No) | |
|---------|-------------------|--------------------------------------|--|
| FY | | | |
| | | | |

Note: Please fill this form and upload Audited Annual Accounts for the last three financial years.

Form no. E2: Bidder's Office in GUJARAT:

| Sr. No. | Address | Contact Person | Contact nos. | Type of supporting document attached |
|---------|---------|----------------|--------------|--------------------------------------|
| 1 | | | | |
| 2 | | | | |

Note: Please fill this form and submit the supporting documents. Failing the same may lead to the rejection of the bid. You may mention more than one office (if applicable) by adding multiple rows which may be added by "NUMBER OF ROWS TO ADD".

Form no. E3: Bidder's Experience in installation of minimum 05 LAN/WAN system with minimum 50 nodes and operational in the campus or different campus.

| | Name of the Customer | Address of Installation | Completion Date of the Project | Scope of Work. Also specify the system installed | ork. so specify e system Specify No. of Active & Passive Components | | No. of Nodes installed |
|---|----------------------|----------------------------|--------------------------------------|--|---|--|------------------------------|
| 1 | | | | | | | |
| 2 | | | | | | | |
| | | | | | | | |

Note: Please fill this form and upload necessary supporting documents like copies of purchase order / contract agreement and completion certificate for each of project details mentioned, as a proofs in the eligibility section. You may add the customer references by adding multiple rows which may be added by "NUMBER OF ROWS TO ADD".

Form no. E4: Bidder's Experience of executing IP CCTV Camera / Surveillance System Project:

| Sr. No. | Name of the Organization | Address of installation | P.O/ W.O. Date | No. of IP CCTV Cameras Installed | Value of the project in Rupees | Document attached or not? |
|------------|-----------------------------|-------------------------|-------------------|--|---|---------------------------|
| 1 | | | | | | |
| 2 | | | | | | |

Note: Please fill this form and upload necessary supporting documents like copies of purchase order / contract agreement and completion certificate for each of project details mentioned, as a proofs in the eligibility section. You may add the customer references by adding multiple rows which may be added by "NUMBER OF ROWS TO ADD".



Form no. E5: Authorization Letters:

| Sr. No. | Item | Make & Model | Name of OEM | Authorization Certificate Attached? (Yes/No) |
|------------|---|--------------|-------------|--|
| 1 | Indoor Dome IP Camera | | | |
| 2 | Outdoor Bullet IP Camera | | | |
| 3 | Outdoor Box IP Camera | | | |
| 4 | 16 CH Network Video Recorder (NVR) | | | |
| 5 | 32 CH Network Video Recorder (NVR) | | | |
| 6 | 64 CH Network Video Recorder (NVR) | | | |
| 8 | 128 CH Network Video Recorder (NVR) | | | |
| 10 | PoE Layer-2, 24 port Switch | | | |
| 13 | PoE Layer-2, 8 port Switch | | | |
| 14 | 1 KVA Online UPS (with 30 Minutes battery backup) | | | |
| 15 | 600 VA UPS (with 15 Minutes battery backup) | | | |
| 16 | 40" or higher LED Display unit | | | |
| 17 | 32" or higher LED Display unit | | | |
| 18 | 24 Port Cat-6 Jack / Patch Panel with I/Os | | | |
| 19 | 8 Port Cat-6 Jack / Patch Panel with I/Os | | | |
| 21 | 1 feet Cat-6 Factory Crimped Patch Cord | | | |
| 22 | Cat 6 UTP cable | | | |
| 23 | 6 core single mode fiber | | | |

Note: Please upload necessary supporting proofs in eligibility section.

Form no. E6: Office and Service Center in India of OEM / IP CCTV Camera Product Company:

| Sr. No. | Address | Contact Person | Contact nos. | Type of supporting document attached |
|---------|---------|----------------|--------------|--------------------------------------|
| 1 | | | | |
| 2 | | | | |

Note: Please fill this form and submit the supporting documents. Failing the same may lead to the rejection of the bid. You may mention more than one office (if applicable) by adding multiple rows which may be added by "NUMBER OF ROWS TO ADD".

Form no. E7: Experience of OEM / IP CCTV Camera Product Company:

| Sr. No. | Name of the Organization | Address of installation | P.O/ W.O. Date | No. of IP CCTV Cameras Installed | Value of the project in Rupees | Document attached or not? |
|------------|-----------------------------|-------------------------|-------------------|--|--------------------------------------|---------------------------|
| 1 | | | | | | |
| 2 | | | | | | |
| | | | | | | |

Note: Please fill this form and upload necessary supporting documents like copies of purchase order / contract agreement and completion certificate for each of project details mentioned, as a proofs in the eligibility section. You may add the customer references by adding multiple rows which may be added by "NUMBER OF ROWS TO ADD".