# 1. Eligibility Conditions:

| Sr.<br>No. | Specific Requirement   | Documents required  |
|------------|--|---|
| 1.         | The bidder should be a company registered<br>in India under the Companies Act 1956, Act<br>2013 or a partnership registered under the<br>India Partnership Act 1932, or a Partnership<br>firm registered under the Limited Liability<br>Partnership Act 2008 with their registered<br>office in India in operation for the last three<br>years   | <ul> <li>Certificate of Incorporation</li> <li>Memorandum and Article of association</li> <li>Registered Partnership Deed</li> <li>Copy of PAN card</li> <li>Copies of relevant GST registration certificates.</li> </ul> |
| 2.         | The bidder should have average Annual Turn-<br>over of minimum Rs. 20 crores for the last<br>three financial years i.e., 2021-22, 2022-23,<br>2023-24 with positive net worth.   | <ul> <li>Audited profit and loss statement and<br/>balance sheet</li> <li>Auditor certificate clearly specifying<br/>the turnover and positive net worth.</li> </ul>  |
| 3          | The OEM should have average Annual Turno-<br>ver of minimum Rs. 100 crores for the last<br>three financial years i.e., 2021-22, 2022-23,<br>2023-24 with positive net worth.   | <ul> <li>Audited profit and loss statement and<br/>balance sheet</li> <li>Auditor certificate clearly specifying<br/>the turnover and positive net worth.</li> </ul>  |
| 3.         | The Bidder Should have technical support<br>center in Ahmedabad / Gandhinagar, Guja-<br>rat. If the bidder is not having any technical<br>support center in Ahmedabad / Gandhina-<br>gar, Gujarat, then bidder should submit a<br>letter of undertaking to open the office in<br>Gujarat within 30 days from the date of is-<br>sue of work order if (s) he is awarded the<br>work   | The Bidder should submit valid Proof (or)<br>Bidder should submit Self-declaration duly<br>Signed and stamped by the authorized Sig-<br>natory in format described in RFP.  |
| 4.         | <ul> <li>The bidder should have experience of set up of similar GPU base solution with minimum 75 GPU/CPU based solution with minimum 2000 cores in last 3 Years in last 3 Years in last 3 Years in India with below criteria as on last date of bid submission:</li> <li>One project having similar works total value of INR 32 Cr or</li> <li>Two project having similar works total value of INR 20 Cr or</li> <li>Three project having similar works total value of INR 12 Cr</li> <li>Note: Similar works means SITC OF GPU AC-CELERATED with multiple GPU Node.</li> </ul> | / Go-Live certificate   |
| 5.         | The OEM should have executed similar GPU<br>setup for min 3 clients in last 3 Years in India<br>as on date of bid submission. Out of which<br>One client deployment should be One pro-<br>ject having similar works total value of INR<br>100 Cr.<br>Note: Similar works means SITC OF GPU AC-<br>CELERATED with multiple GPU Node.  | / Go-Live certificate   |

| 6. | The bidder should provide the authoriza-<br>tion certificate from the OEM for   | In Case of SI, should submit Manufacturer Authorization Form.   |
|----|---|---|
|    | <ul> <li>Quoting the requirement and subsequent support for Hardware and Software (and)</li> </ul>                                      | In Case of OEM, Letter of Declaration on their letter head  |
|    | <ul> <li>b. Proposed GPUs solution will not be</li> <li>End of Life (EOL) for 5 years from the</li> <li>date of installation</li> </ul> |   |
| 7. | Neither OEM nor bidder should be black-<br>listed from supplying equipment to any Gov-<br>ernment/PSU/BFSI within India in the past.    | Certificate of Undertaking for Non-blacklist-<br>ing from supplying equipment to any Gov-<br>ernment/PSU/BFSI within India in the past. |
| 8. | A Power of Attorney / Board Resolution in<br>the name of the person signing the bid doc-<br>ument.                                      | Original Power of Attorney / Board Resolu-<br>tion Copy on a non-judicial stamp paper.  |

- 1. All details and the supportive documents for the above should be uploaded in the GeM bid.
- 2. Bidder's experience, bidder's turn over criteria will not be considered of GeM bid. However, bidder must match eligibility criteria, experience, bidder's turn over criteria, etc. as mentioned above (& in this document) and will be considered for evaluation. EMD and PBG should submitted by bidder as per GEM.

## 2. <u>Clarification on Bidding Documents</u>

- A prospective Bidder requiring any clarification of the bidding documents may seek clarifications by submitting queries on email Id: **mgrhninfra1-gil@gujarat.gov.in**, **dgmTech-gil@gujarat.gov.in** prior to the date of Pre-Bid Meeting.
- Tenderer will discuss the queries received from the interested bidders in the Pre-Bid Meeting and respond the clarifications by uploading on the website https://gil.guja-rat.gov.in.
- No further or new clarification what so ever shall be entertained after the Pre-Bid Meeting.
- The interested bidder should send the queries as per the following format:

|  | Bidder's Request For Clarification           |  |   |  |  |
|--|--|--|---|--|--|
| Name of Organization submitting<br>Request |  | Name & position of person<br>submitting request: | Address of organization including phone, fax, email points of contact |  |  |
| Sr.<br>No.                                 | Bidding Document<br>Reference (Clause /page) | Content of RFP requiring<br>Clarification        | Points of Clarification<br>required                                   |  |  |
| 1  |  |  |   |  |  |
| 2  |  |  |   |  |  |
| 3  |  |  |   |  |  |

## 3. <u>Scope of Work:</u>

- 1. GPU Servers shall be supplied, installed, configured, tested and commissioned along with necessary software's, OS's and license's at GSDC located at Gandhinagar, Gujarat.
- 2. Bidder has to deploy propose solution for inference and AI training model.
- 3. All software and library licenses to be provided in the name of DST/ DIT, Government of

Gujarat.

- 4. Gujarat GPU Compute for AI / ML solution must have rack mounted computing platformbased computer servers, either as rack or blade server design housed in its suitable chassis.
- 5. The bidder shall submit the detailed documentation on the implementation and deployment.
- 6. The solution should support remote console access to all the servers for cluster server's health monitoring at Fast Ethernet or better access speed.
- 7. The servers/chassis/enclosures should be populated fully with N+1 redundant power supplies of the suitable capacity rating available for the proposed model with the supplier. Failure of one of the Power supplies should not throttle the Compute nodes. In case the offered Power Supplies cannot take the HPL load of all the Compute Nodes in the chassis, lower number of Compute Nodes per chassis may be proposed.
- 8. The bidder will have to supply Server Rack along with provision of iPDU, TOR Switch, patch panel, cables, SFP modules, any other active/passive components etc. to host the HPC Cluster with GPUs at GSDC. Any other component required for the solution proposed by the supplier has to be incorporated for completion of the Solution.
- 9. Onsite comprehensive annual maintenance with warranty and OEM support for 5 Years from the date of completion of User Acceptance Test (Onsite warranty will include those sites to which the item supplied under the contract is moved, in case of migration of the equipment). Warranty should include but not limited to On-going Firmware updates, Proactive bug fixes, Preventive Maintenance, Parts replacement, etc.
- 10. After completing the installation and integration, the bidder will demonstrate the compliance of the RFP and provide required training to the GSDC /TPA for executing UAT and further Operation.
- 11. All the items as required under this RFP should be delivered in a single lot.
- 12. If, during the warranty period, any system as a whole or any subsystem has any failure on two or more occasions in a period of 3 months, it shall be replaced by equivalent new equipment by the bidder at no cost. All defective items should be replaced / repaired within the SLA period.
- 13. The bidder shall be fully responsible for the manufacturer's warranty for all equipment, accessories, spare parts etc. against any defects arising from design, material, manufacturing, workmanship, or any act or omission of the manufacturer / bidder or any defect that may develop under normal use of supplied equipment during the warranty period.
- 14. The bidder shall replace the faulty hard disk at no cost, the department will not be returned the faulty disk after replacement of new disk.
- 15. The bidder should provide entire support of the required solution asked in the RFP and back-to-back support from the OEM.

The bidder should provide Support/Escalation Matrix & Portal details for logging tickets for any failure/performance incidents. Also there has to be mechanism wherein all licenses to be showcased on the portal.

## Manpower for Hand Holding Support

- Successful bidder will have to depute **2 (two)** technical manpower as below to provide hand holding support for the contract period.
  - o System Administrator
  - o AI / ML Deployment engineer

- The deputed manpower will have to remain present during normal office hours of GSDC (9 AM to 7 PM) during working days and support GSDC for day-to-day maintenance and handling effective GPU infrastructure utilization.
- If require, the manpower will have to remain present on holyday(s) or after office hours based on the requirements of GSDC.
- The bidder shall have to provide backup resources in case of the deputed manpower is absent or on leave. The backup resource deputed shall be aware of the tasks and responsibility being carried out during that period at GSDC and should be able to execute the tasks with minimum on-call support.
- The manpower will have to report to GSDC authority. The bidder shall submit proof of attendance certified by the GSDC authority along with the Invoice for payment process.

## 4. Warranty Support: As part of the warranty services bidder shall provide:

- I. Bidder shall provide a comprehensive on-site free warranty for 5 years from the date of acceptance of FAT (Final Acceptance Test) for proposed solution.
- II. Bidder shall also obtain the 5 years OEM support (ATS/AMC) on all hardware and other equipment for providing OEM support during the warranty period.
- III. Bidder shall provide the comprehensive manufacturer's warranty and support in respect of proper design, quality and workmanship of all hardware, equipment, Software, Licenses, accessories etc. covered by the bid. Bidder must warrant all hardware, equipment, accessories, spare parts, software etc. procured and implemented as per this bid against any manufacturing defects during the warranty period.
- IV. Bidder shall provide the performance warranty in respect of performance of the installed hardware and software to meet the performance requirements and service levels in the bid.
- V. Bidder is responsible for sizing and procuring the necessary hardware and software licenses as per the performance requirements provided in the bid. During the warranty period bidder, shall replace or augment or procure higher-level new equipment or additional licenses at no additional cost in case the procured hardware or software is not adequate to meet the service levels.
- VI. Mean Time between Failures (MTBF): If during contract period, any equipment has a hardware failure on four or more occasions in a period of less than three months, it shall be replaced by equivalent or higher-level new equipment by the bidder at no cost. For any delay in making available the replacement and repaired equipment's for inspection, delivery of equipment's or for commissioning of the systems or for acceptance tests / checks on per site basis, DST/GIL/DIT reserves the right to charge a penalty.
- VII. During the warranty period bidder, shall maintain the systems and repair / replace at the installed site, at no charge, all defective components that are brought to the bidder notice.
- VIII. The bidder shall as far as possible repair/ replace the equipment at site.
  - IX. Warranty should not become void, if DST/GIL/DIT buys, any other supplemental hardware from a third party and installs it within these machines under intimation to the bidder. However, the warranty will not apply to such supplemental hardware items installed.
  - X. The bidder shall carry out quarterly Preventive Maintenance (PM), including cleaning of interior and exterior, of all hardware, if any, and should maintain proper records at each site for such PM. Failure to carry out such PM will be a breach of warranty and the warranty period will be extended by the period of delay in PM.
  - XI. Bidder shall monitor warranties to check adherence to preventive and repair maintenance terms and conditions.

- XII. Bidder shall ensure that the warranty complies with the agreed Technical Standards, Security Requirements, Operating Procedures, and Recovery Procedures.
- XIII. Bidder shall have to stock and provide adequate onsite and offsite spare parts and spare component to ensure that the uptime commitment as per SLA is met.
- XIV. Any component that is reported to be down on a given date should be either fully repaired or replaced by temporary substitute (of equivalent configuration) within the time frame indicated in the Service Level Agreement (SLA).
- XV. Bidder shall develop and maintain an inventory database to include the registered hardware warranties.
- XVI. To provide warranty support effectively, OEM should have spare depo in India and will be ask to deliver spare as per SLA requirement.
  - 1. All supplied items must conform to the detailed technical specifications as mentioned in this document.
  - 2. Install the equipment, obtain user acceptance and submit a copy of user acceptance to designated authority.
  - 3. The agreement stipulates that the vendor shall maintain the system with uptime. It is required to maintain uptime of 99.741%. Further, bidder is responsible for providing comprehensive warranty and support (24x7) for the period of 5 years from the date of successful completion FAT.
  - 4. The Bidder shall be responsible for providing all material, equipment and services specified or otherwise, which are required to fulfill the intent of ensuring operability, maintainability and the reliability of the complete work covered under this specification.
  - 5. Manufacturer shall provide and support for installation, commissioning, spares, technical support in Gujarat.
  - 6. All supporting equipment, tools shall be arranged by vendor himself.
  - 7. Unpacking of goods shall be done in front of GIL/GSDC officer, Gandhinagar official and for any damage it is sole responsibility of vendor.
  - 8. Delivery of goods: packing unpacking transportation loading unloading Octroi insurance and any other taxes and duties (excluding GST) shall be included in the bid price.
  - 9. All the liabilities like human injury, incident, etc. pertain in the bidder scope. The bidder will be solely responsible to execute insurance for the said work as mentioned in this RFP.
  - 10. All safety precaution should be taken as per Industrial practice by the bidder to take upmost care. In any case, the tenderer will not be liable to any obligation for any issue arise under this project.

# 5. Lack of Information to Bidder:

• The Bidder shall be deemed to have carefully examined all RFP documents to its entire satisfaction. Any lack of information shall not in any way relieve the Bidder of its responsibility to fulfil its obligation under the Contract.

# 6. Payment Terms:

- 1. 70% of the Capax cost shall be paid within 30 days after delivery duly certified by the GSDC and counter-signed/approved by the authority.
- 2. 20% of the Capax cost shall be paid against installation/configuration duly certified by

the GSDC and counter-signed/approved by the authority.

- 3. Balance 10% of the Capax cost shall be paid after acceptance duly certified by the GSDC and counter-signed/approved by the authority.
- 4. Cost of **Comprehensive Annual Maintenance with warranty and OEM support** for 5 years will be equally distributed in 20 quarters and paid on Quarterly basis after FAT.

Note: Bidder has to submit invoices along with necessary legitimate supporting documents failing which invoices submitted are liable to be rejected/not accepted.

# 7. Final ACCEPTANCE TEST:

To be carried out based on followings but not limited to:

- GIL and GSDC reserves the right to inspect goods and services supplied as per the scope of this RFP document. The cost of all such tests shall be borne by the Vendor. Any inspected goods fail for confirm to the specification will be rejected, and Vendor shall have to replace the rejected goods as per the contract specification without any financial implication to the GIL/DIT.
- After successful installation of the System in accordance with the requirements as mentioned in Schedule of Requirement, Final Acceptance Test will be conducted. After successful testing, Acceptance Test Certificate will be issued by GIL/DIT and member of GSDC or its designated agency to the Bidder. The Bidder shall submit the certificate to GIL/DIT for further payment process.
- The date on which Final Acceptance certificate is issued shall be deemed to be the date of successful commissioning of the System.
- Any delay by the successful bidder in the Acceptance Testing shall render the successful bidder liable to the imposition of appropriate Penalties.
- Bidder is required to update the details of Hardware installed in the Assets Master or decided by GIL and member of GSDC Officer before completion of FAT.
- GIL/GSDC and/or an outside agency nominated by DST will conduct an acceptance test on the hardware after completion of installation and commissioning of hardware by the vendor. Acceptance test shall comprise of tests to verify conformity of technical requirements/specifications and performance. In case GIL/GSDC is not satisfied with the above then, the vendor will upgrade /replace them with equal or higher model after due approval of GSDC team without any extra cost. The exact details of acceptance test will be mutually decided after the installation of hardware.

## 8. IMPLEMENTATION TIMELINES & PENALTIES:

Successful bidder has to complete the Installation, Configure, Commissioning, Integration with Acceptance of the ordered work within the time period (s) specified in the below table. However, in case of any delay solely on the part of successful bidder TENDERER reserve the right to levy the appropriate penalties as per the below table:

| IN  | IMPLEMENTATION TIMELINES & PENALTIES FOR PROPOSED HPC Cluster with GPUs AT GSDC |  |  |                         |                        |
|-----|---|--|--|-------------------------|------------------------|
| S/n | Work type   | Time Limit<br>for Execu-<br>tion                   | Penalty for De-<br>lay   | Maxi-<br>mum<br>Penalty | Overall<br>Penalty Cap |
| 1   | Submission of PBG   | Within 15<br>Days from<br>date of issu-<br>ance of | EMD may be for-<br>feited and con-<br>tract may be ter-<br>minated or part | -                       |                        |

|   |  | GEM con-<br>tract  | thereof  |                                |  |
|---|--|--|--|--------------------------------|--|
| 2 | Supply of the Hard-<br>ware including Li-<br>censes and OEM<br>Warranty Certifi-<br>cate.                              | T1=T+60<br>days from<br>the date<br>of issuance<br>of contract<br>over GEM | 0.5% of order<br>value of de-<br>layed/pending<br>work per week or<br>part thereof | 10% of<br>GEM or-<br>der value | Overall (Sr. no- 2 to 6)<br>Penalty CAP not be<br>more than 10 % of the<br>total GEM order value |
| 3 | Installation, com-<br>missioning & inte-<br>gration of GPU serv-<br>ers at GSDC along<br>with HLD , LLD doc-<br>uments | T2=T1+30   | 0.5% of order<br>value of de-<br>layed/pending<br>work per week<br>or part thereof | 10% of<br>GEM or-<br>der value | for IMPLEMENTATION<br>TIMELINES &<br>PENALTIES:  |
| 4 | Deployment of re-<br>quired Skilled Re-<br>source at GSDC  | T2+7 Days  | Rs. 10000/- day.   | Rs.<br>250000/-                |  |
| 5 | Final Acceptance<br>Testing (FAT) &<br>User Acceptance<br>Test (UAT)   | T3=T2+15<br>days   | 0.5% of order<br>value of de-<br>layed/pending<br>work per week<br>or part thereof | 10% of<br>GEM or-<br>der value |  |
| 6 | Training   | 10 Days<br>from T3   | Rs. 10000/- day.   | Rs.<br>250000/-                |  |

Note:

- Material supplied, installed and commission as per this Bid/contract should be covered under the warranty for a period of five years from the date of FAT acceptance.
- T= Date of issuance of contract over GEM.
- In case of any fault arises in the installed items during the warranty period of 5 years, bidder is requiring to either repair the faulty items or have to install the replacement (complying to the RFP specification) for faulty material without any additional cost to the Tenderer.
- Aforesaid penalty cap will not be applicable for any severe impact/incident/outage at GSDC, resulting in loss to Government of Gujarat.

# 9. SLA & Penalties

# a. Operational Penalty:

- The successful bidder shall repair/ replace all faulty material covered under the warranty within the shortest possible time thus ensuring minimum downtime, failing which applicable penalty will be imposed. In case of failure of appliance / solution for more than 3 consecutive time for the same issue within any of the single quarter during contract period, bidder would be bound to replace the product with no cost to DST / GIL/DIT.
- The successful bidder shall be responsible for maintaining the desired performance and availability of the system/services.
- Successful bidder should ensure the prompt service support during warranty period.
- Timeline for resolution is within 8 hours from the time of call logged / reported to Bidder/OEM. If the successful bidder fails to resolve the call as specified above, penalty will be imposed on each delayed day for Rs 5000 / hour or part thereof, which will be recovered against Performance bank guarantee submitted by the successful bidder on completion of warranty period.

• Down time will be calculated from the time complain is logged to service in charge of Successful Bidder (via email/call/written letter) till the GSDC's authorized / Nominated employee acknowledge the repair / service completion.

# b. <u>SLA for Uptime (99.741%)</u>

| SLA                | Target    | Penalties in case of breach in SLA   |
|--------------------|-----------|--|
| Uptime of solution | >=99.741% | No penalty   |
| Uptime of solution | <=99.741% | In case of failure of proposed solution and non-main-<br>taining targeted value, 0.5% of yearly CAMC payment<br>for every hourly. delay in resolution; with max cap of<br>10 % of total 5 years CAMC value; it will be adjusted<br>from Yearly CAMC payment. |

- SLA will be calculating on monthly/quarterly basis, However, Final penalty deduction on the yearly payment of CAMC value i.e., (4\* 3 quarter or 12\*1 monthly SLA report penalty will be applied during CAMC yearly payment.)
- Bidder has to ensure support 365\*24\*7 for SLA calculation.

## c. Manpower related SLA and Penalties:

- 1. Availability of the min required manpower should be 100%. The agency has to implement the attendance system and share the attendance report of each person deployed as part of team on monthly basis with the GSDC.
- 2. Replacement of a profile by the agency (only one replacement per technical profile with equal or higher qualification and experience would be permitted per year)
- 3. Prior Intimated Leave of absence will be allowed: If a resource proceeding on leave or becoming absent is replaced with a resource approved by authority, then such substitution will not be treated as absence.

| # | SLA  | Timelines/ Event  | Applicable Penalty  |
|---|--|---|---|
| 2 | Replacement of resources<br>by the agency on formal<br>submission of resignation<br>by the resource in the<br>company. | There should be minimum 15<br>days overlap between the<br>new deployed resource and<br>the replaced resource. | No penalty- On timely<br>replacement.<br>Rs. 5000/- per resource per<br>day for each day delay from<br>stated timelines.                                      |
| 3 | The deployed resources<br>shall not be engaged in any<br>activity other than that<br>assigned by the TENDERER          | -   | Penalty of Rs. 50,000 per<br>resource may be imposed on<br>breach of SLA.<br>On consecutive breach of 03<br>times may lead to<br>termination of the contract. |

# For every SLA non-compliance reported and proved, there shall be a penalty as given below:

## 10. Technical Specification:

#### Master Node:

| Components                    | Minimum Specifications  |  |
|-------------------------------|---|--|
| Processors                    | Latest Generation Intel <sup>®</sup> Xeon <sup>®</sup> platinum or AMD Epyc scalable  |  |
| PIOCESSOIS                    | processors with Minimum Dual 56-Core  |  |
| Mother Board                  | OEM Supported Motherboard and chipset.  |  |
| System Memory                 | 512 GB DDR4 or higher SDRAM with ECC Advance.   |  |
| Internal Storage              | <ul> <li>For Operating System: Two numbers of 3.84 TB capacity hot swap Enterprise NVMe SSDs with MTBF of 2 million hours or more, Configure in RAID 1.</li> <li>For Data: Six numbers of 3.84 TB capacity interface hot swap Enterprise NVMe SSDs with MTBF of 2 million hours or more, configured in RAID 5.</li> </ul> |  |
| Storage Controller            | Hardware RAID 0,1, 5, 6, 10, 50, 60 with 8GB cache Flash based cache protection module should be included, should support Gen4.0 PCIe NVMe.   |  |
| Network                       | <ul> <li>1G-Gigabit or higher Ethernet LAN RJ45 ports</li> <li>One Single Port 200Gb/s NDR InfiniBand Adapter ConnectX-7 (1x OSFP).</li> <li>One Dual Port 200Gb/s HDR InfiniBand Adapter ConnectX-6</li> </ul>   |  |
| External Port                 | One VGA port, 2 or more USB ports. Dedicated LAN port for<br>Management Interface   |  |
| Server Management             | Dedicated IPMI 2.0 compliant management LAN port having sup-<br>port for system health monitoring, event log access, Virtual me-<br>dia over network, and Virtual KVM (KVM over IP). All required li-<br>censes to use IPMI features should be included.  |  |
| Power Supply                  | Appropriate energy efficient redundant (N+N) hot swappable<br>power supply and FAN  |  |
| Failure Alerting<br>Mechanism | Should be able to alert upcoming failures on maximum number<br>of components such as Processor, memory, HDDs and expansion<br>cards, etc.   |  |
| OS Support                    | The system should support latest version of Red Hat Enterprise<br>Linux / Ubuntu Linux server.<br>* Quoted OS should be under Enterprise support from OEM.  |  |
| Warranty & Support            | 5 Years comprehensive onsite warranty.  |  |

### Nodes for AI training: Total Qty-4 sets.

| Processors & performance (per node, minimum)     | Min Dual 56-core 4th Gen Intel <sup>®</sup> Xeon <sup>®</sup> platinum or AMD Epyc scalable processors, with Min 8 X GPU Accelerators  |
|--|--|
| Number of GPUs and                               | 8 x Accelerators per node, each with minimum. 80GB GPU per<br>Accelerator.<br>Minimum 800GB/s bidirectional communication bandwidth per  |
| GPU Communication                                | GPU.<br>Should support Tensor core/Matrix core, CUDA / Stream<br>Processors/ openCL /ROCm with Accelerators,   |
| Multi Instance GPU                               | Capability to support partitioning of single GPU into multiple GPU instances.  |
| System Memory                                    | The system should be configured with Minimum 2TB DDR5 RAM with all slots populated in balanced configuration for maximum bandwidth.  |
| Network  | Minimum 4 nos. of InfiniBand NDR ports for internode<br>communication,1 nos. of port for BMC (dedicated LAN port),<br>minimum 1 no. of 1 GbE & 10 GbE (Fiber) port. Additional<br>InfiniBand HDR/NDR200 single/2-port HCA for storage<br>connectivity.   |
| Internal Storage                                 | <ul> <li>For Operating System: minimum 1.92 TB M.2 NVMe drives</li> <li>For Data: Minimum 4 * 3.84 TB U.2 NVMe drives</li> </ul>   |
| HBA Card   | 16 Gbps Host Bus Adaptor for connecting with storage.  |
| External Storage                                 | The solution should be delivered with 1PB usable post RAID 6 or<br>better configuration, expandable up to 2 PB.<br>The proposed storage array should be configured in no single point<br>of failure including controller (at least 2), cache, power supply,<br>cooling fans, etc.<br>Disks: 1) NVMe SSDs and 2) NL-SAS disks. The storage should be<br>distributed with namespace consistent across nodes.<br>IOPS: Min. 10,00,000 |
|  | Throughput: Min. 100 Gbps Bidirectional  |
| Security Features                                | System should support Secure Firmware Updates, Support for<br>Trusted Platform Module enabled within the BIOS for secure<br>cryptographic key generation, Secure storage space and Self<br>encrypting drive.   |
| Power requirements                               | hot plug & redundant power supply  |
| System Network                                   | <ul> <li>Following N/W are required:</li> <li>1. Infiniband for compute communication</li> <li>2. Infiniband for storage delivery</li> <li>3. Ethernet (10GbE) for cluster orchestration</li> <li>4. Ethernet (10GbE) for perimeter connectivity</li> <li>5. Ethernet (1GbE) for in-band management</li> </ul>   |
| OS Support                                       | The system should support latest version of Red Hat Enterprise<br>Linux / Ubuntu Linux server Quoted OS should be under Enterprise<br>support from OEM.  |
| Hypervisor                                       | Hypervisor with Enterprise level highest license and support available should be provided from day one.  |
| AI Enterprise Software                           | AI Enterprise software & subscription or equivalent for each and every GPUs to be included from day one of Installation.   |
| Software Support                                 | All necessary and required software, SDK, libraries, tools to cater<br>and run the AI/ML workload should be provide from day 1.  |
| Scalability, Cluster and Management Hardware and | System should be scalable with multi node cluster. Software support & cluster tools and management hardware and software   |

| software                                       | and licenses to be supplied along with product. Full-stack reference designs with all of the leading Storage providers.  |
|--|--|
| Certification                                  | Rack Servers should be certified by GPU Controller / Accelerator OEM, the Certificate or listing of offered Server model in GPU Controller / Accelerator OEM website must be submitted along with bid.   |
| Warranty & Support                             | 5 Years comprehensive warranty with Enterprise level<br>Highest/Premium Support. OEM Enterprise level Highest/Premium<br>Support should reflect on OEM portal. Quoted all products<br>including GPUs should not be End of support till 5 years from the<br>date of issue of the bid.<br>The product quoted should be manufactured in current year.   |
| Cluster Management &<br>Scheduler and hardware | Cluster management for system provisioning and monitoring needs<br>to be included, The Cluster Manager must support multiple of<br>hardware vendors.<br>The Cluster Manager must allow for the easy deployment and<br>management of servers across multiple data centers, the public<br>cloud, and edge locations as a single shared infrastructure through<br>a single interface.<br>All necessary hardware, software and necessary licenses should be<br>provided from day 1 |

# Inference Node: Total Qty-12 sets.

| Components                                      | Minimum Specifications   |
|---|--|
| Processors & performance<br>(per node, minimum) | Min Dual 32-core 4th Gen Intel <sup>®</sup> Xeon <sup>®</sup> platinum or AMD Epyc scalable processors, with Min 2 X GPU Accelerator.<br>The bidder should configured Head/ Master/ Management Node in (1+1) HA mode deliver the solution.           |
| Number of GPUs and<br>GPU Communication         | 2 x Accelerators per node, each with minimum. 40GB GPU per<br>Accelerator.<br>Minimum 600GB/s bidirectional communication bandwidth per<br>GPU. Should support Tensor core/Matrix core, CUDA / Stream<br>Processors/ openCL /ROCm with Accelerators. |
| Multi Instance GPU                              | Capability to support partitioning of single GPU into multiple GPU instances.  |
| System Memory                                   | The system should be configured with Minimum 2TB DDR5 RAM with all slots populated in balanced configuration for maximum bandwidth.  |
| Internal Storage                                | <ul> <li>For Operating System: minimum 1.92 TB M.2 NVMe drives</li> <li>For Data: Minimum 4 * 3.84 TB U.2 NVMe drives</li> </ul>   |
| HBA Card  | 16 Gbps Host Bus Adaptor for connecting with storage.  |
| Security Features                               | System should support Secure Firmware Updates, Support for<br>Trusted Platform Module enabled within the BIOS for secure<br>cryptographic key generation, Secure storage space and Self<br>encrypting drive.   |
| Power requirements                              | hot plug & redundant power supply  |
| PCI Express interface                           | PCle Gen 5.0 x 16 : Min 64 Gb/s Bidirectional  |
| Mother Board                                    | Appropriate Motherboard and chipset. Must support PCIe Gen 5.0 and compatible with selected processors and GPUs.   |
| System Network                                  | Following N/W are required:  |

|   | 1. Ethernet (10GbE) for cluster orchestration  |
|---|--|
|   | 2. Ethernet (10GbE) for perimeter connectivity   |
|   | 3. Ethernet (1GbE) for in-band management  |
| Networking  | Dual 10 Gigabit Ethernet Ports   |
| Networking Switch   | Required 10/25/40/100 Gigabit Ethernet switches for complete solution.   |
| OS Support  | The system should support latest version of Red Hat Enterprise<br>Linux / Ubuntu Linux server Quoted OS should be under Enterprise<br>support from OEM.  |
| Hypervisor  | Hypervisor with Enterprise level highest license and support available should be provided from day one.  |
| Virtual GPU   | Support for virtual GPU to share a physical GPU across multiple VMs. required license should be from day one.  |
| AI Enterprise Software  | AI Enterprise software & subscription or equivalent for each and every GPUs to be included from day one.   |
| Software Support  | All necessary and required software, SDK, libraries, tools to cater and run the AI/ML workload should be provide from day 1.   |
| Scalability, Cluster and<br>Management Hardware and<br>software | System should be scalable with multi node cluster. Software support & cluster tools and management hardware and software and licenses to be supplied along with product. Full-stack reference designs with all of the leading Storage providers.   |
| Certification   | Rack Servers should be certified by GPU Controller / Accelerator OEM, the Certificate or listing of offered Server model in GPU Controller / Accelerator OEM website must be submitted along with bid.   |
| Warranty & Support  | 5 Years comprehensive warranty with Enterprise level<br>Highest/Premium Support. OEM Enterprise level Highest/Premium<br>Support should reflect on OEM portal. Quoted all products<br>including GPUs should not be End of support till 5 years from the<br>date of issue of the bid.<br>The product quoted should be manufactured in current year.   |
| Cluster Management &<br>Scheduler and hardware                  | Cluster management for system provisioning and monitoring needs<br>to be included, The Cluster Manager must support multiple of<br>hardware vendors.<br>The Cluster Manager must allow for the easy deployment and<br>management of servers across multiple data centers, the public<br>cloud, and edge locations as a single shared infrastructure through<br>a single interface.<br>All necessary hardware, software and necessary licenses should be<br>provided from day 1 |

#### 11. PRICE BID SCHEDULE (On GEM):

| Sr.<br>No. | Description  | Cost<br>includ-<br>ing GST<br>(Rs.) |
|------------|--|-------------------------------------|
| 1          | <ul> <li>GPU Compute for uses AI / ML at GSDC:</li> <li>a. Inclusive of all the required hardware, Software and necessary Licenses required to make the solution fully functional.</li> <li>b. As per the Scope of work, functional and technical requirement, including racks, cable &amp; all other accessories (including active &amp; passive components), Installation, testing, commissioning and training etc.</li> <li>c. Two Skilled Resource as per Scope</li> </ul> |                                     |
|            | d. Cost of Comprehensive Annual Maintenance with warranty and OEM support for 5 year Total cost (Rs.)  |                                     |

#### Note:

- L1 will be the lowest sum total of rates of all line items including GST as per GeM GTC.
- TENDERER/GIL may negotiate the prices with L1 Bidder, under each item/head offered by Bidder.
- The L1 Bidder shall share the Item Wise cost breakup with the tenderer for future reference for scalability and additional components within the solution.
- Enterprise level highest license and support for complete solution should be provided from day one.
- RA has been enabled in the GEM Bid.

Please submit the undertaking letter as per Ministry of Finance Memorandum No.: F. No.6/18/2019-PPD dated 23.07.2020 & Office Memorandum No.: F.18/37/2020-PPD dated 08.02.2021 as per Performa given below on OEM letterhead as well as on bidder's letterhead.

# On Letterhead of Bidder

#### Sub: Undertaking as per Office Memorandum No.: F. No.6/18/2019-PPD dated 23.07.2020 & Office Memorandum No.: F.18/37/2020-PPD dated 08.02.2021 published by Ministry of Finance, Dept. of Expenditure, Public Procurement division

#### Ref: Bid Number:

I have read the clause regarding restriction on procurement from a bidder of a country that shares a land border with India. I certify that we as a bidder and quoted product from the following OEMs are not from such a country or if from such a country, these quoted products OEM has been registered with the competent authority. I hereby certify that these quoted product & its OEM fulfills all requirements in this regard and is eligible to be considered for procurement for Bid number\_\_\_\_\_\_.

| No. | Item Category | Quoted Make & Model |
|-----|---------------|---------------------|
|     |               |                     |
|     |               |                     |
|     |               |                     |

In case I'm supplying material from a country which shares a land border with India, I will provide evidence for valid registration by the competent authority, otherwise GIL/End user Dept. reserves the right to take legal action on us.

(Signature) Authorized Signatory of <u>M/s <<Name of Company>></u>

# **On Letterhead of OEM**

### Sub: Undertaking as per Office Memorandum No.: F. No.6/18/2019-PPD dated 23.07.2020 & Office Memorandum No.: F.18/37/2020-PPD dated 08.02.2021 published by Ministry of Finance, Dept. of Expenditure, Public Procurement division

#### Ref: Bid Number: \_

Dear Sir,

I have read the clause regarding restriction on procurement from a bidder of a country that shares a land border with India. I certify that our quoted product and our company are not from such a country, or if from such a country, our quoted product and our company have been registered with the competent authority. I hereby certify that these quoted products and our company fulfills all requirements in this regard and is eligible to be considered for procurement for Bid number\_\_\_\_\_.

| No. | Item Category | Quoted Make & Model |
|-----|---------------|---------------------|
|     |               |                     |
|     |               |                     |
|     |               |                     |

In case I'm supplying material from a country which shares a land border with India, I will provide evidence for valid registration by the competent authority; otherwise GIL/End user Dept. reserves the right to take legal action on us.

(Signature) Authorized Signatory of <u>M/s <<Name of Company>></u>