

## Corrigendum-2 dated 07.11.2025

*Corrigendum-2 of bid for Request for Proposal (RFP) for Business Intelligence (BI) Tool and Integration of Health Portals into a Monitoring Dashboard for Health & Family Welfare Department, Government of Gujarat floated on GeM Portal on **17.09.2025** (GeM Bid No.: **GEM/2025/B/6689807**)*

**Note :- "Refer Corrigendum-2 regarding OEM Criteria in Section 2.3 & Updated Instruction Regarding Disallow RA."**

➤ **Corrigendum in Section-2 and criteria in section 2.3**

Section	Criteria	Required Document as per Existing RFP	Updated Required Documents as
Corrigendum in Section-2 and criteria in section 2.3	The OEM should have executed / implemented BI Tool for min 5 clients in last 5 Years in India as on date of bid submission.	Copy of Work Order / Agreement/Delivery Challan along with Completion Certificate / Go-Live Certificate confirming the customer's name	Copy of Work Order / Agreement/Delivery Challan along with Completion Certificate / Go-Live Certificate confirming the customer's name/ The OEM may submit a self-declaration/certification on official letterhead in lieu of individual client certificates, duly signed by an authorised signatory.

➤ **Instruction to bidders Regarding Disallow RA in Bid:-**

“As per Corrigendum-1 and Pre-Bid Query Responses, the Reverse Auction (RA) is hereby cancelled. All bidders are instructed to submit their Financial Bid carefully and accordingly upload the breakup. Although RA may appear enabled due to system limitation, it shall be treated as *Null and Void*. Bidders are strictly advised *not to participate* in RA and *not to modify* their price bids during the RA window.”