

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	04-08-2026 13:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	04-08-2026 13:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Gujarat
विभाग का नाम / Department Name	Urban Development And Urban Housing Department Gujarat
संगठन का नाम / Organisation Name	N/a
कार्यालय का नाम / Office Name	Gujarat Urban Development Mission
शिकायत निवारण के संपर्क विवरण / Contact details of Grievance redressal	HOD Email id : aceo-gudm@gujarat.gov.in Buyer Email id: gmadmin-gudm@gujarat.gov.in
कुल मात्रा / Total Quantity	3
वस्तु श्रेणी / Item Category	Hyper Converged Infrastructure for Data Center (V2) , Smart Rack (V2) , Firewall
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Firewall
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Firewall (V4), Next Generation Firewall Software, Web Application Firewall (V3), Pressure Calibrator
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Firewall (V4) • Firewall (V3) • Firewall - NGFW
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Hyper Converged Infrastructure for Data Center (V2)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	HDFC Bank
ईएमडी राशि/EMD Amount	2200000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	68

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c). ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

EMD in Favor of "Gujarat Informatics Limited" and PBG in favor of "Gujarat Urban Development Mission."Gandhinagar
(---)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT

Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

6. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज/Pre-Bid Date and Time	प्री-बिड स्थान/Pre-Bid Venue
22-07-2026 15:00:00	Gujarat Informatics Limited (GIL) Conference Room Block No. 2, 2nd Floor, C & D Wing, KARMAYOGI BHAVAN, Sector 10A, Sector 10, Gandhinagar, Gujarat 382010

Hyper Converged Infrastructure For Data Center (V2) (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
BASIC INFORMATION	Type of HCI offered	1. Compute node HCI, 2. Storage node HCI, 3. Generic node HCI (consisting both Compute and Storage)
	Types of data copies across Cluster available in the offered solution (Hint: Select 0 if not applicable)	0, 1, 2, 3
	Number of Nodes offered in HCI Cluster (Hint:- 1 node option upgrade or DR only)	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 36, 40, 48, 50, 56, 60, 64, 66, 68, 70
	Type of Processor offered in the system	1. Intel Skylake, 2. Intel Cascade lake, 3. Intel latest processor, 4. AMD EPYC Processor
	Type of storage media offered with the solution	1. SSD Drives, 2. SAS Drives, 3. NLSAS Drives, 4. NVMe, 5. NA
	No of cache drives per node	0, 1, 2, 3, 4

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
HCI Interconnect Switches	Number of L2 Switches to be offered for Interconnection all the Network Ports in the Cluster	0, 2, 4, 6, 8
	Throughput Available per port	10 Gbps, 25 Gbps, 40 Gbps, 100 Gbps, NA
PERFORMANCE	Scalability: Any additional node/ storage/ RAM added to the cluster to augment compute/storage/memory capacities, the same performance per node on upgraded node / Storage / RAM	Yes, No
HCI FEATURES	HCI Features 1	1. HCI have all the features of offered industry standard hypervisor, 2. HCI have independently scale storage and compute as and when needed without any downtime., 3. HCI have mechanism for Metadata protection for all offered nodes within the cluster so as to provide high availability and no single point of failure., 4. HCI is configuration of SSD/SAS/NL SAS/NVMe then the caching must be on appropriate capacity of SSD/ NVME drives to meet the IOPS/performance requirements., 5. HCI supports thin provisioning of both storage entities and virtual machine hard disks, 6. HCI provides automatic failover in case of hardware failure., 7 VLAN for networking and integrated VM IP's Management capabilities, 8. HCI has security compliance methodology to ensure highly secure environment., 9. HCI has data replication with WAN optimization., 10. NA
	HCI Features 2	1. HCI provides management through a remote/On premise GUI console. Also provides storage, compute & hypervisor metrics on a per VM /Node level as well as health and monitoring of entire platform., 2. Platform support LDAP Active Directory integration. The clients installed on any major Operating System., 3.Platform supports monitoring via SNMPv3 , email alerting via SMTP., 4. Capable of creating instant snapshots of virtual machines and maintaining multiple copies of snapshots & clones, 5. Capabability to support native VM/HCI level replication for installed Hypervisor, 6. Storage policy on individual VM will provide enhanced performance and flexibility to end user for better storage management., 7. NA
HCI Generic Parameters	HCI support	1.AHV (Acropolis Hypervisor), 2. Hypervisor Agnostic Solution, 3. Hyper-V, 4.VSPHERE, 5. Xen Server, 6. KVM, 7. RHEV, 8.NA
GENERIC PARAMETERS	The offered product have support from OEM for	1. Updation for Patches and Bug fixes for software within supooort period., 2. Upgradation of version software within support period ., 3. Service and support from OEM within support period., 4. NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Number of Years upto which support is available from OEM for Updation (Patches and Bug fixes) within support period	1, 2, 3, 4, 5, 7, NA
	Number of Years upto which support is available from OEM for Upgradation of version within support period	1, 2, 3, 4, 5, 7, NA
	"Number of years of service and support from OEM"	1, 2, 3, 4, 5, 7, NA
	Installation, & Commissioning	Yes, No
	Number of days Training Provided at Site by OEM	0, 1, 2, 3, 5, 8, 10

Additional Specification Parameters - Hyper Converged Infrastructure For Data Center (V2) (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
for more specifications, kindly refer to the bid document as attached	for more specifications, kindly refer to the bid document as attached

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Mihika Ishvarbhai	382010,Karmyogibhavan, Block No. 1, Ground Floor, Sector No. 10/A, Gandhinagar-382010	1	90

Smart Rack (V2) (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
SPECIFICATIONS	Type of rack	Smart Rack, Seismic Racks, Self-Contained Cabinets
	Size of Rack Enclosure	25U, 26U, 27U, 31U, 33U, 36U, 37U, 38U, 40U, 41U, 42U, 44U, 45U, 47U, 48U, 50U, 52U, 56U, 43U, 15U
	If Seismic Racks, Earthquake zones (Not applicable for Smart Rack, Self contained cabinets)	Zone 1, Zone 2, Zone 3, Zone 4, NA as Smart Rack / Self-Contained Cabinets
	Rear door thickness in mm	2, 2.5, 3 Or higher
	Number of Rack trays	0, 1, 2 Or higher
	Number of cooling Fan For Heat dissipation	0, 1, 2 Or higher
	Number of fan trays	0, 1, 2 Or higher
	If available ,UPS Back up time up to (in Mins) (In case No UPS select as 0)	10, 15, 20, 25, 30, 0 Or higher
	On Site OEM Warranty (years)	1, 3, 5 Or higher

Additional Specification Parameters - Smart Rack (V2) (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
for more specifications, kindly refer to the bid document as attached	for more specifications, kindly refer to the bid document as attached

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Mihika Ishvarbhai	382010,Karmyogibhavan, Block No. 1, Ground Floor, Sector No. 10/A, Gandhinagar-382010	1	90

Firewall (1 Unit)

तकनीकी विशिष्टियाँ /Technical Specifications

--

क्रेता विशिष्टि दस्तावेज़ /Buyer Specification Document	Download
---	--------------------------

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Parmar Mihika Ishvarbhai	382010,Karmyogibhavan, Block No. 1, Ground Floor, Sector No. 10/A, Gandhinagar-382010	1	90

Buyer added Bid Specific Additional Scope of Work

क्र.सं./S.No.	Document Title	Description	रिवर्स प्रभार के अनुसार जीएसटी/Applicable i.r.o. Items
1	Bid Document View	Kindly refer the scope of work and detailed specification.	Hyper Converged Infrastructure For Data Center (V2)(1),Smart Rack (V2)(1),Firewall(1)

The uploaded document only contains Buyer specific Additional Scope of Work and / or Drawings for the bid items added with due approval of Buyer's competent authority. Buyer has certified that these additional scope and drawings are generalized and would not lead to any restrictive bidding.

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Inspection

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

Post Receipt Inspection at consignee site before acceptance of stores:

Inspection will be done by Gujarat Informatics Limited.

3. **Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Gujarat Informatics Limited
payable at
Sector-16 Gandhinagar

.
Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

4. **Generic**

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

5. **Forms of EMD and PBG**

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

Gujarat Informatics Limited
Account No.
50200010918090
IFSC Code
HDFC0000190
Bank Name
HDFC Bank
Branch address
Sector-16 Gandhinagar

.
Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

6. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

7. **Rate Contract**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

8. **Rate Contract**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

9. **Rate Contract**

AVAILABILITY OF OFFICE OF SERVICE PROVIDER: An office of the Service Provider must be located in the state of Consignee. DOCUMENTARY EVIDENCE TO BE SUBMITTED.

10. **Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

11. **Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

12. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

13. **Generic**

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

14. **Generic**

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

15. **Warranty**

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

16. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

Kindly refer to the bid document as attached in the scope of work.

अस्वीकरण/**Disclaimer**

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.

4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---

Purchase of HCI solution for GUDM

Additional Eligibility Evaluation Criteria:

S/N	Eligibility Criteria	Attachments
1.	The bidder should be a registered company (registered under Indian Companies Act, 1956 or Indian Companies Act, 2013) in India and must have 3 years of existence in India as on bid submission.	Copy of certificate of Incorporation, PAN and GST registration Certificate.
2.	The bidder should have a total sum of turnover of Rs. 24 Crore (Minimum) in the last three financial years as on bid submission.	The copies of Audited Annual Accounts/Balance Sheet along with Profit & Loss Account and CA Certified Statement for last three financial years as on bid submission shall be attached along with the bid. UDIN number should be available in CA certificate.
3.	The OEM of the proposed product should have a total sum of turnover of Rs. 60 Crore (Minimum) in the last three financial years as on bid submission. OEM: HCI solution, Firewall, Smart Rack, Software part.	The copies of Audited Annual Accounts/Balance Sheet along with Profit & Loss Account and CA Certified Statement for last three financial years as on bid submission shall be attached along with the bid. UDIN number should be available in the CA certificate.
4.	Bidder should have Supply, Installation, Testing and Commissioning (SITC) of hyper-converged infrastructure (HCI) related work / Data Centre IT Infrastructure related experience i.e. Server, Storage, Virtualization, Network and Security and the following value of work order should be available in the last three financial years to any central / state Government / PSU/ Listed Company as on bid submission. •One work order having value of Rs. 10 Cr or •Two work orders, each work order having value of Rs. 6 Cr or •Three work orders, each work order having value of Rs. 5 Cr All work orders/contracts should be in the name of the bidder	Details of such projects undertaken along with work order/purchase order copy/clients' ongoing (along with client certificate)/ completion certification with the details w.r.t to the clause should be enclosed.
5.	OEM Should have supplied HCI solution having value of Rs. 30 cr. work order should be available in the last three financial years as on bid submission. OEM: HCI solution, Firewall, Smart Rack, Software part.	Details of such projects undertaken along with work order/purchase order copy/clients' on-going or completion certification with the details w.r.t to the clause should be enclosed.
6.	Bidder and OEM should not be debarred in the last two years by any Ministry of Government of India or by any State Government of India or any of the Government PSUs at the time of bidding.	Self-Declaration/Certificate/affidavit mentioning that the Bidder is not blacklisted as per the clause.

7.	The bidder should be authorized by the OEMs of the proposed equipment/devices to bid for this tender. AND The proposed solution should not be End of Support (EoS) for 5 years from the date of installation	MAF for Authorized partner. Self-declaration if the bidder is an OEM.
8.	The Bidder should have at least one office in Gujarat If the Bidder does not have any office in Gujarat, then the bidder should submit a letter of undertaking to open the office in Gujarat within 45 days from the date of award.	The copy of Property tax bill/Electricity Bill/Telephone Bill/GST/CST should be enclosed. Registration/Lease agreement should be submitted as proof Or Undertaking Letter should be enclosed.

Note:

1. All the details and the supporting documents for the above-mentioned items should be uploaded in the bid.
2. Bidder's experience and bidder's turnover criteria will not be considered for the GeM bid; however, the bidder must match the eligibility criteria, experience, and bidder's turnover criteria as mentioned in this document and will be considered for evaluation.
3. Bidder should be authorized by the OEM to quote this bid. MAF of HCI solution, Firewall, Smart Rack, Software should be submitted.

Pre-bid Meeting

Gujarat Informatics Limited, Block No. 2, 2nd Floor, C & D Wing, Karmayogi Bhavan, Sector - 10 A, Gandhinagar - 382010 Gujarat.

Queries to be submitted to GM (Networking), Gujarat Informatics Limited, Block No. 2, 2nd Floor, Karmayogi Bhavan, Sector-10A, Gandhinagar 382 010

E-mail: mgrhninfra1-gil@gujarat.gov.in, dgmtech-gil@gujarat.gov.in, gm-tech@gujarat.gov.in

Prebid Queries Format as mentioned below

RFP Page No.,Section No. , Clause No.	Existing Clause as per RFP	Query/Suggestion of Bidder

Scope of Work:

1. The bidder shall supply, install, configure, test and commission the proposed Hyper-Converged Infrastructure (HCI), Network, Security, Software and all associated hardware/software components, including required licenses, for the GUDM e-Nagar Project.
2. The proposed infrastructure shall be deployed for UAT and Development environments and shall support application testing, validation and performance assessment activities.
3. The bidder shall provide minimum 3-nodes for proposed HCI solution with required compute, storage, networking and security components, including all active and passive accessories, as per the technical specifications of the tender.
4. The bidder shall provision and configure the proposed infrastructure to support the envisaged workload of the GUDM e-Nagar application ecosystem and future scalability requirements.
5. The proposed solution shall support migration, deployment and integration of applications from the UAT and Development environment to the GSDC Production Environment. The bidder shall provide all necessary assistance, tools, accessories, configuration support and technical services required for seamless migration of workloads, applications, virtual machines, containers and associated data.
6. The proposed solution shall support migration and deployment of applications from the UAT/Development environment to the GSDC Production Environment and shall be compatible with the VMware Tanzu platform deployed at GSDC. The bidder shall provide all necessary migration, integration, testing and deployment support without any additional cost.
7. Any Hardware, software, accessories, tools configuration, interoperability or migration-related activities required for successful deployment in the VMware Tanzu environment shall be in the scope of the bidder without any additional cost to GUDM.
8. The bidder shall provide and configure a dedicated 1 GPU based single node with capacity of 48 GB or higher for AI/ML, analytics and future application requirements.
9. The bidder shall provide and configure the UTM/Next Generation Firewall, network switches, smart rack, UPS, cooling, monitoring, and all other supporting infrastructure required for successful operation of the solution. Any electrification required will be extended by the bidder.
10. The bidder shall provide necessary support during application testing, user acceptance testing, performance validation and issue resolution related to the supplied infrastructure.
11. The bidder shall ensure integration of the proposed infrastructure with the existing GSDC/GUDM network and security environment and comply with all applicable policies, standards and guidelines. Any security, vulnerabilities identified by GSOC/GSDC in hardware or application has to be resolved in co-ordination with application and security team.
12. The bidder shall submit OEM certifications, technical documentation, architecture diagrams, SOPs, troubleshooting guides, knowledge transfer documents and other relevant documents for the deployed solution.
13. The bidder shall conduct Factory Acceptance Testing (FAT), installation, commissioning and operational acceptance of the proposed solution in coordination with GUDM/GIL and obtain necessary sign-offs.
14. The bidder shall rectify all discrepancies observed during FAT, testing, commissioning or acceptance activities and ensure successful completion of the project as per the contractual requirements.
15. The bidder shall provide comprehensive OEM warranty, support services and maintenance for a period of five (5) years from the date of successful FAT, including software updates, hardware replacement, technical support and performance assurance of the complete solution.

Minimum Specification

HCI Solution As per GEM			
Sr. No.	Specification	Specification Name	Bid Requirement
1	BASIC INFORMATION	Type of HCI offered	Generic node HCI (consisting both Compute and Storage)
		Total usable Storage in TB available without using Deduplication, Compression (after installation of HCI software resources required for solution) in the offered solution	The offered HCI solution shall provide minimum 170 TB usable storage (without deduplication and compression benefits) and the same usable capacity shall be available under N+1 failure condition (failure of any one node).
		Total usable Cores available (after installation of HCI software resources required for solution) in the offered solution (Hint :- Select '0' if not applicable)	Minimum 192 cores or higher
		Number of Nodes offered in HCI Cluster (Hint:- 1 node option upgrade or DR only)	3 or higher
		Number of Sockets offered per Node	2
		Number of Cores per Sockets	Minimum 32 cores or higher per socket
		Number of populated Processor per Node	2
		Type of Processor offered in the system	Intel latest processor / AMD EPYC Latest Processor
		Type of storage media offered with the solution	4. NVMe
		RAM Capacity (Raw) offered per node in GB (Hint: Select 0 if not applicable)	512 GB Or higher
		Number of Network ports per node (Hint: Select '0' if not applicable)	3 or higher
		Throughput Per Network port	10/25 Gbps Or higher
		Type of Network port	SFP+
2	HCI Interconnect Switches	Number of L2 Switches to be offered for Interconnection all the Network Ports in the Cluster*	2 or required as per proposed solution
		Throughput Available per port	10/25 Gbps Or higher
3	PERFORMANCE	IOPS delivered at 70:30 Read:Write Ratio on 8K block size with latency of 5ms maximum for each node	100000 Or higher

		Scalability: Any additional node/ storage/ RAM added to the cluster to augment compute/storage/memory capacities, the same performance per node on upgraded node / Storage / RAM*	Yes
4	HCI FEATURES	HCI Features 1	1. HCI have all the features of offered industry standard hypervisor. 2. HCI have independently scale storage and compute as and when needed without any downtime. 3. HCI have mechanism for Metadata protection for all offered nodes within the cluster so as to provide high availability and no single point of failure. 4. HCI is configuration of SSD/SAS/NL SAS/NVMe then the caching must be on appropriate capacity of SSD/NVME drives to meet the IOPS/performance requirements. 5. HCI supports thin provisioning of both storage entities and virtual machine hard disks. 6. HCI provides automatic failover in case of hardware failure. 7. VLAN for networking and integrated VM IP's Management capabilities. 8. HCI has security compliance methodology to ensure highly secure environment. 9. HCI has data replication with WAN optimization.
		HCI Features 2	1. HCI provides management through a remote/On premise GUI console. Also provides storage, compute & hypervisor metrics on a per VM /Node level as well as health and monitoring of entire platform. 2. Platform support LDAP Active Directory integration.

			The clients installed on any major Operating System. 3. Platform supports monitoring via SNMPv3, email alerting via SMTP. 4. Capable of creating instant snapshots of virtual machines and maintaining multiple copies of snapshots & clones. 6. Storage policy on individual VM will provide enhanced performance and flexibility to end user for better storage management.
		HCI Features 3	1. Redundant components with no single point of failure in the system. 2. Intelligent optimum data distribution across all nodes. 3. HCI support container based application. 4. Single management tool supports multiple clusters. 5. Management tool is built into the solution and scales with the cluster. 6. HCI having built-in security for data. 7. HCI capable to sustain single power supply failure.
		HCI Features 4	1. VM/Node-centric policy-based management. 3. Support for VM or APP consistent snapshot/backup.
		HCI Features 5	1. Management tool is built into the solution, scales with the cluster, and does not require separate hardware infrastructure. 2. Integrated/Software based Remote Data recovery/Replication solution. 3. Data Integrity Checks. 4. Management tool provides visibility of network infrastructure. 5. Integrated management for hyperconverged infrastructure and virtual environments with Storage & Compute/Storage/Network/C

5			ompute. 6. Intelligent data distribution across all nodes and uniform capacity utilization across all nodes at all time.
		Supports	2. Antivirtus, 3. Anti malware
		Supported industry protocols by HCI	1. NFS 2. CIFS 3. SMB 4. iSCSI 5. Equivalent IP Storage Protocol 6. iSCSI for Containers
		Inline data Compression & Deduplication function licences for	2. Unlimited
	HCI Generic Parameters	Number of nodes HCI supports in same cluster/deployment, such that any node out of the offered be able to use the storage of all other nodes*	Minimum 16 Node Or higher
		HCI support	Proposed solution shall support any one or more industry-standard enterprise hypervisors such as AHV, Hyper-V, vSphere, Xen, KVM, RHEV, or equivalent.
		"Bare-metal / Non Bare metal type of virtualization hypervisor"	Bare-metal
		"The length of cable connecting the Nodes to the Switch (meters)"	3.0 - 50.0 Or higher
		The offered product have support from OEM for	1. Updation for patches and bug fixes for software within support period. 2. Upgradation of software version within support period. 3. Service and support from OEM within support period.
		Number of Years upto which support is available from OEM for Updation (Patches and Bug fixes) within support period	5
		Number of Years upto which support is available from OEM for Upgradation of version within support period*	5
		"Number of years of service and support from OEM"*	5
		Installation, & Commissioning	Yes

7	ATC clause	ATC clause	The proposed HCI solution and virtualization platform should support seamless migration and deployment of workloads/applications from UAT environment to existing VMware Tanzu/containerized ecosystem at GSDC Production Environment, wherever applicable. Bidder shall ensure smooth migration, integration, and operational continuity during implementation. Currently, we are working on an AI-based chatbot within the scope defined in the RFP, primarily to assist citizens through FAQs and scenario-based automated responses for respective ULB services. However, if GUDM plans to extend this to an advanced chatbot using NLP/LLM-based capabilities, additional GPU-based infrastructure will be required for UAT and Staging environments. The indicative configuration is as below: UAT & Staging: • GPU Memory: Minimum 48 GB ECC GPU Memory or higher; Tensor Cores: Minimum 500 or higher; GPU shall support AI/ML, Deep Learning, NLP, LLM, and containerized workloads. GPU should be compatible with the proposed server platform. • CPU – 8 Cores, 16 GB RAM • Storage – 500 GB • OS – Ubuntu 22.04 or above Further, the Production environment infrastructure will be proposed separately. The container platform must support GPU resource allocation for AI/ML workloads HCI Features 4: Supports DRS/Distributed switch or equivalent enterprise virtualization functionalities.
---	------------	------------	---

Networking part: 24 x 10/25GbE SFP+ & 4 x 100GbE QSFP data center grade switch + L3 License
All 24 ports should be populated with 25G Module from day 1
5 Years Warranty and Service along with enterprise support

Smart Rack 42 U

Sr.No	Parameter	Specification
1	Type of Rack	Smart Rack
2	Size of Rack Enclosure	42U or Higher
3	Mount Type	Floor Mounted
4	Front Door	Lockable Toughened Glass Door
5	Rear Door	Lockable Perforated Steel Door
6	Rear Split Door Design	Yes
7	Side Panels	Removable with Key Locks
8	Cable Management	Vertical and Horizontal Cable Managers
9	Cable Entry	Top and Bottom
10	Rack Trays	Minimum 2
11	Load Bearing Capacity	As per OEM Design
12	Secure Locks	Yes
13	Cooling Capacity	Minimum 20 kW
14	Climate Control	Yes
15	Humidity Control	Yes

16	Environmental Monitoring	Temperature and Humidity Monitoring
17	Water Leak Detection	Yes
18	Fire Suppression System	Integrated Automatic Fire Suppression
19	Fire Alarm/Hooter	Yes
20	Emergency Door Release	Yes
21	Rodent Protection	Yes
22	Intelligent Power Distribution	2 x Intelligent Metered PDU, 32A, C13/C19 Mixed Outlets
23	Power Strips	Minimum 2
24	Cooling Capacity	Minimum 20 kW In-Rack Precision Cooling (N+1 Redundancy Preferred) , 2 Units of 2 Ton AC which will run in redundancy mode.
25	UPS Integration	Supported
26	UPS Rating	Min 20 KVA or higher
27	UPS Backup Time	Min 30 Minutes or Higher
28	Cabinet Lighting	LED Internal Lighting
29	Biometric Access Control	Yes
30	Monitoring Interface	Integrated Monitoring and Alerting Dashboard
31	Network Integration	Support for integration with DCIM/NMS tools
32	Rack Warranty	Minimum 5 Years OEM Warranty
Physical Dimensions		
	Parameter	Specification
33	Height	42U Standard Rack
34	Width	900 mm or Higher
35	Depth	3600 mm or Higher
36	ADDITIONAL PERFORMANCE PARAMETER	• The Smart Rack Should advance modular server and network equipment enclosure designed for optimized space utilization, enhanced airflow, and simplified cable management. • It provides secure housing with lockable doors, adjustable mounting rails, and built-in monitoring options for temperature, humidity, and power usage. • Ideal for data centers, IT rooms, and network closets, the Smart Rack ensures efficient equipment organization, easy maintenance, and improved operational reliability while supporting scalability for growing infrastructure needs.

The Smart Rack shall support installation of HCI nodes, Top-of-Rack (ToR) switches, firewall appliances, intelligent PDUs, UPS, cooling units, and associated power/network cabling infrastructure with provision for future scalability. The rack shall provide integrated monitoring, environmental controls, security, and power management capabilities under a unified management framework.

Firewall

Sr	Minimum Specification
1	UTM appliance suitable for UAT, Development, and Enterprise Branch deployment.
2	Minimum 240 GB or higher onboard storage.
4	Minimum 2 Gbps Firewall throughput.
5	Minimum 2 Gbps IPS throughput.
6	Minimum 1 Gbps Threat Protection throughput
7	Appliance shall have minimum 2× 10G/25G SFP+ interfaces from day one.
8	Appliance shall have minimum 8 × 1G RJ-45 interfaces from day one.
9	Minimum 5 Gbps IPSec VPN throughput.
10	Supports IPSec VPN and SSL VPN.
11	Supports Stateful Firewall, NAT, and Policy-Based Routing..
12	Supports Intrusion Prevention System (IPS).
13	Supports Application Visibility and Control (AVC).
14	Supports URL Filtering and Web Security.
15	Supports Anti-Virus, Anti-Malware, and Anti-Bot protection.
16	Supports minimum 1 Million concurrent sessions.
17	Supports minimum 50,000 new sessions per second.
	Supports IPv4 and IPv6.
18	Supports SNMP, Syslog, Email Alerts, and Role-Based Administration.
19	Supports integration with LDAP/Active Directory
20	Appliance shall be supplied with all required subscriptions/licenses for IPS, URL Filtering, Anti-Malware, Application Control, and Threat Protection from Day-1.
21	Minimum 5 Years OEM Warranty, Subscription, Updates, and Enterprise Support.
Bandwidth	
1	Lease Line 50 Mbps Minimum 4 usable static IPs

Uptime: It is required to maintain uptime of 99.741%. Further, the bidder is responsible for providing comprehensive warranty and support (24x7x365) for the period of five years from the date of successful completion of FAT.

IMPLEMENTATION TIMELINES & PENALTIES:

S/N	Measurement	Target	Penalty for Delay
Applicable for overall contract			
1	Kick-off meeting	1 week from issuance of GEM order	Rs 50,000/week or part thereof. Delay Beyond 4 weeks, GUDM may terminate the contract and Forfeit the PBG.
2	Delivery of Components (Hardware, Software, License, etc.)	T1 = T + 12 weeks	A penalty of 0.5% of Contract Value per week or part thereof proportionately. Delay beyond T + 14 weeks GUDM may terminate the contract and Forfeit the PBG
3	Installation and Commissioning	T2 = T1 + 4 weeks	A penalty of 0.5% of Contract Value per week or part thereof proportionately. Delay beyond T1 + 6 weeks DST/GIL may terminate the contract and Forfeit the PBG
4	Final Acceptance Test (FAT)	T3 = T2 + 2 weeks	A penalty of 0.5% of Contract Value per week or part thereof proportionately.
5	Migration at GSDC	GUDM's Intimation date for Migration at production stage (4 weeks from date of intimation)	A penalty of 0.5% of Contract Value per week or part thereof.

FINAL ACCEPTANCE TEST: To be carried out based on the following but not limited to:

- Verification of installation and commissioning (Hardware, software and licenses)
- OEM Certifications
- All Functional and Technical requirements.

MILESTONE BASED PAYMENT TERMS:

S/N	Activity	Payment (%)
Table 1: Schedule-I		
1	Delivery of all components (Hardware, Software, Licenses, etc.)	50 % of the total GEM contract value
2	Successful installation, Testing, Integration, Commissioning	20 % of the total GEM contract value
3	Successful completion of training & Final Acceptance test of entire solution	10% of the total GEM contract value
4	Successful completion of Migration of entire solution	20% of the total GEM contract value

PRICE BID SCHEDULE:

Sr. #	Device Description	Unit	Item Quantity	Unit Rate Inc. GST	Total Rate
1	Hyper Converged Infrastructure(HCI) solution along with Smart Racks, Firewall, Bandwidth, etc. with required Switches, Hardware, software, licences, necessary accessories and tools.	Lot	1		

Note:

1. L1 will be the lowest sum total of rates of all line items including GST as per GeM GTC
2. RA has been enabled in the GEM Bid.

ADDITIONAL DOCUMENT TO BE SUBMITTED:

In the technical bid section of GeM, the bidder is required to upload the following documents;

1. Brochure and OEM Compliance of the Offered product on OEM letterhead.
2. BoQ with part-code on OEM letterhead for software and/or hardware components required to complete the solution.
3. Compliance of the SoW, SLA and Payment terms etc as uploaded as part of the GeM Bid on bidder's letterhead.
4. Undertaking as per guidelines published by Ministry of Finance, Dept. of Expenditure, Public Procurement Division dated 23.07.2020 in the given format by Bidder as well as OEM.
5. RA has been enabled in the GEM Bid.

On letterhead of Bidder

**Sub : Undertaking as per Office Memorandum No.: F. No.6/18/2019-PPD dated 23.07.2020 published by
Ministry of Finance, Dept. of Expenditure, Public Procurement division**

Ref: Bid Number: _____

I have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India. I certify that we as a bidder and quoted product from following OEMs are not from such a country or, if from such a country, these quoted products OEM has been registered with competent authority. I hereby certify that these quoted product & its OEM fulfills all requirements in this regard and is eligible to be considered for procurement for Bid number_____.

No.	Item Category	Quoted Make & Model

In case I'm supplying material from a country which shares a land border with India, I will provide evidence for valid registration by the competent authority, otherwise GIL/End user Dept. reserves the right to take legal action on us.

(Signature)

Authorized Signatory of **M/s <<Name of Company>>**

On letterhead of OEM

**Sub : Undertaking as per Office Memorandum No.: F. No.6/18/2019-PPD dated 23.07.2020 published by
Ministry of Finance, Dept. of Expenditure, Public Procurement division**

Ref: Bid Number: _____

Dear Sir,

I have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India. I certify that our quoted product and our company are not from such a country, or if from such a country, our quoted product and our company have been registered with competent authority. I hereby certify that these quoted product and our company fulfills all requirements in this regard and is eligible to be considered for procurement for Bid number_____.

No.	Item Category	Quoted Make & Model

In case I'm supplying material from a country which shares a land border with India, I will provide evidence for valid registration by the competent authority; otherwise, GIL/End user Dept. reserves the right to take legal action on us.

(Signature)

Authorized Signatory of **M/s <<Name of Company>>**